

2025








2WD APPLICATION LISTING



Note: The "Bluemax" parts offered are not O.E.M. Parts. Manufacturer's names, part numbers and other references or illustrations are for identification purposes only. The products offered are after market parts suitable for the use or vehicle prescribed.

FORD COURIER - 2WD

PC, PD, PE, PG, PH 1985 to 11/2006

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea
TORSION BARS				
	Increased Rate Torsion Bars Length 898mm		MAZDA009	1 pr
SHOCK MOUNT REINFORCEMENT BRACKET				
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA	
LEAF SPRINGS				
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA up to 250kg		MAZDA006	2 ea
	Raised Height Extra Heavy Duty 7 + 2 Leaf Springs LBA 300kg to 500kg		MAZDA006M	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU756UK	1 kit
U-BOLTS				
	Round Form U Bolts - With Nuts * Check U bolt dimensions before ordering as some later models vary		UB451	4 ea
SHACKLES				
	Greaseable Shackles		S386-1K	2 ea
PINS				
	Greaseable Pins		P794	2 ea



F
R
O
N
T

R
E
A
R

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)
NOTE: 4 x 2 Hi-Rider models 2004 to 2006 are exceptions.
Refer 4 x 4 section of catalogue

FORD RANGER - 2WD

PJ, PK 2.5 Diesel Standard Chassis Underslung Rear Leaf 1/2007 to 8/2011

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea
TORSION BARS				
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr
SHOCK MOUNT REINFORCEMENT BRACKET				
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers Confirm Shock Measurements Before Ordering - Can Be SA35095GP		*SA35650GLB*	2 ea
LEAF SPRINGS				
	STD Chassis With Underslung Leaf Springs			
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA060M	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA060MH	2 ea
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 600kg to GVM	30-40mm	MAZDA060GV	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU765UK	1 kit
U-BOLTS				
	Round Form U Bolts - With Nuts		UB475	4 ea
SHACKLES				
	Greaseable Shackles		S386-1K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea







F
R
O
N
T

R
E
A
R

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)
* Contact SSA For More Info*

FORD RANGER - 2WD

PJ, PK 3L Diesel Hi-Rider Overslung Rear Leaf 1/2007 to 8/2011

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea
TORSION BARS				
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr
SHOCK MOUNT REINFORCEMENT BRACKET				
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35095GPA	
LEAF SPRINGS				
	Hi-Rider Chassis With Overslung Leaf Springs			
	Raised Height Comfort 4 + 2 Leaf Springs LBA Up to 200kg	30-40mm	MAZDA050	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA050M	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA050MH	2 ea
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 600kg to GVM	30-40mm	MAZDA050GV	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU765UK	1 kit
U-BOLTS				
	Round Form U Bolts - With Nuts		UB475	4 ea
SHACKLES				
	Greaseable Shackles		S386-1K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea








* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

F
R
O
N
T

R
E
A
R

FORD RANGER - 2WD

PX I & II Standard Chassis Underslung Reaf Leaf 09/2011 to 6/2018

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		TBA	2 ea	F R O N T
COIL SPRINGS	Raised Height Heavy Duty Coils		TBA	1 pr	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL3080	2 ea	
TAIL SHAFT SPACER KIT					
	Driveshaft Centre Bearing Spacer Kit		SP-MAZ-01	1 kit	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		*SA35650GLB*	2 ea	
Confirm Shock Measurements Before Ordering - Can Be SA35095GP					
LEAF SPRINGS					
	STD Chassis With Underslung Leaf Springs				
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA060M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA060MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA060GV		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit - Use With MAZDA060, MAZDA060M , MAZDA060MH & MAZDA060GV		BU773UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB473	4 ea	
SHACKLES					
	Greaseable Shackles		S389K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

F
R
O
N
T









R
E
A
R

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

* Contact SSA For More Info*

FORD RANGER - 2WD

PX I & II High Rider Chassis Overslung Rear Leaf 09/2011 to 06/2018

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
UPPER CONTROL ARMS						
	Upper Control Arms - Piranha		UCAFOR01	1 pr		
STRUT						
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GP	2 ea		
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GPA			
COILS & STRUT ASSEMBLY						
	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210 COIL-ST-FOR01	1 pr		
	Coils Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210H COIL-ST-FOR03			
	Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HD COIL-ST-FOR21			
	Coils Springs For Vehicles With Steel Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HHD COIL-ST-FOR04			
	Tapered Coils Springs For Vehicles Without Bullbar Raised Height Coil Springs - Tapered Comfort Coil	40mm	FOR-210T COIL-ST-FOR05			
	Tapered Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HT COIL-ST-FOR52			
	Tapered Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HDT COIL-ST-FOR06			
	TOP PLATE MOUNT					
		Strut Top Plate Mount			TPL3080	2 ea
TAIL SHAFT SPACER KIT						
	Driveshaft Centre Bearing Spacer Kit to prolong centre bearing life		SP-MAZ-01	1 kit		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea		
	35mm Adjustable Shock Absorbers - Piranha		SA35095GPA			
LEAF SPRINGS						
	Hi-Rider Chassis With Overslung Leaf Springs Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg - Must Use BU770UK	40mm	MAZDA052P5	2 ea		
	Raised Height Comfort 4 + 2 Leaf Springs LBA Up to 200kg	40mm	MAZDA050			
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	MAZDA050M			
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	40mm	MAZDA050MH			
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	MAZDA050GV			
	SHACKLE BUSH KITS					
	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK	1 kit		
	Polyurethane Bush Kit - Use With MAZDA050, MAZDA050M , MAZDA050MH & MAZDA050GV		BU773UK			
U-BOLTS						
	Round Form U Bolts - With Nuts		UB473	4 ea		
	Round Form U Bolts - With Nuts use with MAZDA050MH & MAZDA050GV		UB473-1			
SHACKLES						
	Greaseable Shackles		S389K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		








F
R
O
N
T

R
E
A
R

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD RANGER - 2WD









PX III Standard Chassis Underslung Reaf Leaf 07/2018 to Current

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		TBA	2 ea	F R O N T
COIL SPRINGS	Raised Height Heavy Duty Coils		TBA	1 pr	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL8099	2 ea	
TAIL SHAFT SPACER KIT					
	Driveshaft Centre Bearing Spacer Kit to prolong centre bearing life		SP-MAZ-01	1 kit	R E A R
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		*SA35650GLB*	2 ea	
	Confirm Shock Measurements Before Ordering - Can Be SA35095GP				
LEAF SPRINGS	STD Chassis With Underslung Leaf Springs				
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA060M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA060MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA060GV		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit - Use With MAZDA060, MAZDA060M , MAZDA060MH & MAZDA060GV		BU773UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB473	4 ea	
SHACKLES					
	Greaseable Shackles		S389K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)
* Contact SSA For More Info*

FORD RANGER - 2WD

PX III High Rider Chassis Overslung Reaf Leaf 07/2018 to Current

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
UPPER CONTROL ARMS						
	Upper Control Arms - Piranha		UCAFOR01	1 pr		
STRUT						
	Strut/Gas Spring Seat Shock Absorbers		SA67093GP	2 ea		
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-224 COIL-ST-FOR07	1 pr		
	Coil Springs For Vehicles With Alloy Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-224H COIL-ST-FOR08			
	Coil Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	50mm	FOR-224HH COIL-ST-FOR09			
	Coil Springs For Vehicles With Steel Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	50mm	FOR-224HD COIL-ST-FOR12			
	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-224T COIL-ST-FOR10			
	Tapered Coil Springs For Vehicles With Alloy Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-224HT COIL-ST-FOR11			
	TOP PLATE MOUNT					
	Strut Top Plate Mount		TPL8099		2 ea	
TAIL SHAFT SPACER KIT						
	Driveshaft Centre Bearing Spacer Kit to prolong centre bearing life		SP-MAZ-01	1 kit		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea		
	35mm Adjustable Shock Absorbers - Piranha		SA35095GPA			
LEAF SPRINGS						
	Hi-Rider Chassis With Overslung Leaf Springs Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg - Must Use BU770UK	40mm	MAZDA052P5	2 ea		
	Raised Height Comfort 4 + 2 Leaf Springs LBA Up to 200kg	40mm	MAZDA050			
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	MAZDA050M			
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	40mm	MAZDA050MH			
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	MAZDA050GV			
	SHACKLE BUSH KITS					
	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK			
	Polyurethane Bush Kit - Use With MAZDA050 , MAZDA050M , MAZDA050MH & MAZDA050GV		BU773UK			
U-BOLTS						
	Round Form U Bolts - With Nuts		UB473			
	Round Form U Bolts - With Nuts use with MAZDA050MH & MAZDA050GV		UB473-1			
SHACKLES						
	Greaseable Shackles		S389K			
PINS						
	Greaseable Pins		P387-2			








F
R
O
N
T

R
E
A
R

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

FORD FALCON Wagon - 2WD








XE-XF 6 Cyl & V8, EA-EL 6 Cyl, EB-EL V8, AU 6 Cyl & V8, BA-BF, BF MK II & III

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
SHOCK ABSORBERS						
	Gas Shocks - XE to XF		SAB28160	2 ea	F R O N T	
	Gas Struts - EA to EL		SAB28240			
	Gas Struts - AU I, II, III		SAB28800			
	Gas Struts BA to BF		SAB36690			
COIL SPRINGS						
	Standard Height Plus Heavy Duty Coil Springs	20mm	H/Duty Coil available on request for each model	1 pr		
SHOCK ABSORBERS						
	Gas Shock Absorbers - XE to EL		SAB28220	2 ea		
	Gas Shock Absorbers - AU to BF		SAB36670			
LEAF SPRINGS						
	Raised Height Heavy Duty 6 Leaf Springs Fixed end eye = 54mm Must use BlueMax bush kit with these springs LBA up to 400kg	15-20mm	FORD020	2 ea		
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU744UK	1 kit	R E A R	
U-BOLTS						
	Early Models up to BA Round Form U Bolts - With Nuts					
	UB258 = 230mm x 75mm x 7/16" round		UB258	4 ea		
	UB258L = 260mm x 75mm x 7/16" round		UB258L			
	After BA Round Form U Bolts - With Nuts		UB458			
SANDWICH PLATES						
	U Bolt Sandwich Plates - sold in pairs		SPS-FORD	2 pr		

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD FALCON Utility - 2WD









AU, BA-BF, FG Ute Not Suitable for RTV Utilities

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	AU, AU11-A11 V6 & V8, XR6 & XR8 Ute		SAB28800		2 ea
	BA to BF - ALL Utes		SAB36690		
	FG-XR6 & XR8 & XR6 Turbo & R6 Ute		SA673637G		
COIL SPRINGS					
	Standard Height Plus Heavy Duty Coil Springs	40mm	H/Duty Coil available on request for each model	1 pr	
SHOCK ABSORBERS					
	AU-BF - 07/1999 to 09/2006		SAB36660	2 ea	1 R 1 L
	FG-XR6 & XR8 & XR6 Turbo Ute - 02/2008 Onwards		SAS314317 SAS314316		
	FG-R6 Ute - 02/2008 Onwards		SAS314315	2 ea	
LEAF SPRINGS					
	NB: Not Suitable For XR6/XR8 Models				2 ea
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 400kg	25-30mm	FORD021		
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs LBA 500kg to GVM	25-30mm	FORD021M		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit Fixed end eye = 54mm Must use BlueMax bush kit with these springs		BU744UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts				4 ea
	UB458 = 190mm x 75mm x 9/16" round		UB458		
	UB458-1 = 210mm x 75mm x 9/16" round		UB458-1		
	OR UB453-1 = 215mm x 83mm x 9/16" round		UB453-1		
SANDWICH PLATES					
	U Bolt Sandwich Plates - sold in pairs FORD021 2pr FORD021M 4pr		SPS-FORD	2/4pr	

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN RODEO - 2WD









KB/TFS 8/1988 to 2003

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	2 ea	F R O N T	
	35mm Gas Bulged Shock Absorbers - Piranha V6 Models		SA35649GP			
TORSION BARS						
	Increased Rate Torsion Bars Length 1000mm		HOLD005A	1 pr		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea	R E A R	
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 500kg	40mm	HOLD004	2 ea		
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 500kg + Minimum	40mm	HOLD004M			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU728UK	1 kit		
U-BOLTS						
	Round Form U Bolts - With Nuts		UB453-1	4 ea		
SHACKLES						
	Greaseable Shackles		S386K	2 ea		
PINS						
	Check pin size			2 ea		
	Greaseable Pins Non Teardrop - 14mm		P387-2			
	Greaseable Pins Teardrop - 18mm		P792			

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

HOLDEN RODEO - 2WD









RA Standard Chassis 3/2003 to 2008

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
STRUT						
	Strut/Gas Spring Seat Shock Absorbers		SA67080G	2 ea	FRONT	
COIL SPRINGS						
	Raised Height Heavy Duty Coil Springs Petrol	20-30mm	NLA	1 pr		
	Raised Height Heavy Duty Coil Springs Diesel	20-30mm	NLA			
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea		
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	40mm	HOLD018	2 ea		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	40mm	HOLD018M			
	Raised Height Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	40mm	HOLD018MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU728UK	1 kit	REAR	
U-BOLTS						
	Round Form U Bolts - With Nuts		UB453-1	4 ea		
SHACKLES						
	Greaseable Shackles		S386K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

HOLDEN RODEO - 2WD









RA Hi-Rider 3/2003 to 2008

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	FRONT	
TORSION BARS						
	Increased Rate Torsion Bars Length 1140mm		HOLD005B	1 pr		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP		REAR	
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	50mm	HOLD018			
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	50mm	HOLD018M			
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	50mm	HOLD018MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU728UK	1 kit		
U-BOLTS						
	Check U Bolt part number with rear springs					
	Round Form U Bolts - With Nuts		UB473			
	Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH		UB473-1	4 ea		
SHACKLES						
	Greaseable Shackles		S386K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN COLORADO - 2WD









RC Standard Chassis 9/2008 to 5/2012

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
STRUT						
	Strut/Gas Spring Seat Shock Absorbers		SA67080G	2 ea	FRONT	
COIL SPRINGS						
	Raised Height Heavy Duty Coil Springs Petrol	20-30mm	NLA	1 pr		
	Raised Height Heavy Duty Coil Springs Diesel	20-30mm	NLA			
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea		
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	40mm	HOLD018	2 ea		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	40mm	HOLD018M			
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	40mm	HOLD018MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU728UK	1 kit	REAR	
U-BOLTS						
	Round Form U Bolts - With Nuts		UB453-1	4 ea		
SHACKLES						
	Greaseable Shackles		S386K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

HOLDEN COLORADO - 2WD








RC Hi-Rider 9/2008 to 5/2012

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	F R O N T	
TORSION BARS						
	Increased Rate Torsion Bars Length 1140mm		HOLD005B	1 pr		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP		R E A R	
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	50mm	HOLD018			
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	50mm	HOLD018M			
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	50mm	HOLD018MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU728UK	1 kit		
U-BOLTS						
	Round Form U Bolts - With Nuts		UB473			
	Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH		UB473-1	4 ea		
SHACKLES						
	Greaseable Shackles		S386K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

HOLDEN COLORADO - 2WD

RG Hi-Ride 5/2012 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea
COILS & STRUT ASSEMBLY	NOTE: 04/2013 to 06/2016 must purchase SSA strut top plates mount TPL1002			
	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210 COIL-ST-HOL01	1 pr
	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL11	
	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210T COIL-ST-HOL51	
	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL53	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA	
LEAF SPRINGS	Raised Height 4 Leaf Parabolic Springs LBA up to 200kg	40mm	HOLD022P4	2 ea
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 200kg	40mm	HOLD022	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	HOLD022M	
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 400kg to 600kg	40mm	HOLD022MH	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	HOLD022GV	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU786UK	1 kit
				
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2	4 ea
	Square Form U Bolts - With Nuts use with HOLD022MH & HOLD022GV		UB437	
SHACKLES	Greaseable Shackles		S390K	2 ea
				
PINS	Greaseable Pin		P387-2	2 ea
				




F
R
O
N
T

R
E
A
R

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN COLORADO 7 / TRAILBLAZER - 2WD

LT & LTZ 11/2012 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	
COILS & STRUT ASSEMBLY	NOTE: 04/2013 to 06/2016 must purchase SSA strut top plates mount TPL1002				
	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210 COIL-ST-HOL01		
	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL11	1 pr	
	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210T COIL-ST-HOL51		
	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		SA35100GP	2 ea	
COIL SPRINGS					
	Raised Height Coil Springs	40mm	HOL-211	1 pr	
	Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load	40mm	HOL-211HD		







F
R
O
N
T

R
E
A
R

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HYUNDAI iLOAD - 2WD









2.4, 2.5 CRDI

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA674893	1 R	F R O N T
			SA674892	1 L	
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs	20mm	NLA	1 pr	
SHOCK ABSORBERS					
	30mm Gas Shock Absorbers		SAS314891	2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty 3 + 2 Leaf Springs With All 10mm Leaves LBA up to 400kg		HYUN006	2 ea	R E A R
	Raised Height Extra Heavy Duty 4 + 2 Leaf Springs with all 10mm leaves - constant loads LBA 500kg to GVM		HYUN006MH		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit Must use BlueMax bush kit with these springs		BU791UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB258-3	4 ea	

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

ISUZU D-MAX - 2WD









9/2008 to 5/2012

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
STRUT						
	Strut/Gas Spring Seat Shock Absorbers		SA67080G	2 ea	F R O N T	
COIL SPRINGS						
	Raised Height Heavy Duty Coil Springs Petrol	20-30mm	NLA	1 pr		
	Raised Height Heavy Duty Coil Springs Diesel	20-30mm	NLA			
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea		
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	40mm	HOLD018	2 ea		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	40mm	HOLD018M			
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	40mm	HOLD018MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU728UK	1 kit		
U-BOLTS						
	Round Form U Bolts - With Nuts		UB453-1	4 ea		
SHACKLES						
	Greaseable Shackles		S386K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

ISUZU D-MAX - 2WD








TFS85 Standard Chassis 6/2012 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
STRUT						
	Strut/Gas Spring Seat Shock Absorbers		SA67080G	2 ea	FRONT	
COIL SPRINGS						
	Raised Height Heavy Duty Coil Springs Petrol	20-30mm	NLA	1 pr		
	Raised Height Heavy Duty Coil Springs Diesel	20-30mm	NLA			
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea		
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 200kg	40mm	HOLD024	2 ea		
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	HOLD024M			
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 500kg to GVM	40mm	HOLD024MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU728UK	1 kit	REAR	
U-BOLTS						
	Round Form U Bolts - With Nuts - Check Dimensions 1/2" Material		UB475	4 ea		
	Round Form U Bolts - With Nuts - Check Dimensions 9/16" Material		UB473-1			
SHACKLES						
	Greaseable Shackles		S386K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

ISUZU D-MAX - 2WD

TFS85 Hi-Rider 5/2012 to 5/2020

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea
COILS & STRUT ASSEMBLY 	Coils Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL12	1 pr
	Coils Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR02	
	Coils Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL52	
	Coils Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR53	
	Coils Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR53	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea
SHOCK ABSORBERS 	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA	
LEAF SPRINGS 	Raised Height 4 Leaf Parabolic Springs LBA up to 200kg	40mm	HOLD022P4	2 ea
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 200kg	40mm	HOLD022	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	HOLD022M	
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 400kg to 600kg	40mm	HOLD022MH	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	HOLD022GV	
SHACKLE BUSH KITS 	Polyurethane Bush Kit		BU786UK	1 kit
U-BOLTS 	Square Form U Bolts - With Nuts		UB453-2	4 ea
	Square Form U Bolts - With Nuts Use with HOLD022P4, HOLD022MH & HOLD022GV		UB437	
SHACKLES 	Greaseable Shackles		S390K	2 ea
PINS 	Greaseable Pin		P387-2	2 ea









F
R
O
N
T

R
E
A
R

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ISUZU D-MAX - 2WD


High Ride 06/2020 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
UPPER CONTROL ARMS				
	Upper Control Arms - Piranha		UCAISU02	1 pr
STRUT				
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP	2 ea
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA	
COILS & STRUT ASSEMBLY				
	Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204	1 pr
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR03	
	Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204H	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR17	
	Coil Springs For Vehicles With 100kg + of Accessories	40mm	TPR-204HD	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR27	
	Tapered Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204T	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR60	
	Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204HT	1 pr
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR61	
TOP PLATE MOUNT				
	Strut Top Plate Mount		TPL1002	2 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35096GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35096GPA	
LEAF SPRINGS				
	Raised Height 3 Leaf Parabolic Springs No Load	30-40mm	HOLD022P3	2 ea
	Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg	30-40mm	HOLD022P4	
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg	40mm	HOLD022	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	40mm	HOLD022M	
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM	40mm	HOLD022MH	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU792UK	1 kit
U-BOLTS				
	Square Form U Bolts - With Nuts		UB453-2	4 ea
	Square Form U Bolts - With Nuts use with HOLD022MH & HOLD022GV		UB437	
SHACKLES				
	Greaseable Shackles		S392K	2 ea
PINS				
	Greaseable Pin		P387-2	2 ea

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ISUZU MU-X - 2WD

2013 to 7/2021

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	F R O N T
COILS & STRUT ASSEMBLY	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL12	1 pr	
	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR02		
	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL52		
	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR53		
	TOP PLATE MOUNT	Strut Top Plate Mount			
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35100GP	2 ea	
COIL SPRINGS					
	Raised Height Coil Springs	40mm	ISU-201	1 pr	
	Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load	40mm	ISU-201HD		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

ISUZU MU-X - 2WD









7/2021 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP	2 ea	F R O N T
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA		
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204	1 pr	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR03		
	Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204H		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR17		
	Coil Springs For Vehicles With 100kg + of Accessories	40mm	TPR-204HD		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR27		
	Tapered Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204T		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR60		
	Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204HT		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR61		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35100GP	2 ea	R E A R
COIL SPRINGS	Raised Height Coil Springs	40mm	KIRS-02	1 pr	
	Raised Height Heavy Duty Coil Springs	40mm	ISU-201		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

MAZDA BRAVO - 2WD

1985 to 11/2006

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers Urethane boot optional extra	STD	SA12087GL	2 ea
	35mm Gas Bulged Shock Absorbers	RSD	SA35649GP	
	Optional Urethane Shock Protection Boot		SC641U	
TORSION BARS				
	Increased Rate Torsion Bars Length 898mm		MAZDA009	1 pr
SHOCK ABSORBERS				
	35mm Gas Shock Absorbers - Piranha		SA35636GP	2 ea
LEAF SPRINGS				
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA up to 250kg		MAZDA006	2 ea
	Raised Height Extra Heavy Duty 7 + 2 Leaf Springs LBA 300kg to 500kg		MAZDA006M	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU756UK	1 kit
U-BOLTS				
	Round Form U Bolts - With Nuts * Check U bolt dimensions before ordering as some later models vary		UB451	4 ea
SHACKLES				
	Greaseable Shackles		S386-1K	2 ea
PINS				
	Greaseable Pins		P794	2 ea










* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NOTE: 4 x 2 Hi-Rider models 2004 to 2006 are exceptions.

Refer 4 x 4 section of catalogue

MAZDA BT50 - 2WD

2.5L Diesel Standard Chassis 1/2007 to 8/2011

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea
TORSION BARS				
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr
SHOCK MOUNT REINFORCEMENT BRACKET				
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers Confirm Shock Measurements Before Ordering - Can Be SA35095GP		*SA35650GLB*	2 ea
LEAF SPRINGS				
	STD Chassis With Underslung Leaf Springs			
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA060M	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA060MH	2 ea
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 600kg to GVM	30-40mm	MAZDA060GV	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU765UK	1 kit
U-BOLTS				
	Round Form U Bolts - With Nuts		UB475	4 ea
SHACKLES				
	Greaseable Shackles		S386-1K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea

FRONT









REAR

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

* Contact SSA For More Info*

MAZDA BT50 - 2WD







3L Diesel Hi-Rider 1/2007 to 8/2011

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					F R O N T
	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea	
TORSION BARS					F R O N T
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr	
SHOCK ABSORBERS					R E A R
	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea	
	35mm Adjustable Shock Absorbers - Piranha		SA35095GPA		
LEAF SPRINGS					
	Hi-Rider Chassis With Overslung Leaf Springs				
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 200kg	30-40mm	MAZDA050		
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 200kg to 300kg	30-40mm	MAZDA050M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA050MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA050GV		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		BU765UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB475	4 ea	
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MAZDA BT50 - 2WD

2.2L Standard Chassis 8/2011 Onwards










Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		TBA	2 ea	F R O N T
COIL SPRINGS	Raised Height Heavy Duty Coils		TBA	1 pr	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL3080	2 ea	
TAIL SHAFT SPACER KIT	Driveshaft Centre Bearing Spacer Kit		SP-MAZ-01	1 kit	
					R E A R
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		*SA35650GLB*	2 ea	
	Confirm Shock Measurements Before Ordering - Can Be SA35095GP				
LEAF SPRINGS	STD Chassis With Underslung Leaf Springs				
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA060M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA060MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA060GV		
SHACKLE BUSH KITS	Polyurethane Bush Kit - Use With MAZDA060, MAZDA060M , MAZDA060MH & MAZDA060GV		BU773UK	1 kit	
					
U-BOLTS	Round Form U Bolts - With Nuts		UB473	4 ea	
					
SHACKLES	Greaseable Shackles		S389K	2 ea	
					
PINS	Greaseable Pins		P387-2	2 ea	
					

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

* Contact SSA For More Info*

MAZDA BT50 - 2WD

2.2L & 3.2L Diesel Hi-Rider 8/2011 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
UPPER CONTROL ARMS				
	Upper Control Arms - Piranha		UCAFOR01	1 pr
STRUT				
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GP	2 ea
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GPA	
COILS & STRUT ASSEMBLY				
	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210 COIL-ST-FOR01	1 pr
	Coils Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210H COIL-ST-FOR03	
	Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HD COIL-ST-FOR21	
	Coils Springs For Vehicles With Steel Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HHD COIL-ST-FOR04	
	Tapered Coils Springs For Vehicles Without Bullbar Raised Height Coil Springs - Tapered Comfort Coil	40mm	FOR-210T COIL-ST-FOR05	
	Tapered Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HT COIL-ST-FOR52	
	Tapered Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HDT COIL-ST-FOR06	
	TOP PLATE MOUNT			
	Strut Top Plate Mount		TPL3080	2 ea
TAIL SHAFT SPACER KIT				
	Driveshaft Centre Bearing Spacer Kit		SP-MAZ-01	1 kit
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35095GPA	
LEAF SPRINGS				
	Hi-Rider Chassis With Overslung Leaf Springs Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg - Must Use BU770UK	30-40mm	MAZDA052P5	2 ea
	Raised Height Comfort 4 + 2 Leaf Springs LBA Up to 200kg	30-40mm	MAZDA050	
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	30-40mm	MAZDA050M	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA050MH	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA050GV	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK	1 kit
	Polyurethane Bush Kit - Use With MAZDA050, MAZDA050M , MAZDA050MH & MAZDA050GV		BU773UK	
U-BOLTS				
	Round Form U Bolts - With Nuts		UB473	4 ea
	Round Form U Bolts - With Nuts use with MAZDA050MH & MAZDA050GV		UB473-1	
SHACKLES				
	Greaseable Shackles		S389K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea









FRONT

REAR

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MAZDA BT50 - 2WD

High Ride 10/2020 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
UPPER CONTROL ARMS				
	Upper Control Arms - Piranha		UCAISU02	1 pr
STRUT				
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP	2 ea
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA	
COILS & STRUT ASSEMBLY				
	Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204	1 pr
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR03	
	Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204H	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR17	
	Coil Springs For Vehicles With 100kg + of Accessories	40mm	TPR-204HD	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR27	
	Tapered Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204T	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR60	
	Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204HT	1 pr
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR61	
TOP PLATE MOUNT				
	Strut Top Plate Mount		TPL1002	2 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35096GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35096GPA	
LEAF SPRINGS				
	Raised Height 3 Leaf Parabolic Springs No Load		HOLD022P3	2 ea
	Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg		HOLD022P4	
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg	40mm	HOLD022	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	40mm	HOLD022M	
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM	40mm	HOLD022MH	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU792UK	1 kit
U-BOLTS				
	Square Form U Bolts - With Nuts		UB453-2	4 ea
	Square Form U Bolts - With Nuts use with HOLD022MH & HOLD022GV		UB437	
SHACKLES				
	Greaseable Shackles		S392K	2 ea
PINS				
	Greaseable Pin		P387-2	2 ea







F
R
O
N
T

R
E
A
R

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

MITSUBISHI TRITON - 2WD









ME, MF, MG, MH, MJ, MK 1987 to 9/2006

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
SHOCK ABSORBERS						
	30mm Gas Shock Absorbers		SA30700G	2 ea	FRONT	
COIL SPRINGS						
	ME - MJ '87 to '96 Raised Height Medium Duty Coils		NLA	1 pr		
	MK '96 to '06 Raised Height Medium Duty Coils		NLA			
SHOCK ABSORBERS						
	35mm Gas Shock Absorbers - Piranha		SA35636GP	2 ea		
	35mm Adjustable Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 250kg	50mm	MITS018	2 ea		
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	50mm	MITS018M			
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM	50mm	MITS018MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit Suits SSA Springs Only		BU774UK	1 kit	REAR	
U-BOLTS						
	Round Form U Bolts - With Nuts		UB451	4 ea		
SHACKLES						
	Greaseable Shackles		S795K	2 ea		
PINS						
	Check pin size			2 ea		
	Greaseable Pins Non Teardrop		P387-2 14mm			
	Greaseable Pins Teardrop		P796 18mm			

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

MITSUBISHI TRITON - 2WD

ML, MN 5/2006 to 5/2015

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea
COILS & STRUT ASSEMBLY 	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207 COIL-ST-MIT01	1 pr
	Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207H COIL-ST-MIT11	
	Tapered Coil Springs For Vehicles With Steel Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207HD COIL-ST-MIT21	
	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207T COIL-ST-MIT51	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea
TAIL SHAFT SPACER KIT	 <p>Use this kit with raised suspensions to correctly align the tailshaft centre bearing on 2 piece tailshafts. Contains: 1 x spacer - 2 x wedges - 4 x bolts, nuts, washers</p> <p>Use this kit with Bluemax Springs. As Bluemax springs already have a wedge fitted to bottom of the spring pack</p>		SPKITTRIT SPKITTRIT-BM	1 kit
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35634GP	2 ea
LEAF SPRINGS				
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 250kg	50mm	MITS028	2 ea
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 300kg to 400kg	50mm	MITS028M	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 500kg to GVM	50mm	MITS028GV	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU772UK	1 kit
U-BOLTS				
	Square Form U Bolts - With Nuts - ML 1/2" material		UB454	4 ea
	Square Form U Bolts - With Nuts - MN 9/16" material		UB464	
SHACKLES				
	Greaseable Shackles		S795K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea

F
R
O
N
T

R
E
A
R

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

MITSUBISHI TRITON - 2WD









MQ MR 5/2015 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207 COIL-ST-MIT01	1 pr
	Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207H COIL-ST-MIT11	
	Coil Springs For Vehicles With Steel Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207HD COIL-ST-MIT21	
	Taoered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207T COIL-ST-MIT51	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea
SHORTENED FRONT BUMP STOP	Shortened Bump Stop For Front Upper Control Arm		BSMC0960-15	2 ea
TAIL SHAFT SPACER	Use to correctly align the tailshaft centre bearing on 2 piece tailshafts. Contains: 1 x spacer - 2 x wedges - 4 x bolts, nuts, washers		SPKITTRIT	1 kit
	Use this kit with Bluemax Springs . As Bluemax springs already have a wedge fitted to bottom of the spring pack		SPKITTRIT-BM	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea
LEAF SPRINGS	Raised Height Heavy Duty Leaf Springs LBA up to 250kg	40-50mm	MITs040	2 ea
	Raised Height Heavy Duty Leaf Springs LBA 300kg to 500kg	40-50mm	MITs040M	
	Raised Height Extra Heavy Duty Leaf Springs LBA 600kg to GVM	40-50mm	MITs040GV	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU782UK	1 kit
U-BOLTS	Square Form U Bolts With Nuts		UB453-2	4 ea
	Square Form U Bolts With Nuts use with MITs040M & MITs040GV		UB437	
SHACKLES	Greaseable Shackles		S393K	2 ea
PINS	Greaseable Pins		P387-2	2 ea

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

NISSAN NAVARA - 2WD








D21, D22 to Current Model

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
SHOCK ABSORBERS						
	35mm Gas Shock Absorbers Urethane boot optional extra *Bulged cannister too big for control arms		SA12087GL	2 ea	FRONT	
TORSION BARS						
	Increased Rate Torsion Bars					
	D21 1985 to 1996 - Length 1203mm		NISS013	1 pr		
	D22 1997 to current - Length 890mm		NISS013A			
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35074GP	2 ea	REAR	
LEAF SPRINGS						
	Raised Height Medium Duty 3 + 2 Leaf Springs LBA up to 200kg	40mm	NISS022	2 ea		
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 250kg to 400kg	40mm	NISS022M			
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs LBA 450kg to GVM	40mm	NISS022MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU704UK	1 kit		
U-BOLTS						
	Round Form U Bolts - With Nuts 190mm x 77mm x 1/2"		UB451	4 ea		
	Round Form U Bolts - With Nuts 215mm x 83mm x 9/16"		UB453-1			
SHACKLES						
	Greaseable Shackles		S797K	2 ea		
PINS						
	Greaseable Pins		P798	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

NISSAN NAVARA - 2WD

D40 11/2005 to 12/2011

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT				
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea
	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226 COIL-ST-NIS01	1 pr
	Coil Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226HD COIL-ST-NIS21	
	Tapered Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226T COIL-ST-NIS52	
	Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226HDT COIL-ST-NIS51	
TOP PLATE MOUNT				
	Strut Top Plate Mount		TPL2040	2 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35651GP	2 ea
	41mm Foam Cell Shock Absorbers (for NISS024GV use only)		SA41094FCA	
LEAF SPRINGS				
	Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 250kg	40mm	NISS024	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	40mm	NISS024M	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 500kg to GVM	40mm	NISS024GV	
	Note: When using NISS024GV use Braided Extended Brake Hoses BH1010BR			
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU767UK	1 kit
U-BOLTS				
	Square Form U Bolts - With Nuts		UB453-2	4 ea
	Square Form U Bolts - With Nuts use with NISS024GV		UB437	
SHACKLES				
	Greaseable Shackles		S797-1K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

NISSAN NAVARA - 2WD









D40 2012 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226 COIL-ST-NIS01	1 pr
	Coil Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226HD COIL-ST-NIS21	
	Tapered Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226T COIL-ST-NIS52	
	Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226HDT COIL-ST-NIS51	
	TOP PLATE MOUNT	Strut Top Plate Mount		
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35651GP	2 ea
LEAF SPRINGS				
	Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 250kg	40mm	NISS034	2 ea
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	40mm	NISS034M	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM	40mm	NISS034MH	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU767UK	1 kit
U-BOLTS				
	Square Form U Bolts - With Nuts		UB453-3	4 ea
SHACKLES				
	Greaseable Shackles		S797-1K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

TOYOTA HILUX - 2WD









8/1988 to 2005

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					F R O N T
	30mm Gas Shock Absorbers		SA30700G	2 ea	
TORSION BARS					R E A R
	Increased Rate Torsion Bars		TOY033	1 pr	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea	
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS					
	Raised Height Heavy Duty 4 + 2 Leaf Springs Main Leaf 530mm - 670mm LBA up to 250kg	40mm	TOY085M	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	40mm	TOY085MH		
	Raised Height Heavy Duty 4 + 2 Leaf Springs Main leaf 560mm - 740mm Must check main leaf length - LBA up to 200kg	40mm	TOY040		
	Raised Height Extra Heavy Duty 4 + 2 Leaf Springs Main leaf 560mm - 740mm Must check main leaf length - LBA 300kg to 500kg	40mm	TOY040M		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit for TOY085M / MH use with parallel shackle		BU733UKT	1 kit	
	Polyurethane Bush Kit for TOY085M / MH use with non parallel shackle		BU758UK		
	Polyurethane Bush Kit for TOY040 / TOY040M use with non parallel shackle		BU747UK		
U-BOLTS					
	Round Form U Bolts - With Nuts for TOY085M/MH		UB451	4 ea	
	Round Form U Bolts - With Nuts for TOY040/M		UB455		
SHACKLES					
	Greaseable Shackles Parallel		S386K	2 ea	
	Greaseable Shackles Non Parallel		S386-1K		
PINS					
	Check pin size			2 ea	
	Greaseable Pins Non Teardrop		P387-2		
	Greaseable Pins Teardrop		P385		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

TOYOTA HILUX - 2WD









2005 to 10/2015

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT / SHOCK ABSORBERS					
	Strut/Gas Spring Seat Shock Absorbers		SA67711G	1 L	F R O N T
			SA67712G	1 R	
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs		TPR-213	1 pr	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35650GP		
	35mm Adjustable Shock Absorbers - Piranha		SA35650GPA		
LEAF SPRINGS					
	Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 200kg	40mm	TOY145		2 ea
	Raised Height Heavy Duty 5 + 2 Leaf Springs Constant loads - LBA 250kg to 400kg	40mm	TOY145M		
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Constant loads - LBA 500kg to GVM	40mm	TOY145MH		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit - Suits Tear Drop Style Pin & SSA Springs		BU776UK		1 kit
	Polyurethane Bush Kit - Suits 14mm Bolt Style Pin & SSA Springs		BU766UK		
	Special Note: Replacement Bushes For 35mm Front Spring Eye Use BU777UK For Teardrop Pins & BU794UK For 14mm Bolt Style Pin				
U-BOLTS					
	Round Form U Bolts - With Nuts		UB453-3	4 ea	
SHACKLES					
	Greaseable Shackles		S387K	2 ea	
PINS (check pin type)					
	Greaseable Pins non-teardrop		P387-2		2 ea
	Greaseable Pins teardrop		N/A		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

TOYOTA HILUX - 2WD









10/2015 Onwards Standard Chassis Underslung Reaf Leaf

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT / SHOCK ABSORBERS					
	Strut/Gas Spring Seat Shock Absorbers		SA67711G	1 L	F R O N T
			SA67712G	1 R	
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs		TPR-213	1 pr	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35650GP	2 ea	
	35mm Adjustable Shock Absorbers - Piranha		SA35650GPA		
LEAF SPRINGS					
	Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 200kg	40mm	TOY052	2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs Constant loads - LBA 200kg - 500kg	40mm	TOY052M		
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Constant loads - LBA 500kg to GVM	40mm	TOY052MH		
	Special Note: From Factory Single Cab Models Should Have a 35mm Front Spring Eye & Extra/Dual Cabs Should Have a 40mm Front Spring Eye Where SSA Springs Have 35mm Spring Eye . We Use This Spring For All Models.				
SHACKLE BUSH KITS					
	Polyurethane Bush Kit - Suits Tear Drop Style Pin & SSA Springs		BU777UK	1 kit	R E A R
	Polyurethane Bush Kit - Suits 14mm Bolt Style Pin & SSA Springs		BU794UK		
Special Note: Replacement Bushes For 40mm Front Spring Eye Use BU776UK For Teardrop Pins & BU766UK For 14mm Bolt Style Pin					
U-BOLTS					
	Round Form U Bolts - With Nuts		UB453-3	4 ea	
SHACKLES					
	Greaseable Shackles		TBA	2 ea	
PINS					
(check pin type) 	Greaseable Pins non-teardrop		P387-2	2 ea	
	Greaseable Pins teardrop		N/A		

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA HILUX - 2WD

2015 Onwards High Rider Chassis Overslung Reaf Leaf

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
UPPER CONTROL ARMS				
	Upper Control Arms - Piranha		UCATOY01	1 pr
STRUT				
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GP	2 ea
COILS & STRUT ASSEMBLY				
	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR01	1 pr
	Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR11	
	Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HD COIL-ST-TPR21	
	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR52	
	Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HT COIL-ST-TPR51	
TOP PLATE MOUNT				
	Strut / Coil Assembly Top Plate Mount		TPL1083	2 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35098GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35098GPA	
LEAF SPRINGS				
	Raised Height Comfort 3 + 2 Leaf Springs LBA up to 200kg	50mm	TOY056	2 ea
	Raised Height Heavy Duty 3 + 2 Leaf Springs LBA 200kg to 400kg	50mm	TOY056M	
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 400kg to 600kg	50mm	TOY056GV	
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 600kg to GVM	50mm	TOY056GVH	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU766UK	1 kit
U-BOLTS				
	Square Form U Bolts - With Nuts		UB453-2	4 ea
	Square Form U Bolts - With Nuts use with TOY056M & TOY056GV		UB437	
SHACKLES				
	Greaseable Shackles		S391K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea







* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

F
R
O
N
T

R
E
A
R

TOYOTA HI-ACE - 2WD








100 Series 1989 to 2004

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					FRONT
	30mm Gas Shock Absorbers		SAS290152	2 ea	
TORSION BARS					
	Increased Rate Torsion Bars		TOY027	1 pr	
SHOCK ABSORBERS					REAR
	30mm Gas Shock Absorbers - eye/pin		SAS312804	2 ea	
	30mm Gas Shock Absorbers - eye/eye Confirm shock end types		SAS230023		
LEAF SPRINGS					
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA up to 300kg	40mm	TOY029	2 ea	
	Raised Height Extra Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 600kg to GVM	40mm	TOY029GV		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		BU754UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB453-3	4 ea	

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

TOYOTA HI-ACE - 2WD



200 Series 3/2005 to 4/2019

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
SHOCK ABSORBERS						
	30mm Gas Shock Absorbers		SAS315350	2 ea	FRONT	
TORSION BARS						
	Increased Rate Torsion Bars		TOY027	1 pr	REAR	
SHOCK ABSORBERS						
	30mm Gas Shock Absorbers OE Replacement		SAS315351	2 ea		
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA-H			
LEAF SPRINGS						
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA up to 300kg	40mm	TOY029	2 ea		
	Raised Height Extra Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	TOY029GV			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit does not include chassis bushes		BU784UK	1 kit		
U-BOLTS						
	Round Form U Bolts - With Nuts		UB453-3	4 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

TOYOTA HI-ACE - 2WD

300 Series 4/2019 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					F R O N T
	30mm Gas Shock Absorbers		TBA	2 ea	
COIL SPRINGS					F R O N T
	Raised Height Heavy Duty Coil Springs		TBA	1 pr	
SHOCK ABSORBERS					R E A R
	35mm Adjustable Shock Absorbers - Piranha		SA35650GPA	2 ea	
LEAF SPRINGS					
	OE Replacement 3 Leaf Parabolic Springs	20mm	TOY030P		
	Heavy Duty 4 Leaf Parabolic Springs LBA 300kg to 500kg	20mm	TOY030MP		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit - Until a Polyurethane Kit can be developed. Reuse bushes out of factory springs		TBA	1 kit	
U-BOLTS					
	Square Form U Bolts - With Nuts use with TOY030P		UB480		
	Square Form U Bolts - With Nuts use with TOY030MP		UB481	4 ea	

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**