





www.piranhaoffroad.com.au





Note: The "Bluemax" parts offered are not 0.E.M. Parts. Manufacturer's names, part numbers and other references or illustrations are for identification purposes only. The products offered are after market parts suitable for the use or vehicle prescribed.

| STRUIT Strut/Gas Spring Seat Shock Absorbers - Piranha 40mm COILS & STRUIT Coil Springs For Vehicles Without Builbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Buil Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Builbar & Winch Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Builbar & Winch Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Builbar & 40mm Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Buil Bar A0mm Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Buil Bar A0mm Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Buil Bar A0mm Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Mount Coil Springs For Vehicles With Buil Bar A0mm Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Suil Bar A0mm Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Suil Bar A0mm Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Coil With Top Plate Mount Coil Springs For Vehicles With Nuts 14mm x 65mm x 205mm U Bolts - With Nuts 14mm x 65mm x 205mm U Bolts - With Nuts 14mm x 65mm x 235mm UB483 | Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|--|-------------------|--|----------------|----------------|--------------------|---|
| STRUT COILS & STRUT COILS & STRUT ASSEMBLY Coil Springs For Vehicles Without Builbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Buil Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Builbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Builbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Builbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Builbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Buil Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Buil Bar Preassembled Strut/Coil With Top Plate Mount SHOCK ABSORBERS 35mm Adjustable Shock Absorbers - Piranha SA40504GP TBA 2 e SHACKLE BUSH KITS Polyurethane Bush Kit 1 k J-BOLTS Square Form U Bolts - With Nuts 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm Greaseable Shackles Greaseable Shackles | R CONTROL ARMS | | | | | |
| COILS & STRUT ASSEMBLY Coil Springs For Vehicles Without Builbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Buil Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Buil Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Builbar & 40mm Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Builbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Builbar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Strut / Coil Assembly Top Plate Mount SHOCK ABSORBERS 35mm Adjustable Shock Absorbers - Piranha SA40504GP 2 e SHACKLE BUSH KITS Polyurethane Bush Kit 1 k UB482 J-BOLTS Square Form U Bolts - With Nuts 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm SHACKLES Greaseable Shackles Greaseable Shackles | | Upper Control Arms - Piranha | | UCAGMC01 | 1 pr | |
| COILS & STRUT ASSEMBLY Coil Springs For Vehicles With Dullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount TOP PLATE MOUNT Strut / Coil Assembly Top Plate Mount SHOCK ABSORBERS SHACKLE BUSH KITS Polyurethane Bush Kit Square Form U Bolts - With Nuts 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm Greaseable Shackles Greaseable Shackles Greaseable Shackles | T | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67101GP | 2 ea | |
| Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Builbar & Winch Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Buil Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount SHOCK ABSORBERS SHACKLE BUSH KITS Polyurethane Bush Kit Polyurethane Bush Kit Polyurethane Bush Kit 1 k UB482 4 e SHACKLES Greaseable Shackles Greaseable Shackles | S & STRUT | Preassembled Strut/Coil With Top Plate Mount | | | _ | · |
| TOP PLATE MOUNT Strut / Coil Assembly Top Plate Mount 2 e SHOCK ABSORBERS 35mm Adjustable Shock Absorbers - Piranha SA40504GP 2 e SHACKLE BUSH KITS Polyurethane Bush Kit 1 k J-BOLTS Square Form U Bolts - With Nuts 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm SHACKLES Greaseable Shackles 2 e | | Preassembled Strut/Coil With Top Plate Mount | | | | F |
| TOP PLATE MOUNT Strut / Coil Assembly Top Plate Mount 2 e SHOCK ABSORBERS 35mm Adjustable Shock Absorbers - Piranha SA40504GP 2 e SHACKLE BUSH KITS Polyurethane Bush Kit 1 k Square Form U Bolts - With Nuts 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm SHACKLES Greaseable Shackles 2 e 2 e 35mm Adjustable Shock Absorbers - Piranha SA40504GP 2 e 2 e 35mm Adjustable Shock Absorbers - Piranha SA40504GP 2 e 4 e 35mm Adjustable Shock Absorbers - Piranha UB482 4 e 35mm X 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm SHACKLES | Will like | Preassembled Strut/Coil With Top Plate Mount | | | 1 pr | 1 |
| TOP PLATE MOUNT Strut / Coil Assembly Top Plate Mount 2 e SHOCK ABSORBERS 35mm Adjustable Shock Absorbers - Piranha SA40504GP 2 e LEAF SPRINGS Raised Height Heavy Duty Leaf Spring TBA 2 e SHACKLE BUSH KITS Polyurethane Bush Kit 1 k UB482 4 e Square Form U Bolts - With Nuts 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm SHACKLES Greaseable Shackles 2 e | OP PLATE MOUNT | · · · · · | | | | |
| SHACKLE BUSH KITS Square Form U Bolts - With Nuts 14mm x 65mm x 235mm SHACKLES Greaseable Shackles SHACKLES Greaseable Shackles 2 e SHOCK ABSORBERS 35mm Adjustable Shock Absorbers - Piranha SA40504GP 2 e SHACKLE BUSH KITS 2 e Square Form U Bolts - With Nuts 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm SHACKLES Greaseable Shackles | | | 40mm | | | |
| SHOCK ABSORBERS 35mm Adjustable Shock Absorbers - Piranha SA40504GP LEAF SPRINGS Raised Height Heavy Duty Leaf Spring TBA 2 e SHACKLE BUSH KITS Square Form U Bolts - With Nuts 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm SHACKLES Greaseable Shackles 2 e | DI ATE MOUNT | Preassembled Strut/Coil With Top Plate Mount | | | | • |
| 35mm Adjustable Shock Absorbers - Piranha SA40504GP 2 e LEAF SPRINGS Raised Height Heavy Duty Leaf Spring TBA 2 e SHACKLE BUSH KITS Polyurethane Bush Kit 1 k U-BOLTS Square Form U Bolts - With Nuts 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm SHACKLES Greaseable Shackles 2 e | PLATE IVIOUNT | Strut / Coil Assembly Top Plate Mount | | | 2 ea | |
| 35mm Adjustable Shock Absorbers - Piranha SA40504GP Raised Height Heavy Duty Leaf Spring TBA 2 e SHACKLE BUSH KITS Polyurethane Bush Kit 1 k J-BOLTS Square Form U Bolts - With Nuts 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm SHACKLES Greaseable Shackles 2 e | CK ABSORBERS | | | | | |
| Raised Height Heavy Duty Leaf Spring TBA 2 e SHACKLE BUSH KITS Polyurethane Bush Kit 1 k J-BOLTS Square Form U Bolts - With Nuts 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm UB482 4 e Square Form U Bolts - With Nuts 14mm x 65mm x 235mm UB483 | piranha | 35mm Adjustable Shock Absorbers - Piranha | | SA40504GP | 2 ea | |
| Polyurethane Bush Kit 1 k U-BOLTS Square Form U Bolts - With Nuts 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm UB482 UB483 SHACKLES Greaseable Shackles 2 e | | Raised Height Heavy Duty Leaf Spring | | ТВА | 2 ea | |
| Square Form U Bolts - With Nuts 14mm x 65mm x 205mm | | Polyurethane Bush Kit | | | 1 kit | F |
| 14mm x 65mm x 205mm Square Form U Bolts - With Nuts 14mm x 65mm x 235mm SHACKLES Greaseable Shackles 2 e | LTS | | | | | |
| 14mm x 65mm x 235mm SHACKLES Greaseable Shackles 2 e | | • | | UB482 | 4 ea | |
| Greaseable Shackles 2 e | | · | | UB483 | 4 ea | |
| | KLES | | | | | |
| DINC | | Greaseable Shackles | | | 2 ea | |
| Greaseable Pins 2 e | · in | | | | | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|-------------------|--|----------------|----------------|--------------------|-------------|
| SHOCK ABSORBERS | | • | | 10111010 | |
| piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA40002GP | | F R |
| TORSION BARS | | | | | 0 |
| | Increased Rate Torsion Bars | | ТВА | 1 pr | N T |
| SHOCK ABSORBERS | | | | | |
| Diranha Diranha | 35mm Adjustable Shock Absorbers - Piranha | | SA40502GP | | |
| LEAF SPRINGS | Raised Height Heavy Duty | 50mm | ТВА | | |
| | Raised Height Heavy Duty | 50mm | ТВА | | |
| | Raised Height Extra Heavy Duty | 50mm | ТВА | | |
| SHACKLE BUSH KITS | Polyurethane Bush Kit - 2007 to 2018 | | | 1 kit | R E A |
| U-BOLTS | | | | | R |
| | Round Form U Bolts - With Nuts | | | — 4 ea | |
| | Round Form U Bolts - With Nuts | | | 4 ea | |
| SHACKLES | | | | | |
| | Greaseable Shackles | | | 2 ea | |
| PINS | | | | | |
| | Greaseable Pins | | | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| DODGE RAM DS 3L ECO DIESE | 1500 - 4WD L & 5.7L V8 PETROL | | | | |
|---------------------------|---|--|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCADODGE01 | 1 pr | F |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67098GP | 2 ea | R |
| COIL SPRINGS | Coils Springs For Vehicles With Up To 50kg Bullbar | 40mm | KDFR-402 | | O N |
| TOP PLATE MOUNT | Coils Springs For Vehicles With 100kg+ Of Accessories | 40mm | KDFR-402HD | ─ 1 pr | Т |
| TOP PLATE MOUNT | Strut Top Plate Mount | | ТВА | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers | 40mm KDFR-402 40mm KDFR-402HD TBA SA40502GP | 2 ea | | |
| COIL SPRINGS | | Lift Number Vehic UCADODGE01 1 pr Sorbers - Piranha SA67098GP 2 ea Up To 50kg Bullbar 40mm KDFR-402 1 pr 100kg+ Of 40mm KDFR-402HD TBA 2 ea Pers SA40502GP 2 ea KDRR-403 prings load 40mm KDRR-403HD 1 pr | | R | |
| SHOCK ABSORBERS | Raised Height Coil Springs | _ | KDRR-403 | | E A |
| | Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load | 40mm | KDRR-403HD | 1 pr | R |
| | Raised Height Heavy Duty Coil Springs LBA 500kg + - constant load | | KDRR-403EHD | | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| DODGE RAM DT 3L ECO DIESE | 1500 - 4WD L & 5.7L V8 PETROL | | | | |
|---------------------------|---|--|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCADODGE01 | 1 pr | F |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67099GP | 2 ea | R |
| COIL SPRINGS | Coils Springs For Vehicles With Up To 50kg Bullbar | 40mm | KDFR-402 | | O N |
| TOP PLATE MOUNT | Coils Springs For Vehicles With 100kg+ Of Accessories | 40mm | KDFR-402HD | ─ 1 pr | Т |
| TOP PLATE MOUNT | Strut Top Plate Mount | | ТВА | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers | 40mm KDFR-402 40mm KDFR-402HD TBA SA40503GP | 2 ea | | |
| COIL SPRINGS | | Lift Number Vehicle UCADODGE01 1 pr bers - Piranha SA67099GP 2 ea p To 50kg Bullbar 40mm KDFR-402 1 pr 00kg+ Of 40mm KDFR-402HD TBA 2 ea s SA40503GP 2 ea KDRR-404 ings ad 40mm KDRR-404HD 1 pr | | R | |
| SHOCK ABSORBERS | Raised Height Coil Springs | _ | KDRR-404 | | E A |
| | Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load | 40mm | KDRR-404HD | 1 pr | R |
| | Raised Height Heavy Duty Coil Springs LBA 500kg + - constant load | _ | KDRR-404EHD | | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| FORD EVERE | | | | | |
|--------------------|--|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCAFOR01 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67091GP | | |
| | Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67091GPA | 2 ea | |
| COILS & STRUT | Coils Springs For Vehicles With Up To 50kg Bullbar | 40mm | FOR-210 | 1 pr | F |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR01 | | R |
| ASSEMBLY | Coils Springs For Vehicles With 50kg Plus Bullbar / Winch | 40mm | FOR-210H | - | O N |
| Marca | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR03 | | Т |
| Cindle . | Tapered Coils Springs For Vehicles With Up To 50kg Bullbar | 40mm | FOR-210T | - | · |
| 1100 | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR51 | | |
| | Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch | 40mm | FOR-210HT | = | |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR52 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL3080 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers | | SA35111GP | 2 ea | R |
| COIL SPRINGS | | | | | Е |
| | Raised Height Coil Springs | 40mm= | KFRR-106 | 1 nr | A R |
| | Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load | - 40mm | KFRR-106HD | - 1 pr | |

^{*}LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| FORD EVERE | | | | | |
|------------------------|--|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCAFOR01 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67093GP | | |
| | Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67093GPA | 2 ea | |
| COILS & STRUT ASSEMBLY | Coils Springs For Vehicles With Up To 50kg Bullbar | 40mm | FOR-224 | 1 pr | F |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR07 | | R |
| | Coils Springs For Vehicles With 50kg Plus Bullbar / Winch | 40mm | FOR-224H | - | O N |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR08 | | T |
| | Tapered Coils Springs For Vehicles With Up To 50kg Bullbar | 40mm | FOR-224T | - | |
| 11/10 | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR10 | | |
| | Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch | 40mm | FOR-224HT | = | |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR11 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL8099 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers | | SA35111GP | 2 ea | R |
| COIL SPRINGS | | | | | E |
| | Raised Height Coil Springs | 40~~ | KFRR-106 | 1 | A R |
| OYVIII) | Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load | - 40mm | KFRR-106HD | - 1 pr | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|------------------------|--|----------------|-----------------------------|--------------------|-----|
| UPPER CONTROL ARM | | | | | |
| | Upper Control Arms - Piranha Suits XL/XLS MODELS - with STEEL Knuckle Between Upper & Lower Control Arms | _ | UCAFOR02 | _ | |
| | Upper Control Arms - Piranha Suits XLT, WILDTRACK/ SPORT/PLATINUM ONLY - with ALLOY Knuckle Between Upper & Lower Control Arms | | UCAFOR03 | 1 pr | ļ |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67097GP | 2 ea | - I |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 30mm - 35mm | KFFR-122SP COIL-ST-FOR13 | | - (|
| | Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount | 40mm | KFFR-122 COIL-ST-FOR14 | 1 pr | · |
| Min . | Tapered Coil Springs For Vehicles LBA 50kg to 100kg | 40mm | KFFR-122T | _ | |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR54 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL8100 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers | | SA35111GP | 2 ea | |
| COIL SPRINGS | | | | | 1 |
| | Standard + Coil Springs | 20-25mm | KFRR-106 | 1 pr | |
| | Raised Height Coil Springs | - 30-35mm | KFRR-125 | | 1 |
| | Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load | - 3U-33IIII | KFRR-125HD | = | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|--|--|-----------------------|----------------|--------------------|-----|
| UPPER CONTROL ARM | | | | | |
| | Upper Control Arms - Piranha Suits XL/XLS MODELS - with STEEL Knuckle Between Upper & Lower Control Arms | _ | UCAFOR02 | _ | |
| | Upper Control Arms - Piranha Suits XLT, WILDTRACK/ SPORT/PLATINUM ONLY - with ALLOY Knuckle Between Upper & Lower Control Arms | | UCAFOR03 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67097GP | 2 ea | - F |
| COILS & STRUT | Coil Springs For Vehicles Without Bullbar | 30mm - | KFFR-122 | | • F |
| ASSEMBLY | Preassembled Strut/Coil With Top Plate Mount | 35mm | COIL-ST-FOR14 | = | |
| | Coil Springs For Vehicles With LBA 50kg to 100kg | | KFFR-122H | | |
| China dina dina dina dina dina dina dina d | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR15 | _ 1 pr | |
| | Tapered Coil Springs For Vehicles Without Bullbar | 30mm - | KFFR-122T | , b. | |
| | Preassembled Strut/Coil With Top Plate Mount | 35mm | COIL-ST-FOR54 | _ | |
| | Tapered Coil Springs For Vehicles With LBA 50kg to 100kg | 40mm | KFFR-122HT | | |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR55 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL8100 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers | | SA35111GP | 2 ea | |
| COIL SPRINGS | | | | | F |
| | Standard + Coil Springs | 20-25mm | KFRR-106 | 1 pr | E |
| | Raised Height Coil Springs | – 30-35mm | KFRR-125 | | F |
| | Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load | – 30 - 3311111 | KFRR-125HD | - | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|-------------------|--|----------------|----------------|--------------------|---|
| HOCK ABSORBERS | | | | | |
| piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35643GP | 2 ea | |
| ORSION BARS | | | | | - |
| | Increased Rate Torsion Bars Length 924mm | | MAZDA005 | 1 pr | |
| HOCK MOUNT REINFO | RCEMENT BRACKET | | | | |
| | Shock Absorber Top Mount Reinforcement Bracket | | SHOCKBRKT-MAZ1 | 1 ea | |
| HOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35095GP | | |
| piranha | 35mm Adjustable Shock Absorbers - Piranha | | SA35095GPA | - 2 ea | |
| EAF SPRINGS | Raised Height Heavy Duty 5 + 2 Leaf Springs Overslung - LBA up to 400kg | 50mm | MAZDA016 | 2 ea | |
| 0 | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs Overslung - 400kg to GVM | 50mm | MAZDA016M | 2 ea | |
| HACKLE BUSH KITS | | | | | |
| 9996 | Polyurethane Bush Kit | | BU756UK | 1 kit | ı |
| BOLTS | | | | | _ |
| | Round Form U Bolts - With Nuts | | UB453-1 | 4 ea | |
| HACKLES | | | | | |
| | Greaseable Shackles | | S386-1K | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| FORD RANG | | | | | |
|-------------------|---|----------------|----------------|--------------------|---|
| PJ, PK 2007 to 8 | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| O piranha O | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35643GP | 2 ea | |
| ORSION BARS | | | | | |
| | Increased Rate Torsion Bars Length 1025mm | | MAZDA051 | 1 pr | |
| HOCK MOUNT REINFO | RCEMENT BRACKET | | | | • |
| | Shock Absorber Top Mount Reinforcement Bracket | | SHOCKBRKT-MAZ1 | 1 ea | |
| SHOCK ABSORBERS | | | | | 1 |
| O piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35095GP | 2 ea | |
| EAE ORDINGO | 35mm Adjustable Shock Absorbers - Piranha | | SA35095GPA | | - |
| LEAF SPRINGS | Overslung Leaf Springs Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 150kg | 30-40mm | MAZDA050 | | |
| | Overslung Leaf Springs Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg | 30-40mm | | | |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves | 30-40mm | | 2 ea | |
| | LBA 400kg to 600kg Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 30-40mm | MAZDA050GV | | |
| SHACKLE BUSH KITS | - | | | | • |
| 2000 | Polyurethane Bush Kit | | BU765UK | 1 kit | |
| J-BOLTS | Round Form U Bolts - With Nuts | | UB475 | 4 ea | |
| HACKLES | | | | | |
| | Greaseable Shackles | | S386-1K | 2 ea | |
| INS | | | | | - |
| | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|--------------------------------|---|----------------|----------------------------|--------------------|--------|
| UPPER CONTROL ARMS | | LIIL | Number | Vernicie | |
| | Upper Control Arms - Piranha | | UCAFOR01 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67091GP SA67091GPA | 2 ea | |
| COILS & STRUT ASSEMBLY | Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | FOR-210 COIL-ST-FOR01 | | |
| ASSEMBLI | Coils Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount | 40mm | FOR-210H COIL-ST-FOR03 | | |
| The . | Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch Pressembled Strut/Coil With Ten Plate Maunt | 40mm | FOR-210HD COIL-ST-FOR21 | | F R |
| Marie Land | Preassembled Strut/Coil With Top Plate Mount Coils Springs For Vehicles With Steel Bullbar & Winch | 40mm | FOR-210HHD | 1 pr | O N |
| Chinalia . | Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles Without Bullbar | 40mm | COIL-ST-FOR04 FOR-210T | | T |
| | | 40mm | COIL-ST-FOR05 FOR-210HT | | |
| | Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With Steel Bullbar | 40mm | FOR-210HDT | | |
| | or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount | 4011111 | COIL-ST-FOR06 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL3080 | 2 ea | |
| TAIL SHAFT SPACER KIT | Driveshaft Centre Bearing Spacer Kit - Required | | SP-MAZ-01 | 1 kit | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35095GP | 2 ea | |
| O piranha O | 35mm Adjustable Shock Absorbers - Piranha | | SA35095GPA | | |
| SHOCK ABSORBERS LEAF SPRINGS | Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg - Must Use BU770UK | 40mm | MAZDA052P5 | | |
| | Raised Height Comfort 4 + 2 Leaf Springs LBA Up to 200kg | 40mm | MAZDA050 | | |
| | Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg Raised Height Extra Heavy Duty 5 + 2 Leaf Springs | 40mm | MAZDA050M | 2 ea | |
| | with 10mm main & wrap leaves - constant load LBA 400kg to 600KG | 40mm | MAZDA050MH | | |
| | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 40mm | MAZDA050GV | | R E |
| SHACKLE BUSH KITS | Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye | | BU770UK | 1 kit | A R |
| 0000 | Polyurethane Bush Kit - Use With MAZDA050, MAZDA050M, MAZDA050MH & MAZDA050GV | | BU773UK | | |
| U-BOLTS | Round Form U Bolts - With Nuts | | UB473 | | |
| | Round Form U Bolts - With Nuts use with MAZDA050MH & MAZDA050GV | | UB473-1 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S389K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

FORD RANGER - 4WD

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|---------------------------|--|----------------|--------------------------------------|--------------------|---|
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCAFOR01 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers | | SA67093GP | | |
| OTROT | Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67093GPA | 2 ea | |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | FOR-224 COIL-ST-FOR07 FOR-224H | | |
| | Coil Springs For Vehicles With Alloy Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles WithSteel Bullbar or Alloy | 40mm | COIL-ST-FOR08 | - | |
| Minute . | Bar & Winch Preassembled Strut/Coil With Top Plate Mount | 50mm | FOR-224HH COIL-ST-FOR09 | 1 pr | |
| | Coil Springs For Vehicles WithSteel Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount | 50mm | KFFR-24HD COIL-ST-FOR12 | . · P· | |
| | Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | FOR-224T COIL-ST-FOR10 | | |
| • | Tapered Coil Springs For Vehicles With Alloy Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | FOR-224HT COIL-ST-FOR11 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL8099 | 2 ea | |
| TAIL SHAFT SPACER KIT | Driveshaft Centre Bearing Spacer Kit - Required | | SP-MAZ-01 | 1 kit | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35095GP | · 2 ea | |
| | 35mm Adjustable Shock Absorbers - Piranha | | SA35095GPA | | |
| LEAF SPRINGS | Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg - Must Use BU770UK | 40mm | MAZDA052P5 | | |
| | Raised Height Comfort 4 + 2 Leaf Springs LBA Up to 200kg Raised Height Medium Duty 5 + 2 Leaf Springs | 40mm | MAZDA050 | | |
| | Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg Raised Height Extra Heavy Duty 5 + 2 Leaf Springs | 40mm | MAZDA050M | . 2 ea | |
| | with 10mm main & wrap leaves - constant load LBA 400kg to 600KG | 40mm | MAZDA050MH | | |
| | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 40mm | MAZDA050GV | - | |
| SHACKLE BUSH KITS | Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye | | BU770UK | 1 kit | 1 |
| 8886 | Polyurethane Bush Kit - Use With MAZDA050, MAZDA050M, MAZDA050MH & MAZDA050GV | | BU773UK | - | |
| U-BOLTS | Round Form U Bolts - With Nuts | | UB473 | - | |
| | Round Form U Bolts - With Nuts use with MAZDA050MH & MAZDA050GV | | UB473-1 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S389K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| FORD RANGE | ER - 4WD er Diesel 08/2022 Onwards | | | | |
|-----------------------|--|----------------|----------------------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARM | Upper Control Arms - Piranha Suits XL/XLS MODELS - with STEEL Knuckle Between Upper & Lower Control Arms | | UCAFOR02 | | |
| | Upper Control Arms - Piranha Suits XLT, WILDTRACK/ SPORT/PLATINUM ONLY - with ALLOY Knuckle Between Upper & Lower Control Arms | | UCAFOR03 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers | | SA67097GP | 2 ea | |
| COILS & STRUT | Coil Springs For Vehicles Without Bullbar | 30mm - | KFFR-122SP | | F |
| A CCEMPL V | Preassembled Strut/Coil With Top Plate Mount | 35mm | COIL-ST-FOR13 | _ | |
| Addeniber | Coil Springs For Vehicles With LBA 50kg to 100kg | 40mm | KFFR-122 | 1 pr | R |
| Marin Comment | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR14 | . Pi | 0 |
| ASSEMBLY | Tapered Coil Springs For Vehicles LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount | 40mm | KFFR-122T COIL-ST-FOR54 | | N T |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL8100 | 2 ea | |
| SWAY BAR LINKS | | | | | ٠ |
| | Front Adjustable Sway Bar Links Must Be Supplied With Our Lift Kit | | ACCSWBR- FOR01 | 1 pr | |
| TAIL SHAFT SPACER KIT | Driveshaft Centre Bearing Spacer Kit | | SP-FOR-01 | 1 kit | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35109GP | 2 ea | |
| | 35mm Adjustable Shock Absorbers - Piranha | | SA35109GPA | - | t R |
| LEAF SPRINGS | Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg | 50-60mm | FORD040P5 | - | |
| | Raised Height Comfort 4 + 1 Leaf Springs LBA Up to 200kg | 40mm | FORD040 | _ | |
| | Raised Height Medium Duty 5 + 1 Leaf Springs LBA 200kg to 400kg | 40mm | FORD040M | - 2 ea | |
| | Raised Height Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg | 40mm | FORD040MH | | |
| | Raised Height Extra Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 40mm | FORD040GV | | R E A |
| SHACKLE BUSH KITS | Polyurethane Bush Kit - | | BU770UK | 1 kit | R |
| U-BOLTS | Square Form U Bolts - With Nuts | | UB437 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S389K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |


^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| FORD RANGE | ER - 4WD er Diesel 08/2022 Onwards | | | | |
|------------------------|--|------------------------|---|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARM | Upper Control Arms - Piranha Suits XL/XLS MODELS - with STEEL Knuckle Between Upper & Lower Control Arms | | UCAFOR02 | | |
| 19) | Upper Control Arms - Piranha Suits XLT, WILDTRACK/ SPORT/PLATINUM ONLY - with ALLOY Knuckle Between Upper & Lower Control Arms | | UCAFOR03 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers | | SA67097GP | 2 ea | |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount | 30mm - 35mm 40mm | KFFR-122 COIL-ST-FOR14 KFFR-122H COIL-ST-FOR15 | - - 1 pr | F R |
| Min Vis | Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 30mm - 35mm | KFFR-122T COIL-ST-FOR54 | ı pı | 0 |
| ASSEMBLY | Tapered Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount | 40mm | KFFR-122HT COIL-ST-FOR55 | - | N T |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL8100 | 2 ea | |
| SWAY BAR LINKS | Front Adjustable Sway Bar Links Must Be Supplied With Our Lift Kit | | ACCSWBR- FOR01 | 1 pr | |
| TAIL SHAFT SPACER KIT | Driveshaft Centre Bearing Spacer Kit | | SP-FOR-01 | 1 kit | |
| | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35109GP | _ | |
| | 35mm Adjustable Shock Absorbers - Piranha | | SA35109GPA | - 2 ea | |
| LEAF SPRINGS | Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg | 50-60mm | FORD040P5 | | |
| | Raised Height Comfort 4 + 1 Leaf Springs LBA Up to 200kg | 40mm | FORD040 | - | |
| | Raised Height Medium Duty 5 + 1 Leaf Springs LBA 200kg to 400kg | 40mm | FORD040M | - 2 ea | |
| | Raised Height Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg | 40mm | FORD040MH | | |
| | Raised Height Extra Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 40mm | FORD040GV | | R E A |
| SHACKLE BUSH KITS | | | | | R |
| 9866 | Polyurethane Bush Kit | | BU770UK | 1 kit | |
| U-BOLTS | Square Form U Bolts - With Nuts | | UB437 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S389K | 2 ea | |
| PINS | Greaseable Pins | _ | P387-2 | 2 ea | |

2025 UPPER CONTROL ARMS

- Built in caster & camber correction for raised vehicles
- Fixed position heavy duty greaseable ball joint
- Powder coated steel cosntruction
- Built in provisions for relocating OEM ABS lines (where required)

Available for Hilux, PX Ranger 2011 - 2020, Next Gen Ranger, Triton, Pajero Sport, Navara, DMAX 20+, Mazda BT50 2011 - 2020, Mazda BT50 2020+, Landcruiser 200 Series, Landcruiser 300 Series







www.piranhaoffroad.com.au





Note: The "Bluemax" parts offered are not O.E.M. Parts. Manufacturer's names, part numbers and other references or illustrations are for identification purposes only. The products offered are after market parts suitable for the use or vehicle prescribed.

| | ER RAPTOR- 4WD MY22 05/2022 Onwards | | | | |
|-------------------|---------------------------------------|----------------|----------------|--------------------|-----------------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs | 40mm - 45mm | KFFR-123 | | F R O N T |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs | 20mm - 25mm | KFRR-124 | | R E A R |

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NOTE: We recommend to re-use Factory Struts/Shocks are Electronically Adjustable Bypass Shocks. We recommend to

| FORD MAVEI | RICK - 4WD 1988 to 1994 | | | | |
|--|--|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| piranha 0 | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35091GP | | |
| O pranting | 41mm Foam Cell Shock Absorbers | | SA41091FCN | | |
| STEERING DAMPER | | | | | |
| (WX | Steering Damper - Pre 9/1989 | Eye/Eye | SD14034G | — 1 only | F |
| THE STATE OF THE S | Expanded Body Steering Damper - 9/1989 Onwards | Pin/Pin | SD35036 | 1 Offiny | R |
| COIL SPRINGS | | | | | C |
| | Raised Height Heavy Duty Coil Springs No bar / winch | 50mm | NIS-200 | — 1 pr | N T |
| | Raised Height Heavy Duty Coil Springs With bar / winch | 50mm | NIS-201 | | |
| CASTER BUSH KIT | | | | | |
| | Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift | | BU1721UK | 1 kit | |
| SHOCK ABSORBERS | | | | | |
| piranha o | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35094GP | | |
| | 41mm Foam Cell Shock Absorbers | | SA41094FC | | F |
| COIL SPRINGS | | | | | E |
| CLIVING | Raised Height Heavy Duty Coil Springs LBA up to 100KG | 50mm | NIS-213 | 4 | R |
| WYY0 | Raised Height Heavy Duty Coil Springs LBA 200kg to GVM | 50mm | NIS-214 | — 1 pr | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|--|---|----------------|----------------|--------------------|-----|
| SHOCK ABSORBERS | | | 110111201 | 70111010 | |
| piranha o | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35091GP | _ 2.03 | |
| | 41mm Foam Cell Shock Absorbers | | SA41091FCN | _ 2 Ga | |
| STEERING DAMPER | Tation Wagon 1988 to 1994 Description Description Lift Number Vehicle REERS 35mm Gas Bulged Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers Sa41091FCN Approx Lift Number Vehicle REERS 35mm Gas Bulged Shock Absorbers - Piranha 5A35091GP 2 ea Altering Damper - Pre 9/1989 Eye/Eye SD14034G Expanded Body Steering Damper - 9/1989 Onwards Pin/Pin SD35036 Standard Height Heavy Duty Coil Springs LBA up to 45kg Raised Height Heavy Duty Coil Springs LBA oky to 46kg Raised Height Heavy Duty Coil Springs LBA 50kg to 80kg Raised Height Heavy Duty Coil | | | | |
| - mail | | Eye/Eye | SD14034G | — 1 only | |
| W.Z. \(\) | Expanded Body Steering Damper - 9/1989 Onwards | Pin/Pin | SD35036 | | - F |
| COIL SPRINGS | Standard Height Heavy Duty Coil Springs | STD | NIS-204 | | _ |
| | | 50mm | NIS-201 | | N |
| | | 50mm | NIS-201HD | 1 pr | • |
| | | 65mm | NIS-201HHD | | |
| CASTER BUSH KIT | | | BU1721UK | 1 kit | |
| Part and Location Description | | | | | |
| COIL SPRINGS CASTER BUSH KIT SHOCK ABSORBERS COIL SPRINGS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35094GP | — 2 ea | |
| | 41mm Foam Cell Shock Absorbers | | SA41094FC | | |
| COIL SPRINGS | Standard Height Heavy Duty | STD | NIS-220 | | |
| 0.1 | | 50mm | NIS-214 | _ | Α |
| | | 50mm | NIS-214HD | 1 pr | R |
| | LBA 400kg to GVM - constant load | 50mm | NIS-214EHD | | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| FORD MAVEF Y60 Cab Chassis & | | | | | |
|---------------------------------|---|----------------|--------------------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | LIIC | Number | Vernicie | |
| | 35mm Gas Bulged Shock Absorbers | | SA35661G | 2 | |
| STEERING DAMPER | 41mm Foam Cell Shock Absorbers | | SA41661FC | — 2 ea | |
| STEERING DAMPER | | | | | |
| | Steering Damper - Pre 9/1989 | Eye/Eye | SD14034G | — 1 only | |
| LEAF SPRINGS | Expanded Body Steering Damper - 9/1989 Onwards | Pin/Pin | SD35036 | | |
| | Raised Height Heavy Duty 7 Leaf Springs Heavy duty | 50mm | NISS011 | 2 ea | F R |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU718UK | 1 kit | O N T |
| U-BOLTS | Square Form U Bolts - With Nuts Square Forged U Bolts - With Nuts | | UB436 UB669F | 3 N/S 1 D/S | |
| SHACKLES | Greaseable Shackles Anti-Inversion Shackles Also Available | | S353K | 2 ea | |
| PINS | Greaseable Pins | | P667 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35648GP | | |
| | 41mm Foam Cell Shock Absorbers Urethane boot optional extra | | SA41648FC | 2 ea | |
| LEAF SPRINGS | Raised Height Heavy Duty 7 + 2 Leaf Springs LBA up to 300kg | 50mm | NISS012D-S NISS012N-S | 1 D/S 1 N/S | |
| | Raised Height Extra Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg | 50mm | NISS012MH | _ | |
| | Raised Height Extra Heavy Duty 7 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 50mm | NISS012GV | 2 ea | R |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU719UK | 1 kit | E A R |
| U-BOLTS | Round Form U Bolts - With Nuts | | UB453 | 4 ea | |
| SHACKLES | Greaseable Shackles Anti-Inversion Shackles Also Available | | S353K | 2 ea | |
| PINS | Greaseable Pins | | P667 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| FORD F250 - 2000 Onwards | 4WD | | | | |
|--------------------------|--|-----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35101GP | 2 ea | |
| LEAF SPRINGS | Raised Height Heavy Duty Parabolic Springs 3 Leaf - LBA up to 100kg | 50mm to 75mm | FORD033P3 | 2 ea | |
| SHACKLE BUSHES | Silent Block Bush - Front Spring Eye | | BU150 | 2 ea | F |
| 4444 44 | Silent Block Bush - Rear Spring Eye | | BU149 | 2 ea | R O |
| 9899 | Polyurethane Bush Kit - Does Not Include Chassis/Shackle Bushes. | | ТВА | | N T |
| PINS | Greaseable Pins - Front Eye Only Greaseable Pins - Rear Eye Only. Will not fit Shackle | | P1136 P1134 | 2 ea 2 ea | • |
| U-BOLTS | Square Form U Bolts - With Nuts | | UB471 | 4 ea | |
| PANHARD RODS | Adjustable Panhard Rod | | PRF250 | 1 ea | |
| SHOCK ABSORBERS | Quad Suspension 35mm Gas Bulged Shock Absorbers - Piranha | | SA35102GP | 4 ea | |
| LEAF SPRINGS | Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 500kg | 50mm | FORD031 | 2 | |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 500kg to 800kg | 50mm | FORD031M | — 2 ea | |
| SHACKLE BUSHES | Silent Block Bush - Front Spring Eye | | BU150 | 2 ea | |
| 11.11 | Silent Block Bush - Rear Spring Eye | | BU149 | 2 ea | |
| 9996 | Polyurethane Bush Kit - Does Not Include Chassis/Shackle Bushes. | | ТВА | I NIL | R E |
| PINS | Greaseable Pins - Front Eye Only Greaseable Pins - Rear Eye Only. Will not fit Shackle | | P1136 P1134 | | A R |
| U-BOLTS | Round Form U Bolts - With Nuts | | UB472 | | |
| | Round Form U Bolts - With Nuts use with FORD031M | | UB472-1 | 4 ea | |
| POLYAIR SPRINGS | | | | | |
| 848 | Polyair Bellows Kit F250, F350 2000 onwards 4 shock rear | RSD | PA85301 | 1 kit | |
| ā0ā | Spacer Bracket use with RSD suspension | | SP-F250 | 4 ea | |
| | Square Form U Bolts - With Nuts to suit spacer bracket | | UB381 | 4 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| FORD F350 - | 4WD | | | | |
|-------------------|---|-----------------|----------------|--------------|-------------|
| 2000 Onwards | Description | Approx | Part | Qty Per | |
| Part and Location | Description | Lift | Number | Vehicle | |
| SHOCK ABSORBERS | | | | | |
| O piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35101GP | 2 ea | |
| LEAF SPRINGS | | | | | |
| | Raised Height Heavy Duty Parabolic Springs 3 Leaf - LBA up to 100kg | 50mm to 75mm | FORD033P3 | 2 ea | |
| SHACKLE BUSHES | | | | | |
| 2222 22 | Silent Block Bush - Front Spring Eye | | BU150 | 2 ea | F |
| •••• | Silent Block Bush - Rear Spring Eye | | BU149 | 2 ea | R |
| 9996 | Polyurethane Bush Kit - Does Not Include Chassis/Shackle Bushes. | | ТВА | 1 kit | O N T |
| PINS | | | | _ | • |
| 4 | Greaseable Pins - Front Eye Only Greaseable Pins - Rear Eye Only. Will not fit Shackle | | P1136 P1134 | 2 ea 2 ea | |
| U-BOLTS | oroccossion into the state and the state of | | | 2 04 | |
| | Square Form U Bolts - With Nuts | | UB471 | 4 ea | |
| PANHARD RODS | | | | | |
| • | Adjustable Panhard Rod | | PRF250 | 1 ea | |
| SHOCK ABSORBERS | | | | | |
| o piranha | 35mm Shock Absorbers | | SA35102GP | 2 ea | |
| LEAF SPRINGS | | | | | |
| | Raised Height Heavy Duty Leaf Springs *** Made to Order *** | 50mm | FORD038 | 2 ea | |
| SHACKLE BUSHES | | | | | R |
| | Silent Block Bush - Front Spring Eye | | BU150 | 2 ea | E |
| 9999 99 | Silent Block Bush - Rear Spring Eye | | BU149 | 2 ea | A |
| 11111 | Polyurethane Bush Kit - Does Not Include | | | | R |
| 8886 | Chassis/Shackle Bushes. | | ТВА | 1 kit | |
| PINS | | | | | |
| | Greaseable Pins - Front Eye Only | | P1136 | 2 ea | |
| U-BOLTS | Greaseable Pins - Rear Eye Only. Will not fit Shackle | | P1134 | 2 ea | |
| | Round Form U Bolts - With Nuts ** Confirm Measurements | | ТВА | 4 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| FOTON TUNL P201 2012 Onward | | | | | |
|--------------------------------|--|-------------|------------|-------------|---------|
| Part and Location | Description | Approx | Part | Qty Per | |
| ATRUT | | Lift | | Vehicle | |
| SIRUI | | 40 | | 2 ea | |
| COILS & STRUT | . • | 40mm | | | |
| ASSEMBLY | · | 10,,,,,,, | | _ | |
| | • | 40mm | | | F |
| The . | · | 40mm | | = | R |
| Was a | | 4011111 | | 1 pr | 0 |
| Mark of the same | · | 40mm | | = | N |
| William . | . • | 4011111 | | | |
| | · | 40mm | | = | • |
| 0 | . • | 40111111 | | | |
| | | | | 0 | R O N T |
| | Strut / Coll Assembly Top Plate Mount | | IPL1083 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35650GP | 2 ea | |
| Service Service | 35mm Adjustable Shock Absorbers - Piranha | | SA35650GPA | | |
| LEAF SPRINGS | Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 150kg * do not use TOY146 on style side utilities Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 5 + 2 Leaf Springs | 40mm | TOY146M | - 2 ea - | |
| | LBA 500kg to GVM | 40111111 | 101146GV | | |
| STRUT | 1 kit | R E A | | | |
| U-BOLTS | | | | | R |
| | Square Form U Bolts - With Nuts | | UB453-2 | | |
| | use with TOY146P5, TOY146M, TOY146MH & | | UB437 | - 4 ea | |
| SHACKLES | | | | | |
| | Greaseable Shackles | | S387K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle |
|-------------------|---|----------------|----------------|--------------------|
| JPPER CONTROL ARM | S | | | |
| - B | Upper Control Arms - Piranha | | UCAGMC01 | 1 pr |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67101GP | 2 ea |
| OILS & STRUT | Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | | |
| ASSEMBLY | Coil Springs For Vehicles With Bull Bar | 40mm | | |
| Children . | Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount | 40mm | | — 1 pr |
| Mindly: | Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | | _ ' |
| | Coil Springs For Vehicles With Bull Bar | 40mm | | |
| TOP PLATE MOUNT | Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount | | | 2 ea |
| SHOCK ABSORBERS | | | | |
| O piranha O | 35mm Adjustable Shock Absorbers - Piranha | | SA40504GP | 2 ea |
| LEAF SPRINGS | Raised Height Heavy Duty Leaf Spring | | ТВА | 2 ea |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | ТВА | 1 kit |
| J-BOLTS | | | | |
| | Square Form U Bolts - With Nuts 14mm x 65mm x 205mm | | UB482 | 4 ea |
| | Square Form U Bolts - With Nuts 14mm x 65mm x 235mm | | UB483 | |
| SHACKLES | | | | |
| | Greaseable Shackles | | ТВА | 2 ea |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|-------------------|--|----------------|----------------|--------------------|--|
| SHOCK ABSORBERS | | | | | |
| piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA40002GP | | |
| ORSION BARS | | | | | |
| | Increased Rate Torsion Bars | | | 1 pr | |
| SHOCK ABSORBERS | | | | | |
| O piranha | 35mm Adjustable Shock Absorbers - Piranha | | SA40502GP | | |
| EAF SPRINGS | Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg | 50mm | | | |
| | Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg | 50mm | | | |
| | Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM | 50mm | | | |
| SHACKLE BUSH KITS | | | | | |
| 9.996 | Polyurethane Bush Kit | | | 1 kit | |
| J-BOLTS | | | | | |
| | Round Form U Bolts - With Nuts | | | 4 | |
| | Round Form U Bolts - With Nuts | | | — 4 ea | |
| SHACKLES | | | | | |
| | Greaseable Shackles | | | 2 ea | |
| PINS | Greaseable Shackles | | | | |
| | Greaseable Pins | | | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|----------------------|--|----------------|----------------|--------------------|---|
| SHOCK ABSORBERS | | | | | |
| o piranha | 35mm Gas Bulged Shock Absorbers - Piranha | RSD | SA35649GP | | F |
| TORSION BARS | | | | | C |
| | Increased Rate Torsion Bars Length 1140mm | | HOLD005B | 1 pr | 1 |
| SHOCK ABSORBERS | | | | | |
| piranha 0 | 35mm Gas Bulged Shock Absorbers | | SA35636GP | 2 ea | |
| System or grantworth | 35mm Adjustable Shock Absorbers - Piranha | | SA35636GPA | | |
| LEAF SPRINGS | Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg | 50mm | HOLD018 | | |
| | Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg | 50mm | HOLD018M | | |
| | Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM | 50mm | HOLD018MH | _ | |
| SHACKLE BUSH KITS | | | | | R |
| 9886 | Polyurethane Bush Kit | | BU728UK | 1 kit | E |
| U-BOLTS | | | | | R |
| | Round Form U Bolts - With Nuts | | UB473 | | |
| | Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH | | UB473-1 | — 4 ea | |
| SHACKLES | | | | | |
| | Greaseable Shackles | | S386K | 2 ea | |
| PINS | | | | | |
| | | | | | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| HOLD005B 1 pr SA35636GP Ders - Piranha SA35636GP SA35636GPA Leaf Springs SOmm HOLD018 Leaf Springs SOmm HOLD018M 7 + 3 Leaf Springs SOmm HOLD018MH BU728UK 1 kit BU728UK 1 kit A FINAL SPRINGS A 4 ea | Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|---|-------------------|---|----------------|----------------|--------------------|---|
| HOLD005B 1 pr SA35636GP Ders - Piranha SA35636GP SA35636GPA Leaf Springs 50mm HOLD018 Leaf Springs 50mm HOLD018M 7 + 3 Leaf Springs 50mm HOLD018MH BU728UK 1 kit BU728UK 1 kit AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA | SHOCK ABSORBERS | | | | | |
| HOLD005B 1 pr SA35636GP Ders SA35636GPA Ders Piranha SA35636GPA Leaf Springs 50mm HOLD018 Leaf Springs 50mm HOLD018M 7 + 3 Leaf Springs 50mm HOLD018MH BU728UK 1 kit R UB473 4 ea | O piranha | 35mm Gas Bulged Shock Absorbers - Piranha | RSD | SA35649GP | | F |
| HOLD005B 1 pr SA35636GP Ders - Piranha SA35636GPA Leaf Springs 50mm HOLD018 Leaf Springs 50mm HOLD018M 7 + 3 Leaf Springs 50mm HOLD018MH BU728UK 1 kit R UB473 4 ea | TORSION BARS | | | | | C |
| Ders - Piranha SA35636GPA Leaf Springs 50mm HOLD018 Leaf Springs 50mm HOLD018M 7 + 3 Leaf Springs 50mm HOLD018MH BU728UK 1 kit BU728UK 1 kit AREA A ea | | Increased Rate Torsion Bars Length 1140mm | | HOLD005B | 1 pr | |
| Ders - Piranha SA35636GPA Leaf Springs 50mm HOLD018 Leaf Springs 50mm HOLD018M 7 + 3 Leaf Springs 50mm HOLD018MH BU728UK 1 kit R UB473 4 ea | SHOCK ABSORBERS | | | | | |
| Leaf Springs 50mm HOLD018 Leaf Springs 50mm HOLD018M 7 + 3 Leaf Springs 50mm HOLD018MH BU728UK 1 kit R UB473 4 ea | piranha 0 | 35mm Gas Bulged Shock Absorbers | | SA35636GP | — 2 ea | |
| Deaf Springs 50mm HOLD018M 7 + 3 Leaf Springs 50mm HOLD018MH BU728UK 1 kit BU728UK 1 kit A R UB473 4 ea | Of BUILDING | 35mm Adjustable Shock Absorbers - Piranha | | SA35636GPA | 2 00 | |
| 7 + 3 Leaf Springs 50mm HOLD018MH BU728UK 1 kit BU728UK 1 kit BU728UK 4 ea | LEAF SPRINGS | Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg | 50mm | HOLD018 | | |
| BU728UK 1 kit BU728UK 1 kit UB473 4 ea | | Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg | 50mm | HOLD018M | | |
| BU728UK 1 kit | | Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM | 50mm | HOLD018MH | | |
| BU728UK 1 kit | SHACKLE BUSH KITS | | | | | |
| UB473 4 ea | | Polyurethane Bush Kit | | BU728UK | 1 kit | E |
| 4 ea | U-BOLTS | | | | | |
| IIB473-4 | | Round Form U Bolts - With Nuts | | UB473 | | |
| | | Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH | | UB473-1 | — 4 ea | |
| | SHACKLES | | | | | |
| S386K 2 ea | | Greaseable Shackles | | S386K | 2 ea | |
| S386K 2 | SHACKLES | Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH | | UB473-1 | | |
| | PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| KB/TFS 8/1988 Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|----------------------------------|--|----------------|-------------------------|--------------------|-------------|
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35649GP | | F R |
| TORSION BARS | Increased Rate Torsion Bars Length 1000mm | | HOLD005A | 1 pr | O N T |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha | | SA35636GP SA35636GPA | — 2 ea | ı |
| LEAF SPRINGS | Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 300kg | 40mm | HOLD004M | 2 ea | Í |
| SHACKLE BUSH KITS | Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 400kg | 40mm | HOLD004MH | | |
| | Polyurethane Bush Kit | | BU728UK | 1 kit | R |
| U-BOLTS | Round Form U Bolts - With Nuts | | UB453-1 | 4 ea | R |
| SHACKLES | Greaseable Shackles | | S386K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|---------------------------|--|----------------|-------------------------|--------------------|--------|
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35649GP | 2 ea | F |
| TORSION BARS | Increased Rate Torsion Bars Length 1140mm | | HOLD005B | 1 pr | N T |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha | | SA35636GP SA35636GPA | — 2 ea | |
| LEAF SPRINGS | Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg | 50mm | HOLD018 | | |
| | Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg | 50mm | HOLD018M | 2 ea | |
| | Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM | 50mm | HOLD018MH | _ | |
| SHACKLE BUSH KITS U-BOLTS | Polyurethane Bush Kit | | BU728UK | 1 kit | R |
| 0-BOL13 | Round Form U Bolts - With Nuts | | UB473 | | |
| | Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH | | UB473-1 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S386K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| TORSION BARS SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha Increased Rate Torsion Bars Length 1140mm 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha | | SA35649GP HOLD005B SA35636GP | 2 ea |
|------------------------------|---|------|--------------------------------|-------|
| TORSION BARS SHOCK ABSORBERS | Increased Rate Torsion Bars Length 1140mm 35mm Gas Bulged Shock Absorbers - Piranha | | HOLD005B | |
| SHOCK ABSORBERS | Length 1140mm 35mm Gas Bulged Shock Absorbers - Piranha | | | 1 pr |
| o piranta | Length 1140mm 35mm Gas Bulged Shock Absorbers - Piranha | | | 1 pr |
| o piranta | | | SA35636GP | |
| | | | SA35636GP | |
| | 35mm Adjustable Shock Absorbers - Piranha | | | 2 ea |
| | | | SA35636GPA | |
| LEAF SPRINGS | Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 200kg | 50mm | HOLD018 | |
| | Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg | 50mm | HOLD018M | 2 ea |
| | Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM | 50mm | HOLD018MH | |
| SHACKLE BUSH KITS | | | | |
| 9999 | Polyurethane Bush Kit | | BU728UK | 1 kit |
| U-BOLTS | | | | |
| | Round Form U Bolts - With Nuts | | UB473 | |
| | Round Form U Bolts - With Nuts use with HOLD018M & HOLD018MH | | UB473-1 | 4 ea |
| SHACKLES | | | | |
| | Greaseable Shackles | | S386K | 2 ea |
| PINS | | | | |
| | Greaseable Pins | | P387-2 | 2 ea |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| HOLDEN CO | LORADO - 4WD | | | | |
|--|---|-------------|---------------|------------------|---|
| RG 5/2012 to 20 | 20 | | | | |
| Part and Location | Description | Approx | Part | Qty Per | |
| Part and Location | Description | Lift | Number | Vehicle | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67092GP | 2 ea | |
| COILS & STRUT | NOTE: 04/2013 to 06/2016 must purchase SSA strut to | p plates mo | ount TPL1002 | | |
| ASSEMBLY | Coils Springs For Vehicles With Up To 50kg Bullbar | 40mm | HOL-210 | | |
| ASSEMBLI | Preassembled Strut/Coil With Top Plate Mount | 40111111 | COIL-ST-HOL01 | _ | |
| | Coils Springs For Vehicles With 50kg Plus Bullbar / | | HOL-210H | | F |
| | Winch | 40mm | 110L-21011 | | R |
| The . | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-HOL11 | _ | |
| | Tapered Coils Springs For Vehicles With Up To 50kg | | HOL-210T | 1 pr | 0 |
| Marie Wall | Bullbar | 40mm | 1101-2101 | | N |
| 1111 | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-HOL51 | _ | Т |
| | Tapered Coils Springs For Vehicles With 50kg Plus | | HOL-210HT | | |
| Mindle . | Bullbar / Winch | 40mm | | | |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-HOL53 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL1002 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35636GP | | |
| O COMMISSION OF THE PARTY OF TH | 35mm Adjustable Shock Absorbers - Piranha | | SA35636GPA | - 2 ea | |
| LEAF SPRINGS | | | | | |
| LLAI OI KINGO | Raised Height 4 Leaf Parabolic Springs | | | | |
| | LBA up to 200kg | 40mm | HOLD022P4 | | |
| | Raised Height Heavy Duty 4 + 2 Leaf Springs | | | = | |
| | LBA up to 200kg | 40mm | HOLD022 | | |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs | | | _ | |
| | LBA 200kg to 400kg | 40mm | HOLD022M | 2 ea | |
| | Raised Height Heavy Duty 6 + 2 Leaf Springs | 10mm | HOLD022MH | _ | |
| A American | LBA 400kg to 600kg | 40mm | HOLDU22IVIH | | |
| | Raised Height Extra Heavy Duty 6 + 2 Leaf Springs | | | | |
| | with 10mm main & wrap leaves - constant load | 40mm | HOLD022GV | | R |
| | LBA 600kg to GVM | | | | Е |
| SHACKLE BUSH KITS | | | | | A |
| | Polyurethane Bush Kit | | BU786UK | 1 kit | R |
| U-BOLTS | | | | | |
| | Square Form U Bolts - With Nuts | | UB453-2 | | |
| | · · · · · · · · · · · · · · · · · · · | | OD-100-2 | - 4 ea | |
| | Square Form U Bolts - With Nuts | | UB437 | 4 C a | |
| * • | use with HOLD022MH & HOLD022GV | | | | |
| SHACKLES | | | | | |
| + | Greaseable Shackles | | S390K | 2 ea | |
| | | | | | |
| PINS 🐞 | | | | | |
| | | | | | |
| | Greaseable Pin | | P387-2 | 2 ea | |
| • | | | | | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN COLORADO 7 / TRAILBLAZER - 4WD LT & LTZ 11/2012 to 2020 Part **Qty Per** Approx **Part and Location Description** Vehicle Lift Number **STRUT** 2 ea Strut/Gas Spring Seat Shock Absorbers - Piranha SA67092GP NOTE: 04/2013 to 06/2016 must purchase SSA strut top plates mount TPL1002 **COILS & STRUT** Coils Springs For Vehicles With Up To 50kg Bullbar HOL-210 40mm **ASSEMBLY** Preassembled Strut/Coil With Top Plate Mount COIL-ST-HOL01 Coils Springs For Vehicles With 50kg Plus Bullbar / HOL-210H Mindle ... Winch 40mm R Preassembled Strut/Coil With Top Plate Mount COIL-ST-HOL11 0 1 pr Tapered Coils Springs For Vehicles With Up To 50kg HOL-210T N 40mm Bullbar Preassembled Strut/Coil With Top Plate Mount COIL-ST-HOL51 Т Tapered Coils Springs For Vehicles With 50kg Plus HOL-210HT 40mm **Bullbar / Winch** Preassembled Strut/Coil With Top Plate Mount COIL-ST-HOL53 **TOP PLATE MOUNT** Strut Top Plate Mount TPL1002 2 ea **SHOCK ABSORBERS** 35mm Gas Bulged Shock Absorbers **SA35100GP** 2 ea O piranha O R Ε **COIL SPRINGS** Α Raised Height Coil Springs 40mm HOL-211 R 1 pr Raised Height Heavy Duty Coil Springs 40mm HOL-211HD LBA 100kg to 300kg - constant load

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| | Lift | Number | Vehicle | |
|--|---|---|--|---|
| | | | | |
| 35mm Gas Bulged Shock Absorbers - Piranha | | SA35649GP | 2 ea | F R |
| | | | | 0 |
| Increased Rate Torsion Bars Length 1140mm | | HOLD005B | 1 pr | N T |
| | | | | |
| 35mm Gas Bulged Shock Absorbers - Piranha | | SA35636GP | — 2 ea | |
| 35mm Adjustable Shock Absorbers - Piranha | | SA35636GPA | | |
| Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg | 50mm | HOLD018 | | |
| Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg | 50mm | HOLD018M | 2 ea | |
| Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM | 50mm | HOLD018MH | | |
| Polyurethane Bush Kit | | BU728UK | 1 kit | R E A |
| Round Form U Bolts - With Nuts | | UB473 | | R |
| Round Form U Bolts - With Nuts use with HOLD018M & HOLD018MH | | UB473-1 | 4 ea | |
| | | | | |
| Greaseable Shackles | | S386K | 2 ea | |
| | Increased Rate Torsion Bars Length 1140mm 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM Polyurethane Bush Kit Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts use with HOLD018M & HOLD018MH | Increased Rate Torsion Bars Length 1140mm 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM Polyurethane Bush Kit Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts use with HOLD018M & HOLD018MH | Increased Rate Torsion Bars Length 1140mm 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha SA35636GPA Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM Polyurethane Bush Kit Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts use with HOLD018M & HOLD018MH | Increased Rate Torsion Bars Length 1140mm 35mm Gas Bulged Shock Absorbers - Piranha 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha Sa35636GPA Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM Polyurethane Bush Kit BU728UK 1 kit Round Form U Bolts - With Nuts UB473 Round Form U Bolts - With Nuts use with HOLD018MH UB473-1 |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| ISUZU D-MAX 5/2012 to 5/2020 | (- 4WD | | | | |
|---------------------------------|---|----------------|---------------------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67092GP | 2 ea | |
| COILS & STRUT | Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | HOL-210H COIL-ST-HOL12 | | |
| ASSEMBLY | Coils Springs For Vehicles With 50kg Plus Bullbar / Winch | 40mm | TPR-204 | | F |
| Mary. | Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With Up To 50kg | | COIL-ST-TPR02 | _ 1 pr | R |
| Mindly: | Bullbar | 40mm | HOL-210HT | ı pı | O N |
| 11110 | Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With 50kg Plus | | COIL-ST-HOL52 | - | Т |
| | Bullbar / Winch | 40mm | TPR-204T | | |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-TPR53 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL1002 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| o piranha o | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35636GP | - 2 ea | |
| | 35mm Adjustable Shock Absorbers - Piranha | | SA35636GPA | | |
| LEAF SPRINGS | | | | | |
| | Raised Height 4 Leaf Parabolic Springs LBA up to 200kg | 40mm | HOLD022P4 | | |
| | Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 200kg | 40mm | HOLD022 | - | |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 200kg to 400kg | 40mm | HOLD022M | - 2 ea | |
| | Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 400kg to 600kg | 40mm | HOLD022MH | - | |
| | Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 40mm | HOLD022GV | - | R |
| SHACKLE BUSH KITS | EBA 600kg to GVIII | | | | E |
| | Polyurethane Bush Kit | | BU786UK | 1 kit | A R |
| U-BOLTS | | | | | |
| | Square Form U Bolts - With Nuts | | UB453-2 | - 4 | |
| | Square Form U Bolts - With Nuts use with HOLD022MH & HOLD022GV | | UB437 | 4 ea | |
| SHACKLES | | | | | |
| | Greaseable Shackles | | S390K | 2 ea | |
| PINS | Greaseable Pin | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| ISUZU D-MAX 06/2020 Onwards | C - 4WD | | | | |
|--------------------------------|---|----------------|---------------------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCAISU02 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67096GP SA67096GPA | 2 ea | |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204 COIL-ST-TPR03 | | F |
| | Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204H COIL-ST-TPR17 | - | R O |
| Charles | Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204HD | 1 pr | N T |
| Chinalia . | Tapered Coil Springs For Vehicles With Up To 50kg of Accessories | 40mm | TPR-204T | - | |
| | Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories | 40mm | COIL-ST-TPR60 TPR-204HT | - | |
| TOP PLATE MOUNT | Preassembled Strut/Coil With Top Plate Mount Strut Top Plate Mount | | COIL-ST-TPR61 TPL1002 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| O piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35096GP | – 2 ea | |
| | 35mm Adjustable Shock Absorbers - Piranha | | SA35096GPA | | |
| LEAF SPRINGS | Raised Height 3 Leaf Parabolic Springs No Load | | HOLD022P3 | | |
| en en | Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg | | HOLD022P4 | — — — 2 ea | |
| | Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg | 40mm | HOLD022 | | |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs | 40mm | HOLD022M | - | |
| | LBA 500kg to 700kg Raised Height Heavy Duty 6 + 2 Leaf Springs Raised Height Heavy Duty 6 + 2 Leaf Springs | 40mm | HOLD022MH | - | D |
| | LBA 700kg to GVM | 40mm | HOLD022GV | | R E |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU792UK | 1 kit | A R |
| U-BOLTS | | | UD 450 0 | | |
| | Square Form U Bolts - With Nuts Square Form U Bolts - With Nuts | | UB453-2 | 4 ea | |
| | use with HOLD022MH & HOLD022GV | | UB437 | | |
| SHACKLES | Greaseable Shackles | | S392K | 2 ea | |
| PINS | Greaseable Pin | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

PROBLEM SOLVED

DO YOUR CUSTOMERS CARRY HEAVY LOADS?

At SSA we have been able to solve the heavy load requirements of Mazda BT50/Ford Ranger customers with our spring made to our unique design. This has given the over slung spring added strength in its low camber design.

NOTE: Loads are to be kept within the vehicle's legal limits. See how this was achieved in this featured video.



VISIT WEBSITE: www.ssa.com.au/solutions/improved-suspension-mazda-bt50

SSA has now expanded its range of heavy duty springs to other makes incorporating this same design. These include:

- Isuzu Dmax/Holden Colorado 2012 HOLDO22GV
- Mazda BT50/Ford Ranger '06-'11 MAZADA050GV
- Mazda BT50/Ford Ranger '12 on MAZDAO52GV
- Mitsubishi Triton MQ MITSO4GV
- Nissan Navara D23 NISSO36GV

- Nissan Navara D40 NISSO74GV
- Toyota Hilux '05-15 TOY146GV

Toyota Hilux '15 on - TOYO56GV

Mitsubishi Triton ML/MN - MITSO28GV

CONTACT US:

PHONE: 1800 630 411

EMAIL: info@ssa.com.au



| ISUZU MU-X - 2013 to 7/2021 | - 4WD | | | | |
|--|---|----------------|---------------------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67092GP | 2 ea | |
| COILS & STRUT | Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | HOL-210H COIL-ST-HOL12 | | |
| ASSEMBLY | Coils Springs For Vehicles With 50kg Plus Bullbar / Winch | 40mm | TPR-204 | | F |
| All the control of th | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-TPR02 | _ | R |
| Ministra . | Tapered Coils Springs For Vehicles With Up To 50kg Bullbar | 40mm | HOL-210HT | 1 pr | 0 |
| 1111 | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-HOL52 | _ | N |
| | Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch | 40mm | TPR-204T | | Т |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-TPR53 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL1002 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| O pirenha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35100GP | 2 ea | R |
| COIL SPRINGS | | | | | Е |
| | Raised Height Coil Springs | 40mm | ISU-201 | 1 pr | A R |
| | Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load | 40mm | ISU-201HD | - 1 pr | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| ISUZU MU-X - 7/2021 Onwards | 4WD | | | | |
|--|---|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCAISU02 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67096GP | | |
| | Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67096GPA | 2 ea | |
| COILS & STRUT | Coil Springs For Vehicles With Up To 50kg of Accessories | 40mm | TPR-204 | | _ |
| ASSEMBLY | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-TPR03 | _ | F |
| | Coil Springs For Vehicles With 50 - 100kg of Accessories | 40mm | TPR-204H | - - 1 pr | R O |
| The same | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-TPR17 | | N |
| The Marie | Coil Springs For Vehicles With 100kg + of Accessories | 40mm | TPR-204HD | | T |
| THE STATE OF THE S | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-TPR27 | | |
| Mindle | Tapered Coil Springs For Vehicles With Up To 50kg of Accessories | 40mm | TPR-204T | - | |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-TPR60 | | |
| | Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories | 40mm | TPR-204HT | - | |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-TPR61 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL1002 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35100GP | 2 ea | R |
| COIL SPRINGS | | | | | E |
| | Raised Height Coil Springs | 40mm | KIRS-02 | 4 | A R |
| | Raised Height Heavy Duty Coil Springs | 40mm | ISU-201 | - 1 pr | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| MAHINDRA - | 4WD | | | | |
|-------------------|---|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| 100 | 35mm Gas Shock Absorbers Urethene boot extra May not fit later models | | SA12087GL | 2 ea | F R |
| TORSION BARS | | | | | O N |
| | Increased Rate Torsion Bars Must Confirm Torsion Bar Length As Later Models May Vary | | MAHIN002 | 1 pr | T |
| SHOCK ABSORBERS | | | | | |
| | 36mm Gas Bulged Shock Absorbers - Piranha ** Must confirm rear shock dimensions before ordering | | SA35645GP | 2 ea | |
| LEAF SPRINGS | | | | | |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs | 40mm | MAHIN001 | 2 ea | |
| SHACKLE BUSH KITS | | | | | |
| | Polyurethane Bush Kit | | BU719UK | 1 kit | R E |
| U-BOLTS | | | | | A R |
| | Round Form U Bolts - With Nuts | | UB478 | 4 ea | K |
| SHACKLES | | | | | |
| | Greaseable Shackles | | S353K | 2 ea | |
| PINS | | | | | |
| | Greaseable Pins | | ТВА | 2 ea | |

| MAZDA BRAN B2200, B2500, B260 | | | | | |
|----------------------------------|---|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| o piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35643GP | | F R |
| TORSION BARS | | | | | O |
| | Increased Rate Torsion Bars Length 928mm | | MAZDA005 | 1 pr | T |
| SHOCK ABSORBERS | | | | | |
| o piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35095GP | — 2 ea | |
| LEAF CODINGS | 35mm Adjustable Shock Absorbers - Piranha | | SA35095GPA | | |
| LEAF SPRINGS | Raised Height Heavy Duty 5 + 2 Leaf Springs Overslung - LBA up to 400kg | 50mm | MAZDA016 | — 2 ea | |
| | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs Overslung - 400kg to GVM | 50mm | MAZDA016M | — 2 c a | |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU756UK | 1 kit | R E |
| U-BOLTS | Round Form U Bolts - With Nuts | | UB453-1 | 4 ea | A R |
| SHACKLES | Greaseable Shackles | | S386-1K | 2 ea | |
| PINS | Greaseable Pins | | P794 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| MAZDA DIEO | AWD | | | | |
|-------------------------------|---|----------------|----------------|--------------------|--------|
| MAZDA BT50 2007 to 10/2011 | - 4VVD | | | | |
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| o piranha o | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35643GP | 2 ea | F R |
| TORSION BARS | | | | | 0 |
| | Increased Rate Torsion Bars Length 1025mm | | MAZDA051 | 1 pr | N T |
| SHOCK ABSORBERS | | | | | |
| o piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35095GP | — 2 ea | |
| LEAF ORDINGS | 35mm Adjustable Shock Absorbers - Piranha | | SA35095GPA | | |
| LEAF SPRINGS | Raised Height Comfort 4 + 2 Leaf Springs LBA up to 150kg | 30-40mm | MAZDA050 | | |
| | Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg | 30-40mm | MAZDA050M | | |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg | 30-40mm | MAZDA050MH | 2 ea | |
| | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 30-40mm | MAZDA050GV | | R E |
| SHACKLE BUSH KITS | | | | | A |
| 9996 | Polyurethane Bush Kit | | BU765UK | 1 kit | R |
| U-BOLTS | | | | | |
| | Round Form U Bolts - With Nuts | | UB475 | 4 ea | |
| SHACKLES | | | | | |
| | Greaseable Shackles | | S386-1K | 2 ea | |
| PINS | | | | | |
| | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| MAZDA BT50 10/2011 - 08/2020 | - 4WD | | | | |
|---------------------------------|---|----------------|-----------------------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCAFOR01 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67091GP | | |
| | Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67091GPA | 2 ea | |
| COILS & STRUT | Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | FOR-210 COIL-ST-FOR01 | | |
| ASSEMBLY | Coils Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount | 40mm | FOR-210H COIL-ST-FOR03 | - | |
| - Car | Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch | 40mm | FOR-210HD | - | F |
| Marie . | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-FOR21 | = | R |
| Will be | Coils Springs For Vehicles With Steel Bullbar & Winch | 40mm | FOR-210HHD | 1 pr | O N |
| Mindly | Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles Without Bullbar | 40mm | COIL-ST-FOR04 FOR-210T | - | Т |
| | Raised Height Coil Springs - Tapered Comfort Coil Tapered Coils Springs For Vehicles Without Bullbar | 40mm | COIL-ST-FOR05 FOR-210HT | - | |
| | Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With Steel Bullbar | | COIL-ST-FOR52 FOR-210HDT | - | |
| | or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount | 40mm | COIL-ST-FOR06 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL3080 | 2 ea | |
| TAIL SHAFT SPACER KIT | Driveshaft Centre Bearing Spacer Kit - Required | | SP-MAZ-01 | 1 kit | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35095GP | - 2 ea | |
| O piranha O | 35mm Adjustable Shock Absorbers - Piranha | | SA35095GPA | | |
| LEAF SPRINGS | Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg - Must Use BU770UK | 40mm | MAZDA052P5 | | |
| | Raised Height Comfort 4 + 2 Leaf Springs LBA Up to 200kg | 40mm | MAZDA050 | _ | |
| | Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg | 40mm | MAZDA050M | 2 ea | |
| 0-1 | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 400kg to 600KG | 40mm | MAZDA050MH | _ | |
| | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 40mm | MAZDA050GV | | R E |
| SHACKLE BUSH KITS | Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye | | BU770UK | 1 kit | A R |
| 8866 | Polyurethane Bush Kit - Use With MAZDA050, MAZDA050M , MAZDA050MH & MAZDA050GV | | BU773UK | | |
| U-BOLTS | Round Form U Bolts - With Nuts | | UB473 | | |
| | Round Form U Bolts - With Nuts use with MAZDA050MH & MAZDA050GV | | UB473-1 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S389K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| MAZDA BT50 10/2020 Onwards | - 4WD | | | | |
|--|--|----------------|----------------------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCAISU02 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67096GP | | |
| | Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67096GPA | 2 ea | |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204 COIL-ST-TPR03 | _ | F |
| | Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204H COIL-ST-TPR17 | - | R O N |
| | Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204HD COIL-ST-TPR27 | 1 pr | Т |
| | Tapered Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204T COIL-ST-TPR60 | | |
| | Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204HT COIL-ST-TPR61 | - | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL1002 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35096GP | - 2 ea | |
| Carlling Carlot Control of Car | 35mm Adjustable Shock Absorbers - Piranha | | SA35096GPA | | |
| LEAF SPRINGS | Raised Height 3 Leaf Parabolic Springs No Load | | HOLD022P3 | = | |
| | Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Rejeast Height Heavy Purb 4 + 2 Leaf Springs | | HOLD022P4 | - | |
| 0 | Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs | 40mm | HOLD022 | - 2 ea | |
| | LBA 300kg to 500kg | 40mm | HOLD022M | _ | |
| | Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to 700kg | 40mm | HOLD022MH | - | R |
| | Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 700kg to GVM | 40mm | HOLD022GV | | E |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU792UK | 1 kit | R |
| U-BOLTS | Square Form U Bolts - With Nuts Square Form U Bolts - With Nuts use with HOLD022P4, HOLD022MH & HOLD022GV | | UB453-2 UB437 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S392K | 2 ea | |
| PINS | Greaseable Pin | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| MITSUBISHI ME, MF, MG, MH, M | TRITON - 4WD J, MK 1987 to 9/2006 | | | | |
|---------------------------------|---|----------------|----------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| O piranha | 1987 - 11/1996 35mm Gas Bulged Shock Absorbers Urethane boot optional extra | | SA35082GL | 2 ea | |
| | 11/1996 Onwards 35mm Gas Bulged Shock Absorbers - Piranha | | SA35087GP | | F |
| STEERING DAMPER | | | | | R |
| Ĭ, | Steering Damper - 10/1987 - 5/1992 | | SD14022G | 1 only | O N |
| TORSION BARS | Increased Rate Torsion Bars | | | | Т |
| | 1987 - 6/1991 Length 1277.5mm | | MITS013 | | |
| | 7/1991 Onwards Length 1366mm | | MITS015 | — 1 pr | |
| SHOCK ABSORBERS | Lengur 1300mm | | | | |
| o piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35075GP | 2 ea | |
| LEAF SPRINGS | | | | | 1 |
| 0 | Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 250kg | 50mm | MITS018 | 2 ea | |
| 0 | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg | 50mm | MITS018M | 2 c a | |
| SHACKLE BUSH KITS | | | | | |
| 11111 | Polyurethane Bush Kit Suits SSA Springs Only | | BU774UK | 1 kit | R E A |
| U-BOLTS | | | | | R |
| | Round Form U Bolts - With Nuts | | UB451 | 4 ea | |
| SHACKLES | | | | | |
| | Greaseable Shackles | | S795K | 2 ea | |
| PINS | | | | | |
| | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| MITSUBISHI T ML, MN 5/2006 to | | | Book | Oto Bar | |
|----------------------------------|--|----------------|---------------------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCAMIT01 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67330GP | 2 ea | |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | MIT-207 COIL-ST-MIT01 | - | |
| White . | Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount | 40mm | MIT-207H COIL-ST-MIT11 | - 4 | |
| Will lie | Tapered Coil Springs For Vehicles With Steel Bullbar & Winch | 40mm | MIT-207HD | 1 pr | F |
| ASSEMBLY | Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | MIT-207T COIL-ST-MIT51 | - | R |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL4075 | 2 ea | N |
| SHORTENED FRONT BUMP STOP | Shortened Bump Stop For Front Upper Control Arm | | BSMC0960-15 | 2 ea | |
| TAIL SHAFT SPACER KIT | Use to correctly align the tailshaft centre bearing on 2 piece tailshafts. Contains: 1 x spacer - 2 x wedges - 4 x bolts, nuts, washers | | SPKITTRIT | 1 kit | |
| | Use this kit with Bluemax Springs . As Bluemax springs already have a wedge fitted to bottom of the spring pack | | SPKITTRIT-BM | | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35634GP | 2 ea | |
| LEAF SPRINGS | Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 250kg | 50mm | MITS028 | | |
| | Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 300kg to 400kg | 50mm | MITS028M | 2 ea | |
| | Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 50mm | MITS028GV | | |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU772UK | 1 kit | R E A |
| U-BOLTS | Square Form U Bolts With Nuts - ML 1/2" material | | UB454 | - 4 ea | R |
| | Square Form U Bolts With Nuts - MN 9/16" material | | UB464 | 4 58 | |
| SHACKLES | Greaseable Shackles | | S795K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| MQ MR 5/2015 Onw | rards | Ammrau | Dow | Ota Bar | |
|---|--|----------------|---------------------------|--------------------|-----|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | | | | | |
| 3 | Upper Control Arms - Piranha | | UCAMIT01 | 1 pr | |
| 33 | Opper Control Arms - Piranna | | UCAWITUT | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67330GP | 2 ea | |
| COILS & STRUT | Coil Springs For Vehicles Without Bullbar | 40mm | MIT-207 | | |
| ASSEMBLY | Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Alloy Bull Bar | | COIL-ST-MIT01 MIT-207H | = | |
| Mary. | Preassembled Strut/Coil With Top Plate Mount | 40mm | COIL-ST-MIT11 | | |
| ASSEMBLY | Coil Springs For Vehicles With Steel Bullbar & Winch | 40mm | MIT-207HD | 1 pr | F |
| 111111111111111111111111111111111111111 | Preassembled Strut/Coil With Top Plate Mount | 1011111 | COIL-ST-MIT21 | | R |
| N. Co. | Taoered Coil Springs For Vehicles Without Bullbar | 40mm | MIT-207T | _ | C |
| | Preassembled Strut/Coil With Top Plate Mount | 4011111 | COIL-ST-MIT51 | | . N |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL4075 | 2 ea | . Т |
| SHORTENED FRONT | | | | | |
| BUMP STOP | Shortened Bump Stop For Front Upper Control Arm | | BSMC0960-15 | 2 ea | |
| | Use to correctly align the tailshaft centre bearing on 2 | | | | • |
| TAIL SHAFT SPACER KIT | piece tailshafts. Contains: 1 x spacer - 2 x wedges - 4 x | | SPKITTRIT | 1 kit | |
| . (0) | bolts, nuts, washers | | | _ | |
| | Use this kit with Bluemax Springs . As Bluemax springs already have a wedge fitted to bottom of the spring pack | | SPKITTRIT-BM | | |
| SHOCK ABSORBERS | | | | | |
| o piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35645GP | 2 ea | |
| | Raised Height Heavy Duty 4 + 2 Leaf Springs | | | | • |
| LEAF SPRINGS | with 10mm main & wrap leaves - Low Camber LBA up to 250kg | 40-50mm | MITS040 | _ | |
| | Raised Height Extra Heavy Duty 4 + 2 Leaf Springs with 10mm main & wrap leaves - High Camber LBA 300kg-500kg | 40-50mm | MITS040M | 2 ea | |
| | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 40-50mm | MITS040GV | | |
| SHACKLE BUSH KITS | - | | | | R |
| 1111 | Polyurethane Bush Kit | | BU782UK | 1 kit | A |
| U-BOLTS | | | | | . R |
| | Square Form U Bolts With Nuts | | UB437 | 4 ea | |
| SHACKLES | | | | | |
| | Greaseable Shackles | | S393K | 2 ea | |
| PINS | | | | | |
| | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| MITSUBISHI T | TRITON - 4WD wards | | | | |
|--------------------|---|---------|---------------|-----------|--------|
| Part and Location | Description | Approx | Part | Qty Per | |
| UPPER CONTROL ARMS | Decempation | Lift | Number | Vehicle | |
| UPPER CONTROL ARMS | | | | | |
| | Upper Control Arms - Piranha | | | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67102GP | 2 ea | |
| COILS & STRUT | Coil Springs For Vehicles Without Bullbar | 30mm- | KCFR-56 | | F |
| ASSEMBLY | Preassembled Strut/Coil With Top Plate Mount | 35mm | COIL-ST-MIT02 | - 1 pr | R |
| ASSEMBLY | Coil Springs For Vehicles With Steel Bullbar & Winch | 40mm | KCFR-56HD | | N |
| 0 | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-MIT22 | | Т |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL4078 | 2 ea | |
| SHORTENED FRONT | | | | | |
| BUMP STOP | Shortened Bump Stop For Front Upper Control Arm | | | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| o piranta | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35115GP | 2 ea | |
| | Raised Height Heavy Duty 4 + 2 Leaf Springs | | | | |
| LEAF SPRINGS | with 10mm main & wrap leaves - Low Camber LBA up to 250kg | 40-50mm | | | |
| LEAF SPRINGS | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 40-50mm | | - 2 ea | |
| | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 40-50mm | | | |
| SHACKLE BUSH KITS | · · | | | | R |
| | Polyurethane Bush Kit | | | 1 kit | E A |
| U-BOLTS | | | | | R |
| | Square Form U Bolts With Nuts | | UB437 | 4 ea | |
| SHACKLES | Greaseable Shackles | | | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

| MITSUBISHI NF - NL SWB V6 W | PAJERO - 4WD agon 1989 to 2000 | | | | |
|-----------------------------------|--|----------------|----------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| | 36mm Gas Bulged Shock Absorbers 8/1988 to 5/1991 - Urethane boot optional extra | | SA36082G | — 2 ea | |
| | 36mm Gas Bulged Shock Absorbers - Piranha 5/1991 Onwards | | SA35087GP | — 2 ea | F |
| STEERING DAMPER (right angle pin) | Steering Damper * Fitted to NF & NG models only to 4/1991 | | SD14017G | 1 only | R O N |
| TORSION BARS | | | | | • |
| | Increased Rate Torsion Bars Length 1366mm | | MITS015 | 1 pr | |
| SHOCK ABSORBERS | | | | | |
| | 36mm Gas Bulged Shock Absorbers - Piranha 8/1988 to 5/1991 | | SA35645GP | 2 00 | |
| | 36mm Gas Bulged Shock Absorbers 5/1991 Onwards | | SA35646GL | — 2 ea | R E |
| COIL SPRINGS | | | | | Α |
| | Raised Height Heavy Duty Progressive Rate Coils LBA up to 200kg | 40mm | MIT-202 | 1 pr | R |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| | PAJERO - 4WD , NL LWB V6 TDI Wagon 1988 to 200 | 00 | | | |
|-------------------|--|-------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| | 36mm Gas Bulged Shock Absorbers 8/1988 to 5/1991 - Urethane boot optional extra | | SA36082G | | |
| | 36mm Gas Bulged Shock Absorbers -Piranha 5/1991 Onwards | | SA35087GP | 2 ea | |
| | *check some late 1999 models may use a strut option | on | | | F |
| STEERING DAMPER | | | | | R O |
| 1 | Steering Damper | | SD14017G | 1 only | N |
| Ģ Ü | * Fitted to NF & NG models only to 4/1991 | | | | T |
| TORSION BARS | | | | | |
| | Increased Rate Torsion Bars Length 1277.5mm | | MITS013 | — 1 pr | |
| | Increased Rate Torsion Bars Length 1307mm | | MITS014 | ı pı | |
| SHOCK ABSORBERS | | | | | |
| | 36mm Gas Bulged Shock Absorbers - Piranha 8/1988 to 5/1991 | | SA35645GP | — 2 ea | |
| | 36mm Gas Bulged Shock Absorbers 5/1991 Onwards | | SA35646GL | — 2 c a | R E |
| COIL SPRINGS | | | | | Α |
| | Raised Height Heavy Duty Progressive Rate Coils LBA up to 200kg | 50mm | MIT-201 | — 1 pr | R |
| | Raised Height Heavy Duty Progressive Rate Coils LBA 200kg plus - constant load | 50mm | MIT-201HD | ı pı | |

^{*}LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| MITSUBISHI F | PAJERO - 4WD /B (3 Door) 2000 to 2014 | | | | |
|-------------------|--|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| STRUT | | | | | |
| | Strut/Gas Spring Seat Shock Absorbers - Piranha This shock does not come with top bush. Use O.E. bush or supply top plate mount which includes a new bush in the assembly. | | SA67105GP | 2 ea | |
| COIL SPRINGS | | | | | |
| | Raised Height Heavy Duty Coil Springs Petrol LBA up to 25kg | 40mm | MIT-200 | | F |
| | Raised Height Heavy Duty Coil Springs Petrol LBA 50kg to 80kg | 40mm | MIT-200H | 1 pr | R O |
| | Raised Height Heavy Duty Coil Springs Diesel LBA up to 25kg | 40mm | MIT-200HD | | N |
| TOP PLATE MOUNT | | | | | Т |
| | Strut Top Plate Mount | | TPL4038 | 2 ea | |
| STRUT BUMP STOP | | | | | |
| | Front Strut Bump Stop & Boot | | BSMC5911 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| of piranha o | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35647GP | 2 ea | R |
| COIL SPRINGS | | | | | E |
| | Raised Height Heavy Duty Coil Springs | 40mm | MIT-206 | 1 pr | A R |

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

* Extra half hour labour to be charged to remove airbox and battery

| MITSUBISHI F NM, NP, NS, NT, NW | PAJERO - 4WD 7, NX - LWB 2000 to Current | | | | |
|------------------------------------|--|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| STRUT | | | | | |
| | Strut/Gas Spring Seat Shock Absorbers - Piranha This shock does not come with top bush. Use O.E. bush or supply top plate mount which includes a new bush in the assembly. | | SA67105GP | 2 ea | |
| COIL SPRINGS | | | | | |
| | Raised Height Heavy Duty Coil Springs Petrol LBA up to 25kg | 40mm | MIT-200 | | |
| | Raised Height Heavy Duty Coil Springs Petrol LBA 50kg to 80kg | 40mm | MIT-200H | 1 pr | F R |
| 67777A110) | Raised Height Heavy Duty Coil Springs Diesel LBA up to 25kg | 40mm | MIT-200HD | | 0 |
| | Raised Height Heavy Duty Coil Springs Diesel With Bull Bar / Winch | 40mm | MIT-200HHD | | N T |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL4038 | 2 ea | |
| STRUT BUMP STOP | Front Strut Bump Stop | | BSMC5911 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| piranha piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35647GP | 2 ea | |
| COIL SPRINGS | | | | | R |
| (M) (M) | Raised Height Heavy Duty Progressive Rate Coils LBA up to 100kg | 40mm | MIT-203 | | E A |
| ÖYVÜ | Raised Height Heavy Duty Progressive Rate Coils LBA 100kg to 300kg - constant load | 40mm | MIT-203HD | 1 pr | R |
| | Raised Height Heavy Duty Progressive Rate Coils LBA 300kg to 500kg - constant load | 40mm | KCRR-35EHD | | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)
* Extra half hour labour to be charged to remove airbox and battery

| MITSUBISHI Montero Sport PA | CHALLENGER - 4WD Coil Springs Rear 1996 to 2008 | | | | |
|-----------------------------|---|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| O piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35087GP | 2 ea | F R |
| TORSION BARS | | | | | O N |
| | Increased Rate Torsion Bars Length 1308mm | | MITS014 | 1 pr | T |
| SHOCK ABSORBERS | | | | | |
| O piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35645GP | 2 ea | R |
| COIL SPRINGS | | | | | E |
| | Raised Height Heavy Duty Coil Springs | 40mm | MIT-205 | 1 pr | R |

| MITSUBISHI (PB 2009 to 2013 | CHALLENGER - 4WD | | | | |
|-----------------------------|--|----------------|---------------------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67330GP | 2 ea | |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | MIT-207 COIL-ST-MIT01 | | |
| Min. | Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount | 40mm | MIT-207H COIL-ST-MIT11 | | _ |
| Chine . | Coil Springs For Vehicles With Steel Bullbar & Winch | 40mm | MIT-207HD | 1 pr | F R |
| 0 | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-MIT21 | _ | 0 |
| 1 6 C | Tapered Coil Springs For Vehicles Without Bullbar | 40mm | MIT-207T | | N |
| • | Preassembled Strut/Coil With Top Plate Mount | 40111111 | COIL-ST-MIT51 | | _ T |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL4075 | 2 ea | |
| SHORTENED FRONT BUN | MP STOP | | | | |
| | Shortened Bump Stop For Front Upper Control Arm | | BSMC0960-15 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35645GP | 2 ea | R |
| COIL SPRINGS | | | | | • E |
| | Raised Height Heavy Coil Springs | 40-50mm | MIT-204 | 1 pr | A R |

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|------------------------------|--|----------------|--------------------------------------|--------------------|--------|
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67330GP | 2 ea | |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | MIT-207 COIL-ST-MIT01 | _ | |
| ASSEMBLI | Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount | 40mm | MIT-207H COIL-ST-MIT11 | _ | |
| China William | Coil Springs For Vehicles With Steel Bullbar & Winch | 40mm | MIT-207HD | 1 pr | F R |
| ASSEMBLY | Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Raised Height Coil Springs - Tapered Comfort Coil | 40mm | COIL-ST-MIT21 MIT-207T COIL-ST-MIT51 | - | 0 |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL4075 | 2 ea | T |
| SHORTENED FRONT BUMP STOP | Shortened Bump Stop For Front Upper Control Arm | | BSMC0960-15 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35645GP | 2 ea | R |
| COIL SPRINGS | | | | | E |
| | Raised Height Heavy Duty Progressive Rate Coils LBA up to 200kg | 40-50mm | MIT-201 | 1 pr | R |
| | Raised Height Heavy Duty Progressive Rate Coils LBA 200kg plus - constant load | 40-50mm | MIT-201HD | – 1 pr | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| MITSUBISHI F | PAJERO SPORT - 4WD | | | | |
|------------------------------|--|----------------|---------------------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCAMIT01 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67330GP | 2 ea | |
| COILS & STRUT | Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | MIT-207H COIL-ST-MIT11 | | F |
| ASSEMBLY | Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount | 40mm | MIT-207HDT COIL-ST-MIT | 1 pr | R |
| ASSEMBLY WINNERSON | Coil Springs For Vehicles With Extreme Loads 110kg + | 40mm | MIT-207HD | - | O N |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-MIT21 | | Т |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL4075 | 2 ea | |
| SHORTENED FRONT BUMP STOP | Shortened Bump Stop For Front Upper Control Arm | | BSMC0960-15 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35110GP | 2 ea | R |
| COIL SPRINGS | | | | | · E |
| | Raised Height Heavy Duty Progressive Rate Coils LBA up to 200kg | 40-50mm | MIT-201 | 4 | A R |
| | Raised Height Heavy Duty Progressive Rate Coils LBA 200kg plus - constant load | 40-50mm | MIT-201HD | - 1 pr | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| NISSAN NAV | | | | | |
|-------------------|--|----------------|----------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| piranha o | 35mm Gas Bulged Shock Absorbers - Piranha 9/1985 - 2/1997 | | SA35087GP | — 2 ea | |
| | 35mm Gas Bulged Shock Absorbers - Piranha 3/1997 onwards | | SA35335GP | _ 33 | |
| STEERING DAMPER | | | | | |
| Ī, | Steering Damper 9/1985 - 1997 | | SD14035G | | F R |
| | Expanded Body Steering Damper | | SD35035G | | 0 |
| TORSION BARS | Increased Rate Torsion Bars | | | | N T |
| | D21 1985 to 1996 - Length 1203mm | | NISS013 | | |
| | D22 1997 to current - Length 890mm | | NISS013A | — 1 pr | |
| | O.E. torsion bars have 40mm of spline each end. The above bars have 30mm. Centralise torsion bar so 15mm of spline is in each end of the cup length. | | | | |
| SHOCK ABSORBERS | | | | | |
| piranha 0 | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35074GP | 2 ea | |
| LEAF SPRINGS | | | | | |
| | Raised Height Medium Duty 4 + 1 Leaf Springs Med duty spring with tapered leaves & slipper pads LBA up to 200kg | 40mm | NISS016T | | |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 250kg | 40mm | NISS016 | 2 ea | |
| | Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 300kg to GVM - constant load | 40mm | NISS016M | | |
| SHACKLE BUSH KITS | | | | | R |
| | Polyurethane Bush Kit | | BU704UK | 1 kit | E A R |
| U-BOLTS | | | | | |
| | Square Form U Bolts - With Nuts | | UB788 | 4 ea | |
| SHACKLES | | | | | |
| | Greaseable Shackles | | S797K | 2 ea | |
| PINS | | | | | |
| | Greaseable Pins | | P798 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| NISSAN NAVA D40 2005 to 2015 | ARA - 4WD | | | | |
|--|--|----------------|--------------------------------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCANIS01 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67089GP | 2 ea | |
| COILS & STRUT | Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount | 40mm | NIS-226 COIL-ST-NIS01 | _ | F |
| ASSEMBLY | Coil Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount | 40mm | NIS-226HD COIL-ST-NIS21 | | R O |
| Mindle | Tapered Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount | 40mm | NIS-226T COIL-ST-NIS52 | 1 pr | N T |
| | Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount | 40mm | NIS-226HDT COIL-ST-NIS51 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL2040 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers 41mm Foam Cell Shock Absorbers (for NISS024GV use only) | | SA35651GP SA41651FC SA41094FCA | - _ 2 ea | |
| LEAF SPRINGS | Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 250kg | 40-50mm | NISS024 | | |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg | 40-50mm | NISS024M | _ | |
| | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 600kg to GVM - constant load | 40-50mm | NISS024GV | _ | |
| the state of the s | When using NISS024GV use Braided Extended Brake Hoses | | BH1010BR | | R |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU767UK | 1 kit | A R |
| U-BOLTS | Square Form U Bolts - With Nuts | | UB453-2 | | |
| | Square Form U Bolts - With Nuts use with NISS024GV | | UB437 | _ 4 ea | |
| SHACKLES | Greaseable Shackles | | S797-1K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| NISSAN NAVA D40 4/2010 to 2015 | | | | | |
|-----------------------------------|---|----------------|------------------------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCANIS01 | 1 pr | F |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67089GP | 2 ea | C |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount | 40mm | NIS-226HDSP COIL-ST-NIS31 | | N T |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL2040 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35651GP | | |
| O piranha | 41mm Foam Cell Shock Absorbers | | SA41651FC | 2 ea | |
| | 41mm Foam Cell Shock Absorbers (for NISS024GV use only) | | SA41094FCA | _ | |
| LEAF SPRINGS | Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 250kg Raised Height Heavy Duty 5 + 2 Leaf Springs | 40-50mm | NISS024 | - | |
| | LBA 300kg to 500kg | 40-50mm | NISS024M | | |
| | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 600kg to GVM - constant load | 40-50mm | NISS024GV | _ | F |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU767UK | 1 kit | E F |
| U-BOLTS | Square Form U Bolts - With Nuts Square Form U Bolts - With Nuts | | UB453-2 | - 4 ea | |
| | use with NISS024GV | | UB437 | | |
| SHACKLES | Greaseable Shackles | | S797-1K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| NISSAN NAVA | | | | | |
|--------------------|---|--------------------|---------------------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCANIS01 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67089GP | 2 ea | |
| COILS & STRUT | Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount | 25-30mm | NIS-232 COIL-ST-NIS02 | | F |
| ASSEMBLY | Coil Springs For Vehicles With 50kg Plus Bullar / Winch | 25-30mm | NIS-232HD | | R O |
| Mindle | Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Up To 50kg Bullar | 25-30mm | COIL-ST-NIS22 NIS-232T | 1 pr | N T |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-NIS53 | | |
| | Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch | 25-30mm | NIS-232HDT | - | |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-NIS54 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL2040 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35084GP | 2 ea | |
| COIL SPRINGS | | | | | |
| mi vo | Raised Height Meduim Duty Coil Springs LBA Up to 100kg | 25-30mm | NIS-233 | 1 pr | |
| | LBA Up to 100kg Raised Height Meduim Duty Higher Coil Springs LBA 100kg to 250kg | | NIS-233 KDRR-73H | 1 pr - | R |
| | LBA Up to 100kg Raised Height Meduim Duty Higher Coil Springs LBA 100kg to 250kg Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg | 25-30mm | | 1 pr - - | Е |
| | LBA Up to 100kg Raised Height Meduim Duty Higher Coil Springs LBA 100kg to 250kg Raised Height Heavy Duty Coil Springs | 25-30mm 25-30mm | KDRR-73H | 1 pr - - | |

| NISSAN NAVA | ARA - 4WD ards Leaf Springs Rear | | | | |
|--------------------|---|----------------|-----------------------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCANIS01 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67089GP | 2 ea | |
| COILS & STRUT | Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount | 25-30mm | NIS-232 COIL-ST-NIS02 | | F |
| ASSEMBLY | Coil Springs For Vehicles With 50kg Plus Bullar / Winch | 25-30mm | NIS-232HD | _ | R O |
| William . | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-NIS22 | = , | N |
| Ministria. | Tapered Coil Springs For Vehicles With Up To 50kg Bullar | 25-30mm | NIS-232T | 1 pr | Т |
| | Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With 50kg Plus | 05.00 | COIL-ST-NIS53 NIS-232HDT | _ | |
| 0 | Bullar / Winch Preassembled Strut/Coil With Top Plate Mount | 25-30mm | COIL-ST-NIS54 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL2040 | 2 ea | |
| SHOCK ABSORBERS | Struct Top Frace Would | | TF L2040 | 2 C a | |
| o piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35075GP | 2 ea | |
| LEAF SPRINGS | Raised Height Heavy Duty 3+1 Leaf Springs LBA up to 250kg | 40mm | NISS036 | _ | |
| | Raised Height Heavy Duty 4+1 Leaf Springs LBA 300kg to 500kg | 40mm | NISS036M | 2 ea | |
| | Raised Height Extra Heavy Duty 4+1 Leaf Springs with 10mm main & wrap leaves LBA 500kg to GVM | 40mm | NISS036GV | | |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU787UK | 1 kit | R E A |
| U-BOLTS | | | | | R |
| | Round Form U Bolts - With Nuts | | UB453-3 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S395K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| NISSAN PATH R51 2005 to 2012 | HFINDER - 4WD | | | | |
|---------------------------------|--|----------------|--------------------------------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67089GP | 2 ea | |
| COILS & STRUT | Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount | 40mm | NIS-226 COIL-ST-NIS01 | _ | |
| ASSEMBLY | Coil Springs For Vehicles With 50kg Plus Bullar / Winch | 40mm | NIS-226HD | | F |
| Mindly | Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount | 40mm | COIL-ST-NIS21 NIS-226T COIL-ST-NIS52 | 1 pr | R O N |
| | Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount | 40mm | NIS-226HDT COIL-ST-NIS51 | - | Т |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL2040 | 2 ea | |
| SHOCK ABSORBERS | 36mm Gas Bulged Shock Absorbers | | SA35442G | 2 ea | R |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs LBA up to 200kg | 40mm | NIS-227 | - 1 pr | A R |
| | Raised Height Heavy Duty Coil Springs LBA 200kg plus - constant load | 40mm | NIS-227HD | - 1 pr | |

^{*}LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| | HFINDER - 4WD | | | | |
|-------------------|---|----------------|----------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| STRUT | | | | | |
| | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67089GP | 1 pr | F R |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs | 40mm | NIS-226HDSP | 1 pr | O N T |
| SHOCK ABSORBERS | | | | | |
| | 36mm Gas Bulged Shock Absorbers | | SA35442G | 2 ea | R |
| COIL SPRINGS | | | | | E |
| | Raised Height Heavy Duty Coil Springs LBA up to 200kg | 40mm | NIS-227 | — 1 pr | R |
| | Raised Height Heavy Duty Coil Springs LBA 200kg plus - constant load | 40mm | NIS-227HD | ıρι | |

^{*}LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| NISSAN X-TF T30 Wagon 2001 | RAIL - 4WD to 9/2007 | | | | |
|-------------------------------|--|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| STRUT | | | | | |
| | Strut/Gas Spring Seat Shock Absorbers | | SA673227G | 1 L | F |
| | | | SA673226G | 1 R | R O |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs | 40mm | NIS-222 | 1 pr | N T |
| SHOCK ABSORBERS | | | | | |
| | Strut/Gas Spring Seat Shock Absorbers | | SA673229G | 1 L | |
| | Cital Cas Opining Coal Check / Isosipore | | SA673228G | 1 R | R E |
| COIL SPRINGS | | | | | A R |
| | Raised Height Heavy Duty Coil Springs | 40mm | NIS-224 | 1 pr | |

| NISSAN X-TRAIL - 4WD T31 Wagon 10/2007 Onwards | | | | | | | |
|--|---|----------------|----------------|--------------------|--------|--|--|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | | | |
| STRUT | | | | | | | |
| | Strut/Gas Spring Seat Shock Absorbers | | SA67043G | 1 L | | | |
| | Strutteds Spring Seat Shock Absorbers | | SA67042G | 1 R | F R | | |
| COIL SPRINGS | | | | | 0 | | |
| | Raised Height Heavy Duty Coil Springs Petrol - No Bar / Winch | 25-30mm | NIS-228 | | N T | | |
| dimmo | Raised Height Heavy Duty Coil Springs Petrol - With Bar / Winch Diesel - all applications | 25-30mm | NIS-228HD | 1 pr | | | |
| SHOCK ABSORBERS | | | | | | | |
| | 30mm Gas Shock Absorbers | | SAS314044 | 2 ea | R | | |
| COIL SPRINGS | | | | | Α | | |
| | Raised Height Heavy Duty Coil Springs | 25-30mm | NIS-229 | 1 pr | R | | |

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|------------------------------------|--|----------------|----------------|--------------------|---|
| SHOCK ABSORBERS | | | | | |
| o piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35091GP | — 2 ea | |
| | 41mm Foam Cell Shock Absorbers | | SA41091FCN | Z Ca | |
| TEERING DAMPER (check end type) | Steering Damper - Pre 9/1989 | Eye/Eye | SD14034G | | |
| | Expanded Body Steering Damper - 9/1989 Onwards | Pin/Pin | SD35036 | — 1 only | |
| OIL SPRINGS | Raised Height Heavy Duty Coil Springs No LBA | 50mm | NIS-200 | — 1 pr | |
| | Raised Height Heavy Duty Coil Springs With LBA to 45kg - steel bar and/or winch | 50mm | NIS-201 | - ı pı | |
| ASTER BUSH KIT | Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift | | BU1721UK | 1 kit | |
| HOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35094GP | | |
| olimini piranta | 41mm Foam Cell Shock Absorbers | | SA41094FC | — 2 ea | _ |
| OIL SPRINGS | | | | | |
| WVY0 | Raised Height Heavy Duty Coil Springs LBA 100kg to GVM | 50mm | NIS-213 | 4 | |
| | Raised Height Heavy Duty Coil Springs LBA 150kg to GVM | 50mm | NIS-214 | — 1 pr | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| NISSAN PATF GQ / Y60 - LWB Sta | | 87 to 199 | 7 | | |
|--|--|----------------|----------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| piranha 0 | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35091GP | — 2 ea | |
| O CHILLIAN CONTRACTOR OF THE C | 41mm Foam Cell Shock Absorbers | | SA41091FCN | — 2 c a | |
| STEERING DAMPER (Check end type) | Steering Damper - Pre 9/1989 | Eye/Eye | SD14034G | — 1 only | |
| *(DC)* | Expanded Body Steering Damper - 9/1989 Onwards | Pin/Pin | SD35036 | — I Offig | _ |
| COIL SPRINGS | Standard Height Heavy Duty Coil Springs | STD | NIS-204 | | F R O |
| | Raised Height Heavy Duty Coil Springs LBA up to 45kg | 50mm | NIS-201 | | N T |
| | Raised Height Heavy Duty Coil Springs LBA 50kg to 80kg | 50mm | NIS-201HD | 1 pr | |
| | Raised Height Heavy Duty Coil Springs LBA 80kg plus | 50mm | NIS-201HHD | | |
| CASTER BUSH KIT | Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift | | BU1721UK | 1 kit | |
| SHOCK ABSORBERS | | | | | |
| O piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35094GP | — 2 ea | |
| 2011 20011122 | 41mm Foam Cell Shock Absorbers | | SA41094FC | | |
| COIL SPRINGS | Standard Height Heavy Duty Coil Springs | STD | NIS-220 | | R |
| CO 1 AMA | Raised Height Heavy Duty Coil Springs LBA up to 150kg - constant load | 50mm | NIS-214 | | E A |
| | Raised Height Heavy Duty Coil Springs LBA 200kg to 350kg - constant load | 50mm | NIS-214HD | 1 pr | R |
| | Raised Height Heavy Duty Coil Springs 450kg plus - constant load when fitting NIS-214EHD it is recommended to fit coil tower brace bracket | 50mm | NIS-214EHD | | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| NISSAN PAT | ROL - 4WD | | | | |
|-------------------|---|----------------|--------------------|---------------|---|
| | nassis & Utility Leaf Sprung 1988 to 5/ | 1999 Approx | Part | Qty Per | |
| Part and Location | Description | Lift | Number | Vehicle | |
| SHOCK ABSORBERS | | | | | |
| -100 | 35mm Gas Bulged Shock Absorbers | | SA35661G | 0 | |
| | 41mm Foam Cell Shock Absorbers | | SA41661FC | — 2 ea | |
| STEERING DAMPER | | | | | |
| (Check end type) | Steering Damper - Pre 9/1989 | ES17-EB1 | SD14034G | | |
| | Insufficient clearance for 35mm expanded body | EB1-EB1 | SD14022G | 1 only | |
| , | cannister | | | _ | |
| I FAF CDDINGC | Expanded Body Steering Damper - 9/1989 Onwards | PIN - PIN | SD35036 | | |
| LEAF SPRINGS | | | | | |
| | Raised Height Heavy Duty 7 Leaf Springs | 50mm | NISS011 | 2 ea | F |
| | | | | | R |
| SHACKLE BUSH KITS | | | | | 0 |
| 1 1 1 1 1 | Polyurethane Bush Kit | | BU718UK | 1 kit | N |
| 9886 | , | | | | T |
| U-BOLTS | | | | | |
| | Square Form U Bolts With Nuts | | UB436 | 3 N/S | |
| | Square Forged U Bolts With Nuts | | UB669F | 1 D/S | |
| SHACKLES | Hanny Duty Crangaphla Shaakla | | Caeak | 2 00 | |
| ta Charles | Heavy Duty Greaseable Shackle Anti - Inversion Shackle L/H optional | Must fit | S353K S353KLH | 2 ea 1 L/H | |
| | Anti - Inversion Shackle E/H optional | in pairs | S353KEH S353KRH | 1 R/H | |
| PINS | , and invested of chaodic 1411 optional | | 0000111111 | 11011 | |
| | Greaseable Pins | | P667 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35648GP | | |
| | 41mm Foam Cell Shock Absorbers | | CA44640EC | 2 ea | |
| | Urethane boot optional extra | | SA41648FC | | |
| LEAF SPRINGS | | | | | |
| ~~ | Raised Height Heavy Duty 7 + 2 Leaf Springs | 50mm | NISS012D-S | 1 D/S | |
| | LBA up to 300kg | | NISS012N-S | 1 N/S | |
| | Raised Height Extra Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg | 50mm | NISS012MH | | |
| 0 | Raised Height Extra Heavy Duty 7 + 2 Leaf Springs | | | 2 ea | |
| | with 10mm main & wrap leaves - constant load | 50mm | NISS012GV | | |
| | LBA 600kg to GVM | | | | R |
| SHACKLE BUSH KITS | | | | | E |
| 1,1,1,1 | Polyurethane Bush Kit | | BU719UK | 1 kit | A |
| 3333 | • | | | | R |
| U-BOLTS | | | | | |
| | Round Form U Bolts - With Nuts | | UB453 | 4 ea | |
| | | | | | |
| SHACKLES | Honey Duty Crossophia Shookla | | S353K | 2 ea | |
| † | Heavy Duty Greaseable Shackle Anti - Inversion Shackle L/H optional | Must fit | S353K S353KLH | 2 ea 1 L/H | |
| | Anti - Inversion Shackle E/H optional | in pairs | S353KEH | 1 R/H | |
| PINS 4 | | • | | | |
| | Craasaahla Dina | | D667 | 2 0 = | |
| | Greaseable Pins | | P667 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle |
|---|---|----------------|----------------|--------------------|
| SHOCK ABSORBERS | | | | |
| o piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35091GP | — 2 ea |
| | 41mm Foam Cell Shock Absorbers | | SA41091FCN | 2 00 |
| STEERING DAMPER | | | | |
| | Expanded Body Steering Damper | Pin/Pin | SD35036 | 1 only |
| COIL SPRINGS | | | | |
| | Standard Height Heavy Duty Coil Springs | STD + | NIS-204 | |
| | Raised Height Heavy Duty Coil Springs LBA up to 45kg | 50mm | NIS-201 | 1 pr |
| CONTAINO) | Raised Height Heavy Duty Coil Springs LBA 50kg to 80kg | 50mm | NIS-201HD | |
| CASTER BUSH KIT | | | | |
| | Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift | | BU1721UK | 1 kit |
| SHOCK ABSORBERS | | | | |
| a contract of the contract of | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35094GP | — 2 ea |
| O pranta O | 41mm Foam Cell Shock Absorbers | | SA41094FC | — 2 c a |
| COIL SPRINGS | | | | |
| - | Standard Height Heavy Duty Coil Springs | STD | NIS-210LP | <u></u> |
| | Raised Height Heavy Duty Coil Springs LBA up to 150kg | 50mm | NIS-214 | |
| | Raised Height Heavy Duty Coil Springs Progressive Rate LBA 200kg to 400kg - constant load | 50mm | NIS-209HD | 1 pr |
| | Raised Height Heavy Duty Coil Springs Progressive Rate Constant 500kg to GVM | 50mm | NIS-211SP | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| NISSAN PATI GU / Y61 Cab Cha | ROL - 4WD ssis Utility Leaf Springs Rear 1999 On | warde | | | |
|---------------------------------|---|----------------------|-----------------------------|------------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35091GP | — 2 ea | |
| STEERING DAMPER | 41mm Foam Cell Shock Absorbers Expanded Body Steering Damper - Piranha | Pin-Pin | SA41091FCN SD35011GP | | F |
| COIL SPRINGS | Standard Height Heavy Duty Coil Springs | STD | NIS-204 | | R O N |
| | Raised Height Heavy Duty Coils LBA up to 40kg Raised Height Heavy Duty Coils LBA 50kg to 80kg | 50mm 50mm | NIS-201 NIS-201HD | 1 pr | Т |
| CASTER BUSH KIT | Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift | | BU1721UK | 1 kit | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35648GP | | |
| Of Mo | 41mm Foam Cell Shock Absorbers Urethane boot optional extra | | SA41648FC | 2 ea | |
| LEAF SPRINGS | Raised Height Heavy Duty 7 + 2 Leaf Springs LBA up to 300kg | 50mm | NISS012D-S NISS012N-S | 1 D/S 1 N/S | |
| | Raised Height Extra Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg | 50mm | NISS012MH | | |
| | Raised Height Extra Heavy Duty 7 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 50mm | NISS012GV | 2 ea | . R |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU719UK | 1 kit | E A R |
| U-BOLTS | Round Form U Bolts - With Nuts | | UB671 | 4 ea | |
| SHACKLES | Heavy Duty Greaseable Shackle Anti - Inversion Shackle L/H optional Anti - Inversion Shackle R/H optional | Must fit in pairs | S353K S353KLH S353KRH | 2 ea 1 L/H 1 R/H | |
| PINS | Greaseable Pins | | P667 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

** While Stocks Last**

| NISSAN PATF GU / Y61 LWB Sta | ROL - 4WD Ition Wagon 12/1997 Onwards | | | | |
|---------------------------------|--|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | Trainisci. | 70111010 | |
| O piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35091GP | — 2 ea | |
| | 41mm Foam Cell Shock Absorbers | | SA41091FCN | 2 04 | |
| STEERING DAMPER | | | | | |
| 1 | Expanded Body Steering Damper - Pre 2000 - Piranha | PIN/PIN | SD35011GP | | |
| 3 | Expanded Body Steering Damper - 4/2000 Onwards | R.A.P | SD35501GP | | ·F |
| COIL SPRINGS | Standard Hairbt Haarn Duty Cail Springs | CTD : | NIC 204 | | R |
| | Standard Height Heavy Duty Coil Springs | STD + | NIS-204 | _ | 0 |
| | Raised Height Heavy Duty Coil Springs LBA up to 45kg | 50mm | NIS-201 | | N T |
| MANANA | Raised Height Heavy Duty Coil Springs LBA 50kg to 80kg | 50mm | NIS-201HD | 1 pr | • |
| | Raised Height Heavy Duty Coil Springs LBA 80kg plus | 50mm | NIS-201HHD | | |
| CASTER BUSH KIT | Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift | | BU1721UK | 1 kit | |
| SHOCK ABSORBERS | | | | | |
| | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35094GP | _ | |
| o piranha | 41mm Foam Cell Shock Absorbers | | SA41094FC | 2 ea | |
| COIL SPRINGS | | | | | - |
| | Standard + Height Heavy Duty Coil Springs | STD | NIS-220 | | |
| | Raised Height Heavy Duty Coils - Progressive Rate NIS-209LP* has 30mm split L&R for GU Wag | 40mm | NIS-209LP* | | R E |
| CONVO | Raised Height Heavy Duty Coil Springs LBA up to 150kg | 50mm | NIS-215 | _ | A R |
| MANA I G. | Raised Height Heavy Duty Coil Springs LBA 200kg to 350kg | 50mm | NIS-214HD | 1 pr | •• |
| | Raised Height Heavy Duty Coil Springs LBA 450kg to GVM - Constant load when fitting NIS-214EHD it is recommended to fit coil tower brace bracket | 50mm | NIS-214EHD | _ | |
| | Raised Height Heavy Duty Coils - Progressive Rate NIS-211* has 30mm split L&R for GU Wag | 50mm | NIS-211* | | |

| NISSAN PAT | | de | | | |
|------------------------------------|--|----------------|----------------|--------------------|-------------|
| GU / Y61 Cab Ch Part and Location | assis & Utility Coil Springs 5/1999 Onw Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | Tumbo. | 700.0 | |
| o piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35091GP | — 2 ea | |
| | 41mm Foam Cell Shock Absorbers | | SA41091FCN | | |
| STEERING DAMPER | | | | | |
| | Steering Damper **WSL** | Pin-Pin | SD14011 | — 1 only | |
| mž V | Expanded Body Steering Damper - Piranha | | SD35011GP | , | F |
| COIL SPRINGS | | | | | 0 |
| | Standard Height Heavy Duty Coil Springs | STD + | NIS-204 | _ | N |
| | Raised Height Heavy Duty Coil Springs LBA up to 45kg | 50mm | NIS-201 | 1 pr | Т |
| | Raised Height Heavy Duty Coil Springs LBA 50kg to 80kg | 50mm | NIS-201HD | _ | |
| CASTER BUSH KIT | | | | | |
| | Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift | | BU1721UK | 1 kit | |
| SHOCK ABSORBERS | | | | | |
| o piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35094GP | — 2 ea | |
| | 41mm Foam Cell Shock Absorbers | | SA41094FC | 2 04 | |
| COIL SPRINGS | | | | | |
| | Raised Height Heavy Duty Coil Springs LBA up to 100kg | 50mm | NIS-214 | | R |
| CON LOD | Raised Height Heavy Duty Coil Springs LBA up to 250kg - Progressive Rate | 50mm | NIS-209HD | | E A R |
| | Raised Height Heavy Duty Coil Springs LBA 200kg to 350kg - constant load | 50mm | NIS-214HD | 1 pr | K |
| | Raised Height Heavy Duty Coil Springs 450kg to GVM - constant load when fitting NIS-214EHD it is recommended to fit coil tower brace bracket | 50mm | NIS-214EHD | | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| SUZUKI JIMN GJ Wagon 2018 C | Y - 4WD Inwards | | | | |
|--------------------------------|---|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| • piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35113GP | 2 ea | F R |
| COIL SPRINGS | | | | | O N |
| | STD Height + Heavy Duty Coil Springs | 15mm | KSFR-63 | - 1 pr | Т |
| GTWAA110) | Raised Height Heavy Duty Coil Springs | 40-50mm | ТВА | , p. | |
| SHOCK ABSORBERS | | | | | |
| o piranta | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35114GP | 2 ea | R |
| COIL SPRINGS | | | | | E |
| GYVVY IO | STD Height + Heavy Duty Coil Springs | 15mm | KSRR-64 | 4 | A R |
| OIYV | Raised Height Heavy Duty Coil Springs | 40-50mm | ТВА | - 1 pr | |

| SUZUKI SIER SJ & LJ 1981 to | | | | | |
|--------------------------------|--|----------------|---------------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| o piranta | 35mm Gas Shock Absorbers | | SA12649GP | 2 ea | |
| STEERING DAMPER | | | | | |
| J | Steering Damper | | SD14030G | 1 only | |
| LEAF SPRINGS | Raised Height Heavy Duty 4 Leaf Springs | 50mm | SUZ001 | 2 ea | F R |
| SHACKLE BUSH KITS | | | | | 0 |
| 0000 | Polyurethane Bush Kit | | BU734UK | 1 kit | N T |
| U-BOLTS | Round Form U Bolts - With Nuts Does not suit Pre 81 Models | | UB654 UB655 | 2 D/S 2 N/S | |
| SHACKLES | Greaseable Shackles | | S656K | 2 ea | |
| PINS | Non-Greaseable Pins | | P657 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| piranha | 35mm Gas Shock Absorbers | | SA12635GP | 2 ea | |
| LEAF SPRINGS | Raised Height Heavy Duty 3 + 2 Leaf Springs LBA up to 300kg | 50mm | SUZ002 | 2 ea | |
| | Raised Height Heavy Duty 3 + 2 Leaf Springs use SUZ002D/S with spare tyre on rear door | 50mm | SUZ002D/S SUZ002 | 1 D/S 1 N/S | |
| 0 | Raised Height Extra Heavy Duty 4 + 2 Leaf Springs LBA 300kg to GVM | 50mm | SUZ002M | 2 ea | |
| | Special Note: SUZ002M suits SJ41T Trayback & LJ 80 S | Stockman | | | R |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU734UK | 1 kit | E A R |
| U-BOLTS | Round Form U Bolts - With Nuts Does not suit Pre 81 Models | | UB655 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S656K | 2 ea | |
| PINS | Non-Greaseable Pins | | P657 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| SUZUKI VITA Grand Vitara JE | ARA - 4WD 3416 4Cyl & JB627 V6 8/2005 Onwards | | | |
|--------------------------------|---|----------------|----------------------|---------------------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle |
| STRIIT | Strut/Gas Spring Seat Shock Absorbers | | SA67142G SA67141G | 1 L F 1 R R |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs 4 Cylinder Engine | 30mm | SUZ-215 SP | O N T |
| community | Raised Height Heavy Duty Coil Springs V6 Engine / 4 Cylinder Diesel | 30mm | SUZ-215 | i pi |
| SHOCK ABSORBERS | 36mm Gas Bulged Shock Absorbers 4 Cylinder & V6 SWB & LWB Models | | ТВА | 2 ea R |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs 4 Cylinder & V6 Engine | 30mm | SUZ-216 | A R |

| | JX & 4 RUNNER - 4WD leaf spring / 46 / 105 & LN / YN65 / 67 / 106 1979 to | | | | |
|--|--|----------------|--------------------------|--------------------|-------------|
| Part and Location | | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35639GP | 2 ea | |
| STEERING DAMPER (right angle pin on one end) | Expanded Body Steering Damper | | SD35021G | 1 only | |
| LEAF SPRINGS | Raised Height Heavy Duty 5 Leaf Springs Petrol Engine | 50mm | TOY010CD/S TOY010CN/S | 1 D/S | |
| | Raised Height Heavy Duty 6 Leaf Springs Diesel Engine | 50mm | TOY010HD/S TOY010HN/S | 1 N/S | F |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU732UK | 1 kit | R O N |
| U-BOLTS | Square Form U Bolts - With Nuts Square Forged Form U Bolts - With Nuts | | UB453-2 UB678 | 2 (N/S) 2 (D/S) | Т |
| SHACKLES_ | Oqual C 1 Orgen 1 Offit O Boils - William Malis | | 00010 | 2 (D/O) | |
| | Greaseable Shackles | | S384K | 2 ea | |
| PINS | Greaseable Pins | | P385 | 2 ea | |
| OPTIONAL PARTS | Adjustable Torque Arm | | ACCATA-TOY01 | – 1 kit | |
| SHOCK ABSORBERS | Drop Drag Link | | ACCDDL-TOY01 | | |
| OHOOK ABOOKBEKO | 35mm Gas Bulged Shock Absorbers -Piranha - Pre 1/1984 | | SA35636GP | | |
| | 35mm Adjustable Shock Absorbers -Piranha - Pre 1/1984 | | SA35636GPA | _ | |
| O piranha | 35mm Gas Bulged Shock Absorbers - Piranha - Post 1/1984 | | SA35650GP | – 2 ea | |
| | 35mm Adjustable Shock Absorbers - Piranha - Post 1/1984 | | SA35650GPA | _ | |
| LEAF SPRINGS | • | | | | |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg | 50mm | TOY011 | – 2 ea | |
| 0 | Raised Height Extra Heavy Duty 6 + 1 Leaf Springs LBA 400kg to GVM | 50mm | TOY011M | – 2 e a | R |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU733UK | 1 kit | A R |
| U-BOLTS | Square Form U Bolts - With Nuts | | UB453-2 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S386K | 2 ea | |
| PINS | Greaseable Pins | | P385 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| TOYOTA HIL I.F.S. Single Cab / I | Dual Cab LN107 SR5, LN108, RN106 | 9/1991 to | 2005 | | |
|-----------------------------------|--|----------------|-------------------------|--------------------|-----|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| O piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35088GP | — 2 ea | |
| | 41mm Foam Cell Shock Absorbers | | SA41088FC | 2 00 | |
| STEERING DAMPER | Steering Damper Insufficient clearance for 35mm expanded body cannister on some Turbo Diesel models | | SD14033G | 1 only | F |
| | Expanded Body Steering Damper | | SD35033G | | _ 7 |
| TORSION BARS | | | - | | |
| | Increased Rate Torsion Bars Length 1064mm | | TOY026 | 1 pr | |
| SHOCK ABSORBERS | | | | | |
| O piranha | 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha | | SA35650GP SA35650GPA | — 2 ea | |
| LEAF SPRINGS | Committee of the control of the cont | | | | |
| 0 | Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 200kg | 50mm | TOY040 | 2 ea | |
| | Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 250kg to 400kg | 50mm | TOY040M | 2 ca | |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU747UK | 1 kit | F |
| U-BOLTS | | | | | _ |
| | Square Form U Bolts - With Nuts | | UB453-2 | 4 ea | F |
| SHACKLES | | | | | |
| | Greaseable Shackles | | S386-1K | 2 ea | |
| PINS | | | | | |
| | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|-------------------|---|----------------|-------------------------|--------------------|---|
| HOCK ABSORBERS | | | | | |
| piranha 0 | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35088GP | — 2 ea | |
| | 41mm Foam Cell Shock Absorbers | | SA41088FC | — 2 ea | |
| TEERING DAMPER | | | | | |
| i i | Steering Damper Insufficient clearance for 35mm expanded body cannister on some Turbo Diesel models | | SD14033G | 1 only | |
| | Expanded Body Steering Damper | | SD35033G | | |
| ORSION BARS | | | | | |
| | Increased Rate Torsion Bars Length 1064mm | | TOY026 | 1 pr | |
| HOCK ABSORBERS | | | | | 1 |
| piranha o | 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha | | SA35650GP SA35650GPA | — 2 ea | |
| EAF SPRINGS | 3311111 Aujustable 3110ck Absolbers - Filalilla | | SASSESUGFA | | - |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs | 50mm | TOY040 | | |
| Po- | LBA up to 200kg Raised Height Extra Heavy Duty 6 + 2 Leaf Springs | F0 | | — 2 ea | |
| | LBA 250kg to 400kg | 50mm | TOY040M | | _ |
| HACKLE BUSH KITS | | | | | |
| | Polyurethane Bush Kit | | BU747UK | 1 kit | |
| | | | | | - |
| I-BOLTS | | | | | |
| | Square Form U Bolts - With Nuts | | UB453-2 | 4 ea | |
| | ' | | | | |
| HACKLES | | | | | • |
| 48 | Greaseable Shackles | | S386-1K | 2 ea | |
| | Greaseable Strackles | | 3300-IK | 2 c a | |
| NS | | | | | |
| | One and the Direct | | D007.0 | 0 | |
| | Greaseable Pins | | P387-2 | 2 ea | |

TOYOTA HILUX - 4WD

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| TOYOTA 4 RU | JNNER - 4WD Surf 8/1985 to 1989 | | | | |
|-------------------|---|----------------|-------------------------|--------------------|------------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| piranha 0 | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35088GP | — 2 ea | |
| - Cilifornia | 41mm Foam Cell Shock Absorbers | | SA41088FC | 2 04 | |
| STEERING DAMPER | Steering Damper Insufficient clearance for 35mm expanded body cannister on some Turbo Diesel models | | SD14033G | 1 only | F R O N |
| | Expanded Body Steering Damper | | SD35033G | | . T |
| TORSION BARS | | | | | |
| | Increased Rate Torsion Bars Length 1064mm | | TOY026 | 1 pr | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha | | SA35650GP SA35650GPA | — 2 ea | |
| LEAF SPRINGS | Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg | 50mm | TOY011 | 2.00 | |
| | Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 400kg to GVM | 50mm | TOY011M | — 2 ea | |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU733UK | 1 kit | R E |
| U-BOLTS | Square Form U Bolts - With Nuts | | UB453-2 | 4 ea | A R |
| SHACKLES | Greaseable Shackles | | S386K | 2 ea | |
| PINS | Greaseable Pins | | P385 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle |
|-------------------|---|-------------|----------------|--------------------|
| HOCK ABSORBERS | | | | |
| M S M | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35088GP | — 2 ea |
| | 41mm Foam Cell Shock Absorbers | | SA41088FC | — 2 e a |
| ORSION BARS | | | | |
| | Increased Rate Torsion Bars Length 1064mm | | TOY026 | 1 pr |
| TEERING DAMPER | | | | |
| ļ. | Steering Damper Insufficient clearance for 35mm expanded body cannister on some Turbo Diesel models | | SD14033G | 1 only |
| | Expanded Body Steering Damper | | SD35033G | |
| HOCK ABSORBERS | | | | |
| | 35mm Gas Bulged Shock Absorbers | | SA35637GL | — 2 ea |
| | 41mm Foam Cell Shock Absorbers | | SA41637FC | 2 00 |
| COIL SPRINGS | | | | |
| WYYYD | Raised Height Heavy Duty Coil Springs LBA up to 100kg | 40mm | THX-201 | — 1 pr |
| | Raised Height Extra Heavy Duty Coil Springs LBA 150kg to 250kg - constant load | 40mm | THX-201HD | ı pı |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| STRUT COILS & STRUT ASSEMBLY TOP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Upper Control Arms - Piranha Strut/Gas Spring Seat Shock Absorbers - Piranha Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Strut / Coil Assembly Top Plate Mount | 40mm 40mm 40mm 40mm | Number UCATOY01 SA67087GP SA67087GPA TPR-204 COIL-ST-TPR01 TPR-204H COIL-ST-TPR11 TPR-204HD COIL-ST-TPR21 TPR-204T COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | 1 pr 2 ea 1 pr 2 ea 1 kit |
|---|--|------------------------------|---|-----------------------------|
| TOP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Strut/Gas Spring Seat Shock Absorbers - Piranha Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Strut / Coil Assembly Top Plate Mount | 40mm 40mm 40mm | SA67087GP SA67087GPA TPR-204 COIL-ST-TPR01 TPR-204H COIL-ST-TPR11 TPR-204HD COIL-ST-TPR21 TPR-204T COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | 2 ea |
| COILS & STRUT ASSEMBLY OP PLATE MOUNT WAY BAR RELOCATION PLATE CHOCK ABSORBERS | Strut/Gas Spring Seat Shock Absorbers - Piranha Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Strut / Coil Assembly Top Plate Mount | 40mm 40mm 40mm | SA67087GP SA67087GPA TPR-204 COIL-ST-TPR01 TPR-204H COIL-ST-TPR11 TPR-204HD COIL-ST-TPR21 TPR-204T COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | 2 ea |
| COILS & STRUT ASSEMBLY TOP PLATE MOUNT WAY BAR RELOCATION PLATE SHOCK ABSORBERS | Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Sway Bar Relocation Plates | 40mm 40mm 40mm | SA67087GPA TPR-204 COIL-ST-TPR01 TPR-204H COIL-ST-TPR11 TPR-204HD COIL-ST-TPR21 TPR-204T COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | - 1 pr - - 2 ea |
| COILS & STRUT ASSEMBLY TOP PLATE MOUNT WAY BAR RELOCATION PLATE SHOCK ABSORBERS | Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Sway Bar Relocation Plates | 40mm 40mm 40mm | SA67087GPA TPR-204 COIL-ST-TPR01 TPR-204H COIL-ST-TPR11 TPR-204HD COIL-ST-TPR21 TPR-204T COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | - 1 pr - - 2 ea |
| TOP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Absorbers - Piranha Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Sway Bar Relocation Plates | 40mm 40mm 40mm | TPR-204 COIL-ST-TPR01 TPR-204H COIL-ST-TPR11 TPR-204HD COIL-ST-TPR21 TPR-204T COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | 2 ea |
| TOP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Sway Bar Relocation Plates | 40mm 40mm 40mm | COIL-ST-TPR01 TPR-204H COIL-ST-TPR11 TPR-204HD COIL-ST-TPR21 TPR-204T COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | 2 ea |
| TOP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Sway Bar Relocation Plates | 40mm 40mm | TPR-204H COIL-ST-TPR11 TPR-204HD COIL-ST-TPR21 TPR-204T COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | 2 ea |
| OP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Sway Bar Relocation Plates | 40mm 40mm | COIL-ST-TPR11 TPR-204HD COIL-ST-TPR21 TPR-204T COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | 2 ea |
| OP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Sway Bar Relocation Plates | 40mm | TPR-204HD COIL-ST-TPR21 TPR-204T COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | 2 ea |
| OP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Strut / Relocation Plates | 40mm | COIL-ST-TPR21 TPR-204T COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | 2 ea |
| OP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Sway Bar Relocation Plates | | TPR-204T COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | |
| FOP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Sway Bar Relocation Plates | | COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | |
| FOP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Sway Bar Relocation Plates | 40mm | COIL-ST-TPR51 TPL1083 ACCSWBR-TOY01 | |
| FOP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Preassembled Strut/Coil With Top Plate Mount Strut / Coil Assembly Top Plate Mount Sway Bar Relocation Plates | 40mm | TPL1083 ACCSWBR-TOY01 | |
| FOP PLATE MOUNT SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Strut / Coil Assembly Top Plate Mount Sway Bar Relocation Plates | | ACCSWBR-TOY01 | |
| SWAY BAR RELOCATION PLATE SHOCK ABSORBERS | Sway Bar Relocation Plates | | | 1 kit |
| SHOCK ABSORBERS | | | | 1 kit |
| SHOCK ABSORBERS | | | | 1 kit |
| piranha | | | | 1 Kit |
| piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | | |
| O piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | | |
| | 35mm Gas Bulged Shock Absorbers - Piranna | | | |
| EAE CODINGS | | | SA35650GP | – 2 ea |
| | 35mm Adjustable Shock Absorbers - Piranha | | SA35650GPA | |
| LEAF SPRINGS | D: 111:1151 (D 1 1:0) | | | |
| | Raised Height 5 Leaf Parabolic Springs | 50mm | TOY146P5 | |
| | LBA 100kg to 300kg Raised Height Comfort 4 + 2 Leaf Springs | | | _ |
| | LBA up to 200kg | 50mm | TOY146 | |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs | | | _ |
| 0 | LBA 250kg - 400kg | 50mm | TOY146M | 2 ea |
| | Raised Height Heavy Duty 6 + 2 Leaf Springs | F0 | TOY/4 400411 | _ |
| | LBA 400kg to 600kg | SUITIN | TOY146MH | _ |
| | Raised Height Extra Heavy Duty 5 + 2 Leaf Springs | | | |
| | LBA 600kg to GVM | 50mm | TOY146GV | |
| | with 10mm main & wrap leaves - constant load | | | |
| SHACKLE BUSH KITS | | | | |
| 11111 | Polyurethane Bush Kit | | BU766UK | 1 kit |
| 3333 | 1 Olyulethane bush Mit | | B07000K | I KIL |
| U-BOLTS | | | | |
| | Square Form U Bolts - With Nuts | | UB453-2 | |
| (117/1) | Square Form U Bolts - With Nuts | | JD700 £ | _ |
| 1 11/1/1/2 | use with TOY146P5, TOY146M, TOY146MH & | | UB437 | 4 ea |
| | TOY146GV | | 00407 | |
| SHACKLES 🙎 | | | | |
| 4 | | | | |
| | Greaseable Shackles | | S387K | 2 ea |
| PINS 🗽 | | | | |
| LINO | | | | |
| | Greaseable Pins | | P387-2 | 2 ea |
| *** | | | | |
| BRAKE BIAS ROD | | | | |
| <u> </u> | Brake Bias Rod | | ACCBBR-TOY01 | 1 ea |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| TOYOTA HIL 2015 Onwards R | UX - 4WD REVO | | | | |
|--|---|----------------|---|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | LIIL | UCATOY01 | 1 pr | |
| 3 | oppor control villa i nama | | | ı pı | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67087GP SA67087GPA | 2 ea | |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204 COIL-ST-TPR01 | _ | F R |
| | Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar & Winch | 40mm | TPR-204H COIL-ST-TPR11 TPR-204HD | _ | O N T |
| Chin Wis | Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar | 40mm 40mm | COIL-ST-TPR21 TPR-204T | 1 pr - | |
| China Contraction of the Contrac | Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount | 40mm | COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51 | _ | |
| TOP PLATE MOUNT | Strut / Coil Assembly Top Plate Mount | | TPL1083 | 2 ea | |
| SHOCK ABSORBERS | , , | | | | |
| o piranba | 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha | | SA35098GP SA35098GPA | - 2 ea | |
| LEAF SPRINGS | Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg | 50mm | TOY056P4 | | |
| | Raised Height Comfort 3 + 2 Leaf Springs LBA up to 200kg | 50mm | TOY056 | _ | |
| | Raised Height Heavy Duty 3 + 2 Leaf Springs LBA 200kg to 400kg | 50mm | TOY056M | 2 ea | |
| | Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 400kg to 600kg | 50mm | TOY056GV | _ | |
| | Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 600kg to GVM | 50mm | TOY056GVH | | R |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU766UK | 1 kit | A R |
| U-BOLTS | Square Form U Bolts - With Nuts | | UB453-2 | | |
| | Square Form U Bolts - With Nuts use with TOY056P4, TOY056M, TOY056GV & TOY056GVH | | UB437 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S391K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| TOYOTA LAN | DCRUISER - 4WD 7/1980 Onwards | | | | |
|-------------------|---|----------------|-------------------|--------------------|------------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | |
| o piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA12635GP | 2 ea | |
| STEERING DAMPER | | | | | |
| - | Steering Damper | | SD14023G | 1 only | |
| LEAF SPRINGS | Raised Height Heavy Duty 7 Leaf Springs Comfort - no load | 50mm | TOY004A | – 2 ea | |
| | Raised Height Heavy Duty 8 Leaf Springs LBA 50kg | 50mm | TOY004 | _ 2 Ga | F |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU719UK | 1 kit | R O N T |
| U-BOLTS | Round Form U Bolts - With Nuts | | UB453-1 | 3 ea | |
| | Square Form U Bolt - With Nuts | | UB449 | _ 1 ea | |
| SHACKLES | Heavy Duty Greaseable Shackles | | S353K | 2 ea | |
| | Anti - Inversion Shackle L/H optional | Must fit | S353KLH | _ 1 L/H | |
| DINO | Anti - Inversion Shackle R/H optional | in pairs | S353KRH | 1 R/H | |
| PINS | Greaseable Pins | | P351 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35636GP | | |
| LEAF SPRINGS | Raised Height Heavy Duty 7 + 3 Leaf Springs LBA up to 300kg Raised Height Heavy Duty 8 + 3 Leaf Springs LBA 350kg plus - constant load | 50mm 50mm | TOY005 TOY005M | – 2 ea | |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU719UK | 1 kit | R |
| U-BOLTS | Round Form U Bolts - With Nuts | | UB416 | 4 ea | A R |
| SHACKLES | Honey Duty Crossophia Shockia | | C2E2V | 2.05 | |
| ** | Heavy Duty Greaseable Shackle Anti - Inversion Shackle L/H optional | Must fit | S353K S353KLH | 2 ea - 1 L/H | |
| 1 | Anti - Inversion Shackle R/H optional | in pairs | S353KRH | 1 R/H | |
| PINS | Greaseable Pins | | P351 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

2025 4WD SHOCK ABSORBERS



ADJUSTABLE SHOCK ABSORBER

Piranha 4 Way Adjustable Gas Charged Shock Absorbers come with an alloy adjustable knob at the lower end of the body that allows you to configure your ride depending on your needs, so if your vehicles weight varies from day to day or you are after more refined dampening flexibility than an off the shelf shock absorber this is the shock absorber for you.

- 1. 18mm Hardened Chrome Shaft
- 2. Multi-Lip Seal
- 3. Teflon Wear Band
- 4. Sintered Piston

- 5. 57mm Outer Body
- **6.** 35mm Bore-Twin Tube Nitrogen Charged
- 7. Alloy Adjuster Dial

SHOCK ABSORBER

- 1. 18mm Hardened Chrome Shaft
- **2.** Teflon Wear Band
- 3. Multi-Lip Seal

- 4. 57mm Outer Body
- **5.** 35mm Bore-Twin Tube Nitrogen Charged
- 6. Sintered Piston



- 1. 18mm Shaft
- Protective Boot
- 3. Multi-Lip Seal
- **4.** 35mm Bore-Twin Tube Nitrogen Charge
- 5. 57mm Outer Body
- Sintered Piston
- 7. Polypropylene Spring Seat
- 8. Height Adjustable Spring Seat





www.piranhaoffroad.com.au





Note: The "Bluemax" parts offered are not 0.E.M. Parts. Manufacturer's names, part numbers and other references or illustrations are for identification purposes only. The products offered are after market parts suitable for the use or vehicle prescribed.

| TOYOTA LAN | IDCRUISER - 4WD Wagon 1980 to 1990 | | | | |
|-----------------------------------|---|-------------------|--------------------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35637GP | 2 ea | |
| STEERING DAMPER (right angle pin) | | | | | |
| ‡ | Expanded Body Steering Damper - Piranha | | SD35024GP | 1 only | |
| LEAF SPRINGS | Raised Height Heavy Duty 7 Leaf Springs Comfort - no load | 50mm | TOY006 | 2 ea | |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU719UK | 1 kit | F R O |
| U-BOLTS | Square Form U Bolts - With Nuts | | UB436 | 4 ea | N T |
| SHACKLES | Heavy Duty Greaseable Shackles | | S353K | 2 ea | |
| *** | Anti - Inversion Shackle L/H optional | Must fit | S353KLH | 1 L/H | |
| | Anti - Inversion Shackle R/H optional | in pairs | S353KRH | 1 R/H | |
| PINS | Greaseable Pins | | P351 | 2 ea | |
| SHOCK ABSORBERS | Pre 10/1985 | | | | |
| | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35636GP | | |
| o piranha o | Post 10/1985 | | | 2 ea | |
| | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35650GP SA41094FC | | |
| LEAF SPRINGS | 41mm Foam Cell Shock Absorbers | | 3A41094FC | | ı |
| | Raised Height Heavy Duty 6 + 1 Leaf Springs | 50mm | TOY007CN/S TOY007CD/S | 1 only | |
| SHACKLE BUSH KITS | Dobuurothono Buoh Kit | | D1174011K | 1 Lit | R E |
| 333 | Polyurethane Bush Kit | | BU719UK | 1 kit | A |
| U-BOLTS | | | | | R |
| | Round Form - With Nuts | | UB453-3 | 4 ea | |
| SHACKLES | Hagyar Duty Crassachla Shaalilaa | | Catak | 2 | |
| += (| Heavy Duty Greaseable Shackles | | S353K | 2 ea | |
| | Anti - Inversion Shackle L/H optional Anti - Inversion Shackle R/H optional | Must fit in pairs | S353KLH S353KRH | 1 L/H 1 R/H | |
| PINS | 7 and - inversion endonic tyri optional | 12 222 2 | JOON MAIN | 1 1 (/ 1) | |
| | Greaseable Pins | | P351 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| TOYOTA LAN | IDCRUISER - 4WD 1990 FZJ / HZJ75 1990 to 9/1999 | l ltility 2 | Troop Carrior | | |
|-----------------------------------|---|-------------------|--------------------|------------------|-------------|
| | | Approx | Troop Carrier Part | Qty Per | |
| Part and Location | Description | Lift | Number | Vehicle | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35637GP | 2 ea | |
| STEERING DAMPER (right angle pin) | Expanded Body Steering Damper - Piranha | | SD35024GP | 1 only | |
| LEAF SPRINGS | Raised Height Heavy Duty 7 Leaf Springs LBA up to 70kg | 50mm | TOY008 | 2 ea | |
| | Raised Height Extra H/D 8 Leaf Springs LBA 50kg Plus | 50mm | TOY008M | 2 c a | F |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU719UK | 1 kit | R O N |
| U-BOLTS | Square Form U Bolts - With Nuts | | UB436 | 4 ea | Т |
| SHACKLES | Heavy Duty Greaseable Shackles Anti - Inversion Shackle L/H optional | Must fit | S353K S353KLH | 2 ea 1 L/H | |
| | Anti - Inversion Shackle E/H optional | in pairs | S353KRH | 1 R/H | |
| PINS | Greaseable Pins | • | P351 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35099GP | | |
| O piranha | 35mm Adjustable Shock Absorbers - Piranha | | SA35099GPA | 2 ea | |
| | 41mm Foam Cell Shock Absorbers | | SA41094FC | | |
| LEAF SPRINGS | Raised Height Med Duty 6 + 2 Leaf Springs LBA up to 200kg - Tray Back only | 30mm | TOY009 ** | | |
| | Raised Height H/D 7 + 2 Leaf Springs LBA 250kg to 400kg | 50mm | ТОҮ009М | 2 ea | |
| | Raised Height H/D 8 + 2 Leaf Springs LBA 400kg to 600kg | 50mm | ТОҮ009МН | 2 G a | |
| | Raised Height EH/D 9 + 2 Leaf Springs LBA 600kg to GVM | 50mm | TOY009RS | | R E |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU720UK | 1 kit | A R |
| U-BOLTS | | | | | |
| | Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts | | UB453-1 | 4 ea | |
| | Use with TOY009MH & TOY009RS | | UB416 | 1 00 | |
| SHACKLES | | | | | |
| 4a | Heavy Duty Greaseable Shackles | p | S353K | 2 ea | |
| | Anti - Inversion Shackle L/H optional | Must fit in pairs | S353KLH | 1 L/H 1 D/H | |
| PINS 4 | Anti - Inversion Shackle R/H optional | iii paii s | S353KRH | 1 R/H | |
| 1110 | Greaseable Pins | | P354 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx | Part | Qty Per |
|---|---|--------|--------------|----------|
| SHOCK ABSORBERS | 2000, p.101 | Lift | Number | Vehicle |
| HOCK ADSORDERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35097GP | |
| O piranha | 35mm Adjustable Shock Absorbers - Piranha | | SA35097GPA | 2 ea |
| | 41mm Foam Cell Shock Absorbers | | SA41091FCT | |
| TEERING DAMPER | Expanded Body Steering Damper - Piranha | | | |
| Ç D | 2007 Onwards | | SD35047GP | |
| OIL SPRINGS | | | | |
| 44.1.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4. | Standard Height Heavy Duty Coil Springs Raised Height Heavy Duty Coil Springs | STD + | TLC-207 | _ |
| | No Bar / Winch | 50mm | TLC-203 | |
| | Raised Extra Height Heavy Duty Coil Springs | 50mm | TLC-203HT | 1 pr |
| | Progressive Rate - With Bar / Winch Raised Height Extra Heavy Duty Coil Springs | | | _ |
| | Extreme loads to GVM | 50mm | TLC-203HD | |
| CASTER BUSH KIT | | | | |
| | Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift | | BU1721UK | 1 kit |
| ABS EXTENSION | BOTT 2 TOTA (2 degrees) for somming | | | |
| | ARC Extension December with later models with DRE | | ACCABSXT- | 4 1-:4 |
| | ABS Extension - Does not suit later models with DPF | | TOY01 | 1 kit |
| WAY BAR SPACERS | | | | |
| 2000 | Sway Bar Spacer | | ACCSWBB- | 2 ea |
| 62. | 5.1.2, 2.1. Space. | | TOY02 | |
| SHOCK ABSORBERS | | | | |
| piranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35099GP | |
| O CHILLIAN STORY | 35mm Adjustable Shock Absorbers - Piranha | | SA35099GPA | 2 ea |
| FAE CDDINGC | 41mm Foam Cell Shock Absorbers | | SA41094FC | |
| EAF SPRINGS | Raised Height Medium Duty 5 + 2 Leaf Springs | | | |
| 0 | LBA up to 200kg | 50mm | TOY050M | |
| | Raised Height Heavy Duty 6 + 2 Leaf Springs | 50mm | TOY050MH | 2 ea |
| | LBA 250kg to 400kg Raised Height Heavy Duty 6 + 2 Leaf Springs | | | _ |
| | LBA 400KG to GVM | 50mm | TOY050GV | |
| SHACKLE BUSH KITS | | | | |
| 1 1 1 1 1 | Polyurethane Bush Kit - Suits SSA Shackles & Pins | | BU779UK | 1 kit |
| | Shackle Widths May Vary Between Brands | | | |
| J-BOLTS (check length | required) | | | |
| | Round Form U Bolts - With Nuts | | UB453-1 | |
| | Round Form U Bolts - With Nuts | | UB416 | — 4 ea |
| SHACKLES | | | | |
| | Greaseable Shackles | | S358HDK | 2 ea |
| PINS & | | | | |
| | Greaseable Pins | | P356HD | 0.55 |
| | | | rooonu | 2 ea |
| BRAKE PROPORTION S | | | en Toy payor | 1 |
| | Brake Proportioning Spacer | | SP-TOY-BRK01 | 1 ea |

TOYOTA LANDCRUISER - 4WD FZJ78 / HZJ78 / VDJ78 Troop Carrier 9/1999 Onwards Includes 2022+ 2.8L & 4.5L Variants **Qtv Per Approx** Part Part and Location Description Lift Number Vehicle SHOCK ABSORBERS 35mm Gas Bulged Shock Absorbers - Piranha SA35097GP 2 ea 35mm Adjustable Shock Absorbers - Piranha SA35097GPA O piranha O 41mm Foam Cell Shock Absorbers **SA41091FCT** STEERING DAMPER Expanded Body Steering Damper - Piranha SD35024GP 1999 -2006 1 only Expanded Body Steering Damper - Piranha SD35047GP 2007 Onwards COIL SPRINGS Standard Height Heavy Duty Coil Springs STD+ **TLC-207** Raised Height Heavy Duty Coil Springs 50mm **TLC-203** No Bar / Winch 1 pr Raised Extra Height Heavy Duty Coil Springs R 50mm TLC-203HT Progressive Rate - With Bar / Winch 0 Raised Height Extra Heavy Duty Coil Springs N 50mm TLC-203HD **Extreme loads to GVM** Т **CASTER BUSH KIT** Correct castor angles by using Castor Bush Kit BU1721UK 1 kit BU1721UK (2 degrees) for 50mm lift ACCABSXT-ABS Extension - Does not suit later models with DPF 1 kit **TOY01 SWAY BAR SPACERS** ACCSWBB-Sway Bar Spacer 2 ea **TOY02** SHOCK ABSORBERS 35mm Gas Bulged Shock Absorbers - Piranha SA35099GP 2 ea 35mm Adjustable Shock Absorbers - Piranha **SA35099GPA** O piranha O 41mm Foam Cell Shock Absorbers SA41094FC **LEAF SPRINGS** Raised Height Medium Duty 7 + 2 Leaf Springs 50mm **TOY020** LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs 50mm TOY020M LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs TOY020MH 50mm LBA 400kg to 600kg 2 ea Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load 50mm TOY020GV LBA 600kg to 800kg Raised Height Extra Heavy Duty 9 + 2 Leaf Springs with 10mm main & wrap leaves - constant load TOY020GVH 50mm R LBA 800kg to GVM Ε SHACKLE BUSH KITS A Polyurethane Bush Kit - Suits SSA Shackles & Pins R **BU779UK** 1 kit Shackle Widths May Vary Between Brands **U-BOLTS** (check length required) Round Form U Bolts - With Nuts **UB416** Round Form U Bolts - With Nuts 4 ea **UB418** use with TOY020GVH **SHACKLES** Greaseable Shackles S358HDK 2 ea **PINS** Greaseable Pins **P356HD** 2 ea BRAKE PROPORTION SPACER **Brake Proportioning Spacer** SP-TOY-BRK01 1 ea

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle |
|-----------------------|--|----------------|----------------|--------------------|
| HOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35097GP | |
| piranha o | 35mm Adjustable Shock Absorbers - Piranha | | SA35097GPA | 2 ea |
| | 41mm Foam Cell Shock Absorbers | | SA41091FCT | |
| STEERING DAMPER | | | | |
| ## | Expanded Body Steering Damper - Piranha 1999 -2006 | | SD35024GP | |
| Ģ D | Expanded Body Steering Damper - Piranha | | | — 1 only |
| | 2007 Onwards | | SD35047GP | |
| COIL SPRINGS | Standard Height Heavy Duty Coil Springs | STD+ | TLC-207 | |
| | Raised Height Heavy Duty Coil Springs | 50mm | TLC-203 | |
| | No Bar / Winch | | | 1 pr |
| | Raised Extra Height Heavy Duty Coil Springs Progressive Rate - With Bar / Winch | 50mm | TLC-203HT | ı pı |
| WILLEAM | Raised Height Extra Heavy Duty Coil Springs | | | <u>—</u> |
| | Extreme loads to GVM | 50mm | TLC-203HD | |
| CASTER BUSH KIT | | | | |
| | Correct castor angles by using Castor Bush Kit | | BU1721UK | 1 kit |
| | BU1721UK (2 degrees) for 50mm lift | | BOTTETOR | 1 Kit |
| ABS EXTENSION | | | | |
| | ABS Extension - Does not suit later models with DPF | | ACCABSXT- | 1 kit |
| | | | TOY01 | |
| SWAY BAR SPACERS | | | | |
| 2000 | Sway Bar Spacer | | ACCSWBB- | 2 ea |
| Ca. | Gway bai Gpacei | | TOY02 | 2 G a |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35099GP | |
| o piranha o | 35mm Adjustable Shock Absorbers - Piranha | | SA35099GPA | 2 ea |
| | 41mm Foam Cell Shock Absorbers | | SA41094FC | _ |
| LEAF SPRINGS | Raised Height Medium Duty 7 + 2 Leaf Springs | E0mm | TOYOOO | |
| | LBA up to 200kg | 50mm | TOY020 | |
| | Raised Height Heavy Duty 8 + 2 Leaf Springs | 50mm | TOY020M | |
| | LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs | | | |
| | LBA 400kg to 600kg | 50mm | TOY020MH | |
| | Raised Height Extra Heavy Duty 8 + 2 Leaf Springs | | | — 2 ea |
| | with 10mm main & wrap leaves - constant load | 50mm | TOY020GV | |
| | LBA 600kg to 800kg | | | _ |
| | Raised Height Extra Heavy Duty 9 + 2 Leaf Springs with 10mm main & wrap leaves - constant load | 50mm | TOY020GVH | |
| | LBA 800kg to GVM | Johnn | 1010200111 | |
| SHACKLE BUSH KITS | | | | |
| 2 2 2 2 | Polyurethane Bush Kit - Suits SSA Shackles & Pins | | | 4.1.4 |
| 8888 | Shackle Widths May Vary Between Brands | | BU779UK | 1 kit |
| U-BOLTS (check length | required) | | | |
| | Round Form U Bolts - With Nuts | | UB416 | |
| | Round Form U Bolts - With Nuts | | UB418 | 4 ea |
| | use with TOY020GVH | | 05410 | |
| SHACKLES | | | | |
| | Greaseable Shackles | | S358HDK | 2 ea |
| DING # | | | | |
| PINS | | | | |
| | Greaseable Pins | | P356HD | 2 ea |
| BRAKE PROPORTION S | PACER | | | |
| | Brake Proportioning Spacer | | SP-TOY-BRK01 | 1 ea |
| W. | - : | | | |

| TOYOTA LAN 70 Series Dual Cab | IDCRUISER - 4WD 7/2012 Onwards Includes 2022+ 2. | 81 & 4 51 | Variants | | |
|-------------------------------|--|-----------|---------------------|-----------|--------|
| Part and Location | Description Transfer of the Incidence 2022 F. | Approx | Part | Qty Per | |
| SHOCK ABSORBERS | 25mm Coo Bulgod Shook Aboorboro Dironho | Lift | Number SA35097GP | Vehicle | |
| | 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha | | SA35097GPA | _ 2 ea | |
| O piranha | 41mm Foam Cell Shock Absorbers | | SA41091FCT | _ | |
| STEERING DAMPER | THINT SAIN CON CHOCK ABOUT DOIS | | | | • |
| 11 | Expanded Body Steering Damper - Piranha 1999 -2006 | | SD35024GP | | |
| Ç Q | Expanded Body Steering Damper - Piranha 2007 Onwards | | SD35047GP | — 1 only | |
| COIL SPRINGS | Standard Height Heavy Duty Coil Springs | STD+ | TLC-207 | | |
| | Raised Height Heavy Duty Coil Springs No Bar / Winch | 50mm | TLC-203 | _ | F |
| | Raised Extra Height Heavy Duty Coil Springs | 50mm | TLC-203HT | 1 pr | R |
| | Progressive Rate - With Bar / Winch | 3011111 | 120-203111 | _ | 0 |
| | Raised Height Extra Heavy Duty Coil Springs Extreme loads to GVM | 50mm | TLC-203HD | | N |
| CASTER BUSH KIT | Extreme loads to GVIII | | | | • Т |
| CAUTER BOOT KIT | Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift | | BU1721UK | 1 kit | |
| ABS EXTENSION | BOTT 2 TOR (2 degrees) for Somm lift | | | | • |
| ABS EXTENSION | ABS Extension - Does not suit later models with DPF | | ACCABSXT- TOY01 | 1 kit | |
| SWAY BAR SPACERS | | | | | |
| Grand Contract | Sway Bar Spacer | | ACCSWBB- TOY02 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35099GP | | |
| | 35mm Adjustable Shock Absorbers - Piranha | | SA35099GPA | _ 2 ea | |
| O prama | 41mm Foam Cell Shock Absorbers | | SA41094FC | | |
| LEAF SPRINGS | Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg | 50mm | TOY020 | | |
| | Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg | 50mm | TOY020M | _ | |
| | Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg | 50mm | ТОҮ020МН | | |
| | Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load | 50mm | TOY020GV | — 2 ea | |
| | LBA 600kg to 800kg | | | _ | |
| | Raised Height Extra Heavy Duty 9 + 2 Leaf Springs with 10mm main & wrap leaves - constant load | 50mm | TOY020GVH | | R |
| SHACKLE BUSH KITS | LBA 800kg to GVM | | | | E |
| STACKEE BOOTKITO | Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands | | BU779UK | 1 kit | A R |
| U-BOLTS (check length re | equired) | | | | • |
| | Round Form U Bolts - With Nuts | | UB416 | _ | |
| | Round Form U Bolts - With Nuts use with TOY020GVH | | UB418 | 4 ea | |
| SHACKLES | | | | | |
| | Greaseable Shackles | | S358HDK | 2 ea | |
| PINS 🙏 | | | | | |
| | Greaseable Pins | | P356HD | 2 ea | |
| BRAKE PROPORTION SP | ACER | | | | |
| W. | Brake Proportioning Spacer | | SP-TOY-BRK01 | 1 ea | |

| TOYOTA LAN FJ80, HDJ80, HZJ8 | NDCRUISER - 4WD 80 Station Wagon 8/1991 Onwards | | | | |
|---------------------------------|--|----------------|----------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35105GP | 2 ea | |
| STEERING DAMPER | Expanded Body Steering Damper - Piranha | | SD35024GP | 1 only | F |
| COIL SPRINGS | Standard Height Heavy Duty Coil Springs | STD | TLC-208 | | R O |
| | Raised Height Heavy Duty Coil Springs LBA up to 50kg | 50mm | TLC-202 | 1 pr | N T |
| | Raised Height Extra Heavy Duty Coil Springs LBA 50kg to 80kg | 50mm | TLC-202HD | _ | |
| CASTER BUSH KIT | Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift | | BU1721UK | 1 kit | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35106GP | 2 ea | |
| COIL SPRINGS | Standard Height Heavy Duty Coil Springs | STD | TLC-217 | | R |
| QWWD | Raised Height Heavy Duty Coil Springs Up to 150kg | 50mm | TLC-213 | _ | E A |
| OMMIN | Raised Height Extra Heavy Duty Coil Springs LBA 200kg to 300kg - constant load | 50mm | TLC-213HD | 1 pr | R |
| | Raised Height Ultra Heavy Duty Coil Springs LBA 360kg to GVM - constant Load | 50mm | TLC-213HHD | _ | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

* Early model 80 series 5/1990 - 8/1991 require different coils. Contact for more info.


| | NDCRUISER - 4WD ZJ100 I.F.S. Station Wagon | 4/1998 to | 11/2007 | | | |
|---------------------|---|-----------|-------------|----------------|--------------------|-------------|
| Part and Location | Description | | Approx Lift | Part Number | Qty Per Vehicle | |
| SHOCK ABSORBERS | | | | | | |
| piranha (| 35mm Gas Bulged Shock Absorbers - Pira | anha | | SA35103GP | 2 ea | |
| TORSION BARS | Increased Rate Torsion Bars Length 1160mm Petrol | | | TOY041 | 1 pr | F R O |
| | Increased Rate Torsion Bars Length 1210mm Diesel / Turbo Diesel / 6 Cylinder Petrol | Engine | | TOY041D | 1 pr | N T |
| TORSION BAR SUPPORT | BRACKET | | | | | |
| 8 3 | Torsion Bar Support Bracket | | | TOY041SUPPBKT | 1 kit | |
| SHOCK ABSORBERS | | | | | | |
| o piranta | 35mm Gas Bulged Shock Absorbers - Pira | anha | | SA35104GP | 2 ea | |
| COIL SPRINGS | | | | | | _ |
| | Raised Height Heavy Duty Coil Springs Progressive Rate - LBA 50kg to GVM | | STD | TLC-210 | | R |
| GYVVY | Raised Height Heavy Duty Coil Springs Progressive Rate - LBA up to 150kg | | 20mm | TLC-209 | . 1 pr | A R |
| | Raised Height Heavy Duty Coil Springs LBA up to 200kg | | 25mm | TLC-217 | ιρι | |
| | Raised Height Extra Heavy Duty Coil Sprir LBA 250kg Plus - constant load | ngs | 25mm | TLC-216HD | - | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|-------------------|--|----------------|----------------|--------------------|--------|
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35105GP | 2 ea | |
| STEERING DAMPER | Expanded Body Steering Damper - Piranha | | SD35024GP | 1 only | . F |
| COIL SPRINGS | Standard Height Heavy Duty Coil Springs | STD | TLC-208 | | R |
| | Raised Height Heavy Duty Coil Springs LBA up to 50kg | 50mm | TLC-202 | 1 pr | N T |
| | Raised Height Extra Heavy Duty Coil Springs LBA 50kg to 80kg | 50mm | TLC-202HD | | |
| CASTER BUSH KIT | Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift | | BU1721UK | 1 kit | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35106GP | 2 ea | |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs Progressive Rate | 20mm | TLC-210 | | R |
| WYYYD | Raised Height Heavy Duty Coil Springs Progressive Rate | 40mm | TLC-209 | 4 | A |
| WYYY | Raised Height Heavy Duty Coil Springs LBA Up to 150kg | 50mm | TLC-213 | — 1 pr | K |
| | Raised Height Extra Heavy Duty Coil Springs LBA 250kg to 400kg - constant load | 50mm | TLC-213HD | _ | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

2025 TOYOTA LAND CRUISER 200 SERIES / TOYOTA PRADO 150 SERIES WITH KOSS SYSTEM



When Replacing Suspension on a Toyota Prado 150 Series/Landcruiser 200 Series or Lexus LX Series vehicles fitted with Toyota's Kinetic Dynamic Suspension System (KDSS), also referred to by Toyota as a 'hydro-mechanical semi active anti roll bar' always abide by the correct

Suspend vehicle on 2-post type chassis hoist allowing wheels to hang.

NOTE: The valve housing is located on the left-hand side of the vehicle, on the inside of the chassis rail, roughly halfway between the front and the back of the vehicle.

3. Using a 5mm hex key, open the 2 leveling valves 3 full rotations anti-clockwise. (Access is

NOTE: The KDSS system is now open and the sway bar ends should be able to be freely manipulated with little effort, allowing spring/strut removal and installation. THE VEHICLE MUST NOT BE DRIVEN WITH THESE VALVES OPEN AS THIS WILL COMPROMISE THE SYSTEM AND RENDER

4. With the vehicle sitting on level ground, close both KDSS leveling valves by turning them in a

PH: 1800 630 411







BLUEMAX - Distributing Australia Wide

SSA | BRISBANE

Unit 4, 919-925 Nudgee Road, Banyo Queensland 4014 **)** 07 3370 3200 • 🖶 07 3370 3201

info@ssa.com.au

MCNAUGHTANS | MELBOURNE

321 Greens Road Keysborough, VIC, 3173 **)** 07 8768 6666

vicsales@mcnaughtans.com.au

MCNAUGHTANS | PERTH

3 Kalli Street, Malaga Western Australia, 6090

) 08 92481833 • 📇 08 92481899



| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|---------------------------|--|----------------|----------------------------|--------------------|----------|
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCATOY02 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha Must use BlueMax Top Plate Mount when using BlueMax strut/shock absorbers | | SA67200GP | 2 ea | |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles With LBA up to 50kg Preassembled Strut/Coil With Top Plate Mount | 40mm | TLC-218 COIL-ST-TLC01 | _ | F |
| ASSEMBLY | Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount | 40mm | KTFR-130H COIL-ST-TLC11 | _ | N |
| | Coil Springs For Vehicles With LBA 100kg to 130kg Preassembled Strut/Coil With Top Plate Mount | 40mm | TLC-218HD COIL-ST-TLC21 | 1 pr | 1 |
| | Coil Springs For Vehicles With LBA 130kg plus | 40mm | TLC-218HHD | _ | |
| • | Preassembled Strut/Coil With Top Plate Mount Note: Special Order Coils are available for vehicles with KDSS. With a 10mm Taller Coil on D/S | | COIL-ST-TLC22 | _ | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL1107 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35681GP | 2 ea | |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs LBA Up to 150kg | 25mm | TLC-219 | | F |
| | Raised Height Heavy Duty Coil Springs LBA 100kg to 250kg - constant load | 45mm | KTRR-131H | 1 nr | Æ |
| | Raised Height Heavy Duty Coil Springs LBA 300kg to 500kg - constant load | 45mm | TLC-219HD | - 1 pr | |
| | Raised Height Extra Heavy Duty Coil Springs LBA 500kg plus - constant Load | 45mm | TLC-219HHD | _ | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

^{*} Check vehicle KDSS suspension system. If fitted follow recommended fitment procedure outlined opposite.

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|--|---|----------------|------------------------------|--------------------|----------|
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | UCATOY03 | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67300GP | 2 ea | |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles With LBA up to 50kg Preassembled Strut/Coil With Top Plate Mount | 40mm | KTFR-140 COIL-ST-TLC03 | _ | F |
| ASSEMBLY | Coil Springs For Vehicles With LBA 50kg to 70kg Preassembled Strut/Coil With Top Plate Mount | 40mm | KTFR-140H COIL-ST-TLC13 | _ | N |
| Million . | Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount | 40mm | KTFR-140HD COIL-ST-TLC23 | 1 pr | • |
| Children of the control of the contr | Coil Springs For Vehicles With LBA 100kg plus Preassembled Strut/Coil With Top Plate Mount | 40mm | KTFR-140HHD COIL-ST-TLC33 | _ | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL1108 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35108GP | 2 ea | |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs LBA Up to 150kg | 45mm | KTRR-141 | | F |
| | Raised Height Comfort Coil Springs LBA 100kg to 250kg - constant load | 45mm | KTRR-141H | 1 nr | F |
| | Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load | 45mm | KTRR-141HD | - 1 pr | |
| | Raised Height Extra Heavy Duty Coil Springs LBA 300kg to 500kg - constant load | 45mm | KTRR-141HHD | - | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle |
|---|--|----------------|----------------------------|--------------------|
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67087GP | 2 ea |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204 COIL-ST-TPR01 | _ |
| ASSEMBLY | Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204H COIL-ST-TPR11 | |
| China de la constantina della | Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204T COIL-ST-TPR52 | 1 pr |
| | Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204HT COIL-ST-TPR51 | - |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35682GP | 2 ea |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs | 50mm | TPR-205 | 1 pr |

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|--|--|----------------|----------------------------|--------------------|--|
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67087GP | 2 ea | |
| COILS & STRUT | Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | HOL-210HT COIL-ST-HOL54 | | |
| ASSEMBLY | Coil Springs For Vehicles With Bull Bar | 40mm | TPR-204 | _ | |
| Marie . | Preassembled Strut/Coil With Top Plate Mount | 4011111 | COIL-ST-TPR11 | | |
| and the | Coils Springs For Vehicles With Bullbar & Winch | 40 | TPR-204H | 1 pr | |
| MAN | Preassembled Strut/Coil With Top Plate Mount | 40mm | COIL-ST-TPR | • | |
| ASSEMBLY | Tapered Coils Springs For Vehicles With Bullbar & Winch | 40mm | TPR-204HT | - | |
| | Preassembled Strut/Coil With Top Plate Mount | | COIL-ST-TPR51 | | |
| TOP PLATE MOUNT | Strut / Coil Assembly Top Plate Mount | | TPL1083 | 2 ea | |
| TAIL SHAFT SPACER KIT | Driveshaft Centre Bearing Spacer Kit | | SP-TOY-TS01 | 1 kit | |
| SHOCK ABSORBERS | | | | | |
| Diranba O | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35686GP | 2 ea | |
| COIL SPRINGS | | | | | |
| | Raised Height Heavy Duty Coil Springs | 40mm | KTRR-215 | | |
| WILL | Raised Height Heavy Duty Coil Springs | 40mm | KTRR-215HD | _ | |
| ************************************** | LBA 100kg to 300kg - constant load | 40111111 | KIKK-219HD | _ 1 pr | |
| | Raised Height Heavy Duty Coil Springs LBA 300kg to 500kg - constant load | 40mm | KTRR-215EHD | | |

| TOYOTA PRAI VZJ, KZJ, RZJ, KDJ | OO 95 SERIES - 4WD 95 Station Wagon 1996 to 2003 | | | | |
|-----------------------------------|---|----------------|----------------------------|--------------------|-------------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers | | SA67222G | 2 ea | |
| COILS & STRUT ASSEMBLY | Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 30mm | TPR-201 COIL-ST-TPR06 | - | F R |
| Windly: | Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-201HD COIL-ST-TPR26 | 1 pr | O N |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL1081 | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers | | SA35661G | 2 ea | R |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs LBA Up to 150kg | 30mm | TPR-203 | - 1 nr | E A R |
| emmo | Raised Height Heavy Duty Coil Springs LBA 200kg plus - constant load | 40mm | TPR-203HD | - 1 pr | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)


TOYOTA PRADO 120 SERIES - 4WD VZJ, KZJ, RZJ, KDJ 120 SWB & LWB Station Wagon 2003 to 11/2009 *Excludes Air Suspension Part Qtv Per **Approx** Part and Location **Description** Lift Number Vehicle **ST**RUT Strut/Gas Spring Seat Shock Absorbers - Piranha SA67088GP 2 ea Coils Springs For Vehicles Without Bullbar TPR-204 **COILS & STRUT** 40mm Preassembled Strut/Coil With Top Plate Mount COIL-ST-TPR04 **ASSEMBLY** Coils Springs For Vehicles With Bull Bar **TPR-204H** 40mm Preassembled Strut/Coil With Top Plate Mount COIL-ST-TPR14 R Coils Springs For Vehicles With Bullbar & Winch TPR-204HD 40mm 1 pr 0 Preassembled Strut/Coil With Top Plate Mount COIL-ST-TPR22 N Coils Springs For Vehicles Without Bullbar **TPR-204T** 40mm Preassembled Strut/Coil With Top Plate Mount COIL-ST-TPR54 Т Coils Springs For Vehicles With Bull Bar TPR-204HT 40mm Preassembled Strut/Coil With Top Plate Mount COIL-ST-TPR55 **TOP PLATE MOUNT** Strut Top Plate Mount **TPL-1083** 2 ea SHOCK ABSORBERS piranha 0 35mm Gas Bulged Shock Absorbers - Piranha SA35682GP 2 ea **COIL SPRINGS** R Raised Height Heavy Duty Coil Springs Ε 40mm **TPR-205** LBA Up to 150kg A Raised Height Heavy Duty Progressive Rate Coils 40mm **TPR-206** R 1 pr Raised Height Extra Heavy Duty Coil Springs 40mm TPR-205HD LBA 200kg plus - constant load

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| | DO 150 SERIES - 4WD DJ155, GX & GXL Station Wagon 2010 Onv | wards_*i | Excludes Air Suspe | ension | |
|-------------------|---|----------------|----------------------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67095GP | 2 ea | |
| COILS & STRUT | Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204 COIL-ST-TPR05 | | _ |
| ASSEMBLY | Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204H COIL-ST-TPR15 | - | |
| China. | Coils Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204HD COIL-ST-TPR23 | - | F R |
| Charles . | Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204T COIL-ST-TPR57 | 1 pr | O N |
| William. | Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount | 40mm | TPR-204HT COIL-ST-TPR58 | - | T |
| • | SWB Models Coils Springs For Vehicles With No Bar / Winch Raised Height Heavy Duty Coil Springs | 40mm | KTFS-101 | | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL1083 | 2 ea | |
| SHOCK ABSORBERS | | | | | |
| o piranha o | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35686GP | 2 ea | |
| COIL SPRINGS | | | | | - |
| | LWB Models | | | | R |
| (0 1 1 1000) | Raised Height Heavy Duty Coil Springs LBA up to 150kg | 40mm | TPR-205 | | E |
| | Raised Height Heavy Duty Progressive Rate Coils | 40mm | TPR-206 | - 1 nr | R |
| OYVVLD | Raised Height Extra Heavy Duty Coil Springs LBA 200kg to 350kg | 40mm | TPR-205HD | - 1 pr | K |
| | SWB Models | | | | |
| | Raised Height Heavy Duty Coil Springs | 40mm | KTRS-102 | | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

2025 TOYOTA LAND CRUISER 200 SERIES / TOYOTA PRADO 150 SERIES WITH KOSS SYSTEM



When Replacing Suspension on a Toyota Prado 150 Series/Landcruiser 200 Series or Lexus LX Series vehicles fitted with Toyota's Kinetic Dynamic Suspension System (KDSS), also referred to by Toyota as a 'hydro-mechanical semi active anti roll bar' always abide by the correct

Suspend vehicle on 2-post type chassis hoist allowing wheels to hang.

NOTE: The valve housing is located on the left-hand side of the vehicle, on the inside of the chassis

3. Using a 5mm hex key, open the 2 leveling valves 3 full rotations anti-clockwise. (Access is

NOTE: The KDSS system is now open and the sway bar ends should be able to be freely manipulated with little effort, allowing spring/strut removal and installation. THE VEHICLE MUST NOT BE DRIVEN WITH THESE VALVES OPEN AS THIS WILL COMPROMISE THE SYSTEM AND RENDER

4. With the vehicle sitting on level ground, close both KDSS leveling valves by turning them in a

PH: 1800 630 411







BLUEMAX - Distributing Australia Wide

SSA | BRISBANE

Unit 4, 919-925 Nudgee Road, Banyo Queensland 4014 **)** 07 3370 3200 • 🖶 07 3370 3201

info@ssa.com.au

MCNAUGHTANS | MELBOURNE

321 Greens Road Keysborough, VIC, 3173 **)** 07 8768 6666

vicsales@mcnaughtans.com.au

MCNAUGHTANS | PERTH

3 Kalli Street, Malaga Western Australia, 6090

) 08 92481833 • 📇 08 92481899



michael@macnaughtans.com.au

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|---------------------------|---|----------------|------------------------------|--------------------|----------|
| UPPER CONTROL ARMS | Upper Control Arms - Piranha | | ТВА | 1 pr | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers - Piranha | | ТВА | 2 ea | |
| COILS & STRUT ASSEMBLY | Coil Springs For Vehicles With LBA up to 50kg Preassembled Strut/Coil With Top Plate Mount | 40mm | KTFR-160 COIL-ST-TPR08 | _ | - F |
| ASSEMBLI | Coil Springs For Vehicles With LBA 50kg to 70kg Preassembled Strut/Coil With Top Plate Mount | 40mm | KTFR-160H COIL-ST-TPR18 | _ | N |
| AGSEMBET CHILDREN | Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount | 40mm | KTFR-160HD COIL-ST-TPR28 | 1 pr | ٦ |
| | Coil Springs For Vehicles With LBA 100kg plus Preassembled Strut/Coil With Top Plate Mount | 40mm | KTFR-160HHD COIL-ST-TPR38 | _ | |
| TOP PLATE MOUNT | Strut Top Plate Mount | | ТВА | 2 ea | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | ТВА | 2 ea | |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs LBA Up to 150kg | 45mm | KTRR-161 | | F |
| | Raised Height Comfort Coil Springs LBA 100kg to 250kg - constant load | 45mm | KTRR-161H | - 1 nr | F |
| | Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load | 45mm | KTRR-161HD | - 1 pr | |
| | Raised Height Extra Heavy Duty Coil Springs LBA 300kg to 500kg - constant load | 45mm | KTRR-161HHD | - | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|-------------------|---|----------------|----------------|--------------------|--|
| RUT | | | | | |
| | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67090GP | 2 ea | |
| DIL SPRINGS | Raised Height Heavy Duty Coil Springs No bar / Winch | 20mm | VW-201 | 1 pr | |
| | Raised Extra Height Heavy Duty Coil Springs With bar / Winch | 20mm | VW-201H | — 1 pr | |
| OCK ABSORBERS | | | | | |
| piranha 0 | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35085GP | 2 ea | |
| AF SPRINGS | Raised Height Heavy Duty Leaf Springs 3 + 3 LBA 200 kg to 400kg | 20mm | VW001M | | |
| 0 | Raised Height Extra Heavy Duty Leaf Springs 3 + 3 LBA 500kg to GVM - Additional camber | 20mm | VW001MH | — 2 ea | |
| ACKLE BUSH KITS | | | | | |
| | Polyurethane Bush Kit * does not include chassis bushes | | BU780UK | 1 kit | |
| BOLTS | | | | | |
| | Round Form U Bolts - With Nuts | | UB453-3 | 4 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|-------------------|---|----------------|----------------|--------------------|--|
| STRUT | | | | | |
| | Strut/Gas Spring Seat Shock Absorbers - Piranha | | SA67090GP | 2 ea | |
| COIL SPRINGS | Raised Height Heavy Duty Coil Springs | | | | |
| | No bar / Winch | 20mm | VW-201H | — 1 pr | |
| | Raised Extra Height Heavy Duty Coil Springs With bar / Winch | 20mm | VW-201HH | | |
| SHOCK ABSORBERS | | | | | |
| Diranha | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35085GP | 2 ea | |
| EAF SPRINGS | | | | | |
| | Raised Height Heavy Duty Leaf Springs 3 + 3 LBA 200 kg to 400kg | 20mm | VW001M | — 2 ea | |
| 0 | Raised Height Extra Heavy Duty Leaf Springs 3 + 3 LBA 500kg to GVM - Additional camber | 20mm | VW001MH | — ∠ ea | |
| SHACKLE BUSH KITS | | | | | |
| 1111 | Polyurethane Bush Kit * does not include chassis bushes | | BU780UK | 1 kit | |
| J-BOLTS | | | | | |
| | | | | | |


^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
|-----------------------|---|----------------|-------------------|--------------------|---|
| UPPER CONTROL ARM | | | | | |
| | Upper Control Arms - Piranha with STEEL Knuckle Between Upper & Lower Control Arms | | UCAFOR02 | - 1 pr | |
| | Upper Control Arms - Piranha with ALLOY Knuckle Between Upper & Lower Control Arms | | UCAFOR03 | Трі | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers | | SA67097GP | 2 ea | |
| COILS & STRUT | Coil Springs For Vehicles Without Bullbar | 30mm - | KFFR-122SP | | |
| ASSEMBLY | Preassembled Strut/Coil With Top Plate Mount | 35mm | COIL-ST-FOR13 | _ | |
| | Coil Springs For Vehicles With LBA 50kg to 100kg | 40mm | KFFR-122 | 1 pr | ١ |
| TOWN WILLIAM | Preassembled Strut/Coil With Top Plate Mount | 40111111 | COIL-ST-FOR14 | 1 pr | ı |
| Anning. | Tapered Coil Springs For Vehicles LBA 50kg to 100kg | | KFFR-122T | _ | 1 |
| | Preassembled Strut/Coil With Top Plate Mount | 40mm | COIL-ST-FOR54 | | • |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL8100 | 2 ea | • |
| SWAY BAR LINKS | · | | | | • |
| | Front Adjustable Sway Bar Links Must Be Supplied With Our Lift Kit | | ACCSWBR- FOR01 | 1 pr | |
| TAIL SHAFT SPACER KIT | Driveshaft Centre Bearing Spacer Kit | | SP-FOR-01 | 1 kit | 1 |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35109GP | 2 ea | |
| O piranha O | 35mm Adjustable Shock Absorbers - Piranha | | SA35109GPA | | |
| LEAF SPRINGS | Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg | 50-60mm | FORD040P5 | | |
| | Raised Height Comfort 4 + 1 Leaf Springs LBA Up to 200kg | 40mm | FORD040 | _ | |
| | Raised Height Medium Duty 5 + 1 Leaf Springs LBA 200kg to 400kg | 40mm | FORD040M | - | |
| | Raised Height Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg | 40mm | FORD040MH | - 2 ea | |
| | Raised Height Extra Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 40mm | FORD040GV | | F |
| SHACKLE BUSH KITS | Polyurethane Bush Kit - | | BU770UK | 1 kit | F |
| U-BOLTS | Square Form U Bolts - With Nuts | | UB437 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S389K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

| VW AMAROK NF 6 Cylinder Diesel | | | | | |
|--------------------------------|---|----------------|-----------------------------|--------------------|--------|
| Part and Location | Description | Approx Lift | Part Number | Qty Per Vehicle | |
| UPPER CONTROL ARM | Upper Control Arms - Piranha with STEEL Knuckle Between Upper & Lower Control Arms | | UCAFOR02 | — 1 pr | |
| | Upper Control Arms - Piranha with ALLOY Knuckle Between Upper & Lower Control Arms | | UCAFOR03 | • | |
| STRUT | Strut/Gas Spring Seat Shock Absorbers | | SA67097GP | 2 ea | |
| COILS & STRUT | Coil Springs For Vehicles Without Bullbar | 30mm - | KFFR-122 | | |
| ASSEMBLY | Preassembled Strut/Coil With Top Plate Mount | 35mm | COIL-ST-FOR14 | - | |
| | Coil Springs For Vehicles With LBA 50kg to 100kg | 40mm | KFFR-122H | | |
| WWW and a second | Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar | | COIL-ST-FOR15 KFFR-122T | - 1 pr | F |
| White the same | • | 30mm - 35mm | | | R |
| ASSEMBLY | Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With LBA 50kg to | | COIL-ST-FOR54 KFFR-122HT | - | O N |
| • | 100kg Preassembled Strut/Coil With Top Plate Mount | 40mm | COIL-ST-FOR55 | | Т |
| TOD DI ATE MOUNT | · | | | - | • |
| TOP PLATE MOUNT | Strut Top Plate Mount | | TPL8100 | 2 ea | • |
| SWAY BAR LINKS | Front Adjustable Sway Bar Links Must Be Supplied With Our Lift Kit | | ACCSWBR- FOR01 | 1 pr | |
| TAIL SHAFT SPACER KIT | • | | | | |
| 100001 | Driveshaft Centre Bearing Spacer Kit | | SP-FOR-01 | 1 kit | |
| SHOCK ABSORBERS | 35mm Gas Bulged Shock Absorbers - Piranha | | SA35109GP | 2 ea | |
| | 35mm Adjustable Shock Absorbers - Piranha | | SA35109GPA | | |
| LEAF SPRINGS | Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg | 50-60mm | FORD040P5 | | |
| | Raised Height Comfort 4 + 1 Leaf Springs LBA Up to 200kg | 40mm | FORD040 | - | |
| | Raised Height Medium Duty 5 + 1 Leaf Springs LBA 200kg to 400kg | 40mm | FORD040M | - 2 ea | |
| | Raised Height Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg | 40mm | FORD040MH | 2 C a | |
| | Raised Height Extra Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM | 40mm | FORD040GV | | R E |
| SHACKLE BUSH KITS | Polyurethane Bush Kit | | BU770UK | 1 kit | A R |
| U-BOLTS | Square Form U Bolts - With Nuts | | UB437 | 4 ea | |
| SHACKLES | Greaseable Shackles | | S389K | 2 ea | |
| PINS | Greaseable Pins | | P387-2 | 2 ea | |

^{*} LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)



PH: 1800 630 411







BRISBANE - MELBOURNE - PERTH

SSA | BRISBANE

Unit 4, 919-925 Nudgee Road, Banyo Queensland 4014 • 07 3370 3200 • 🖶 07 3370 3201

info@ssa.com.au

MCNAUGHTANS | MELBOURNE

321 Greens Road Keysborough, VIC, 3173 **)** 07 8768 6666

vicsales@mcnaughtans.com.au

MCNAUGHTANS | PERTH

3 Kalli Street, Malaga Western Australia, 6090) 08 92481833 • 🖶 08 92481899

