



Go to the Max

2022

2WD

APPLICATION LISTING




www.ssa.com.au



Note: The "Bluemax" parts offered are not O.E.M. Parts. Manufacturer's names, part numbers and other references or illustrations are for identification purposes only. The products offered are after market parts suitable for the use or vehicle prescribed.

FORD COURIER - 2WD










PC, PD, PE, PG, PH 1985 to 11/2006

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	F R O N T	
TORSION BARS						
	Increased Rate Torsion Bars Length 898mm		MAZDA009	1 pr		
SHOCK MOUNT REINFORCEMENT BRACKET						
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea		
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA up to 250kg		MAZDA006	2 ea		
	Raised Height Extra Heavy Duty 7 + 2 Leaf Springs LBA 300kg to 500kg		MAZDA006M			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU756UK	1 kit	R E A R	
U-BOLTS						
	Round Form U Bolts - With Nuts * Check U bolt dimensions before ordering as some later models vary		UB451	4 ea		
SHACKLES						
	Greaseable Shackles		S386-1K	2 ea		
PINS						
	Greaseable Pins		P794	2 ea		

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)
 NOTE: 4 x 2 Hi-Rider models 2004 to 2006 are exceptions.
 Refer 4 x 4 section of catalogue

FORD RANGER - 2WD

PJ, PK 2.5 Diesel Standard Chassis Underslung Rear Leaf 1/2007 to 8/2011

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea
TORSION BARS				
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr
SHOCK MOUNT REINFORCEMENT BRACKET				
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers Confirm Shock Measurements Before Ordering - Can Be SA35095GP		*SA35650GLB*	2 ea
LEAF SPRINGS				
	STD Chassis With Underslung Leaf Springs			
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA060M	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA060MH	2 ea
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 600kg to GVM	30-40mm	MAZDA060GV	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU765UK	1 kit
U-BOLTS				
	Round Form U Bolts - With Nuts		UB475	4 ea
SHACKLES				
	Greaseable Shackles		S386-1K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea










F
R
O
N
T

R
E
A
R

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)
* Contact SSA For More Info*

FORD RANGER - 2WD

PJ, PK 3L Diesel Hi-Rider Overslung Rear Leaf 1/2007 to 8/2011

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea
TORSION BARS				
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr
SHOCK MOUNT REINFORCEMENT BRACKET				
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35095GPA	
LEAF SPRINGS				
	Hi-Rider Chassis With Overslung Leaf Springs			
	Raised Height Comfort 4 + 2 Leaf Springs LBA Up to 200kg	30-40mm	MAZDA050	2 ea
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA050M	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA050MH	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 600kg to GVM	30-40mm	MAZDA050GV	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU765UK	1 kit
U-BOLTS				
	Round Form U Bolts - With Nuts		UB475	4 ea
SHACKLES				
	Greaseable Shackles		S386-1K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea








* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

F
R
O
N
T

R
E
A
R

FORD RANGER - 2WD

PX I & II Standard Chassis Underslung Reaf Leaf 09/2011 to 6/2018

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers		TBA	2 ea
COIL SPRINGS	Raised Height Heavy Duty Tapered Coils Progressive Rate - No Bar / Winch	30-40mm	FOR-210T	1 pr
	Raised Extra Height Heavy Duty Tapered Coils Progressive Rate - With Bar / Winch	30-40mm	FOR-210HT	
	Raised Height Extra Heavy Duty Extreme loads only	30-40mm	FOR-210HD	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL3080	2 ea
TAIL SHAFT SPACER KIT				
	Driveshaft Centre Bearing Spacer Kit		SP-MAZ-01	1 kit
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers Confirm Shock Measurements Before Ordering - Can Be SA35095GP		*SA35650GLB*	2 ea
LEAF SPRINGS	STD Chassis With Underslung Leaf Springs			
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA060M	2 ea
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA060MH	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA060GV	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit - Use With MAZDA060 Springs		BU773UK	1 kit
U-BOLTS				
	Round Form U Bolts - With Nuts		UB473	4 ea
SHACKLES				
	Greaseable Shackles		S389K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea

F
R
O
N
T

R
E
A
R

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

* Contact SSA For More Info*

FORD RANGER - 2WD








PX I & II High Rider Chassis Overslung Rear Leaf 09/2011 to 06/2018

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GP	2 ea
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GPA	
COILS & STRUT ASSEMBLY	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210 COIL-ST-FOR01	1 pr
	Coils Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210H COIL-ST-FOR03	
	Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HD COIL-ST-FOR21	
	Coils Springs For Vehicles With Steel Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HHD COIL-ST-FOR04	
	Tapered Coils Springs For Vehicles Without Bullbar Raised Height Coil Springs - Tapered Comfort Coil	40mm	FOR-210T COIL-ST-FOR05	
	Tapered Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HT COIL-ST-FOR52	
	Tapered Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HDT COIL-ST-FOR06	
	TOP PLATE MOUNT		TPL3080	
	TAIL SHAFT SPACER KIT			
	Driveshaft Centre Bearing Spacer Kit to prolong centre bearing life		SP-MAZ-01	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35095GPA	
LEAF SPRINGS	Hi-Rider Chassis With Overslung Leaf Springs Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg - Must Use BU770UK	40mm	MAZDA052P5	2 ea
	Raised Height Comfort 4 + 2 Leaf Springs LBA Up to 200kg	40mm	MAZDA050	
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	MAZDA050M	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	40mm	MAZDA050MH	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	MAZDA050GV	
	SHACKLE BUSH KITS			
U-BOLTS	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK	1 kit
	Polyurethane Bush Kit - Use With MAZDA050 Springs		BU773UK	
SHACKLES	Round Form U Bolts - With Nuts		UB473	4 ea
	Round Form U Bolts - With Nuts use with MAZDA052P5 MAZDA050MHT & MAZDA050GV		UB473-1	
PINS	Greaseable Shackles		S389K	2 ea
	Greaseable Pins		P387-2	

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

FORD RANGER - 2WD

PX III Standard Chassis Underslung Reaf Leaf 07/2018 to Current









Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		TBA	2 ea	F R O N T
COIL SPRINGS	Coil Springs For Vehicles Without Bullbar	40mm	FOR-224	1 pr	
	Coil Springs For Vehicles With Alloy Bullbar	40mm	FOR-224H		
	Coil Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch	50mm	FOR-224HH		
	Tapered Coil Springs For Vehicles Without Bullbar	40mm	FOR-224T		
	Tapered Coil Springs For Vehicles With Alloy Bullbar	40mm	FOR-224HT		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL8099	2 ea	
TAIL SHAFT SPACER KIT					
	Driveshaft Centre Bearing Spacer Kit to prolong centre bearing life		SP-MAZ-01	1 kit	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		*SA35650GLB*	2 ea	
	Confirm Shock Measurements Before Ordering - Can Be SA35095GP				
LEAF SPRINGS					
	STD Chassis With Underslung Leaf Springs				
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA060M	2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA060MH		
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA060GV		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit - Use With MAZDA060 Springs		BU773UK	1 kit	R E A R
U-BOLTS					
	Round Form U Bolts - With Nuts		UB473	4 ea	
SHACKLES					
	Greaseable Shackles		S389K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

* Contact SSA For More Info*

FORD RANGER - 2WD

PX III High Rider Chassis Overslung Reaf Leaf 07/2018 to Current

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67093GP	2 ea
COILS & STRUT ASSEMBLY 	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-224 COIL-ST-FOR07	1 pr
	Coil Springs For Vehicles With Alloy Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-224H COIL-ST-FOR08	
	Coil Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	50mm	FOR-224HH COIL-ST-FOR09	
	Coil Springs For Vehicles With Steel Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	50mm	FOR-224HD COIL-ST-FOR12	
	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-224T COIL-ST-FOR10	
	Tapered Coil Springs For Vehicles With Alloy Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-224HT COIL-ST-FOR11	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL8099	2 ea
TAIL SHAFT SPACER KIT 	Driveshaft Centre Bearing Spacer Kit to prolong centre bearing life		SP-MAZ-01	1 kit
SHOCK ABSORBERS 	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35095GPA	
LEAF SPRINGS 	Hi-Rider Chassis With Overslung Leaf Springs Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg - Must Use BU770UK	40mm	MAZDA052P5	2 ea
	Raised Height Comfort 4 + 2 Leaf Springs LBA Up to 200kg	40mm	MAZDA050	
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	MAZDA050M	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	40mm	MAZDA050MH	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	MAZDA050GV	
SHACKLE BUSH KITS 	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK	
	Polyurethane Bush Kit - Use With MAZDA050 Springs		BU773UK	
U-BOLTS 	Round Form U Bolts - With Nuts		UB473	
	Round Form U Bolts - With Nuts		UB473-1	
	use with MAZDA052P5 MAZDA050MHT & MAZDA050GV			
SHACKLES 	Greaseable Shackles		S389K	
PINS 	Greaseable Pins		P387-2	








F
R
O
N
T

R
E
A
R

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD FALCON Wagon - 2WD








XE-XF 6 Cyl & V8, EA-EL 6 Cyl, EB-EL V8, AU 6 Cyl & V8, BA-BF, BF MK II & III

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	Gas Shocks - XE to XF		SAB28160	2 ea	F R O N T
	Gas Struts - EA to EL		SAB28240		
	Gas Struts - AU I, II, III		SAB28800		
	Gas Struts BA to BF		SAB36690		
COIL SPRINGS					
	Standard Height Plus Heavy Duty Coil Springs	20mm	H/Duty Coil available on request for each model	1 pr	
SHOCK ABSORBERS					
	Gas Shock Absorbers - XE to EL		SAB28220	2 ea	
	Gas Shock Absorbers - AU to BF		SAB36670		
LEAF SPRINGS					
	Raised Height Heavy Duty 6 Leaf Springs Fixed end eye = 54mm Must use BlueMax bush kit with these springs LBA up to 400kg	15-20mm	FORD020	2 ea	
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		BU744UK	1 kit	
U-BOLTS					
	Early Models up to BA			4 ea	
	Round Form U Bolts - With Nuts				
	UB258 = 230mm x 75mm x 7/16" round		UB258		
	UB258L = 260mm x 75mm x 7/16" round		UB258L		
	After BA				
	Round Form U Bolts - With Nuts		UB458		
	UB458 = 190mm x 75mm x 9/16" round				
SANDWICH PLATES					
	U Bolt Sandwich Plates - sold in pairs		SPS-FORD	2 pr	
					R E A R

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD FALCON Utility - 2WD





AU, BA-BF, FG Ute Not Suitable for RTV Utilities

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	AU, AU11-A11 V6 & V8, XR6 & XR8 Ute		SAB28800		F R O N T
	BA to BF - ALL Utes		SAB36690	2 ea	
	FG-XR6 & XR8 & XR6 Turbo & R6 Ute		SA673637G		
COIL SPRINGS					
	Standard Height Plus Heavy Duty Coil Springs	40mm	H/Duty Coil available on request for each model	1 pr	
SHOCK ABSORBERS					
	AU-BF - 07/1999 to 09/2006		SAB36660	2 ea	R E A R
	FG-XR6 & XR8 & XR6 Turbo Ute - 02/2008 Onwards		SAS314317 SAS314316	1 R 1 L	
	FG-R6 Ute - 02/2008 Onwards		SAS314315	2 ea	
LEAF SPRINGS					
	NB: Not Suitable For XR Models				R E A R
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 400kg	25-30mm	FORD021	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs LBA 500kg to GVM	25-30mm	FORD021M		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit Fixed end eye = 54mm Must use BlueMax bush kit with these springs		BU744UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts				
	UB458 = 190mm x 75mm x 9/16" round		UB458		
	UB458-1 = 210mm x 75mm x 9/16" round		UB458-1	4 ea	
	OR UB453-1 = 215mm x 83mm x 9/16" round		UB453-1		
SANDWICH PLATES					
	U Bolt Sandwich Plates - sold in pairs FORD021 2pr FORD021M 4pr		SPS-FORD	2/4pr	

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)





FORD TERRITORY - 2WD

SX, SY 2004 to 9/2007

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA673673G	1 L	F R O N T
			SA673674G	1 R	
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs 2WD Only	20mm	FOR-212	1 pr	
SHOCK ABSORBERS					
	30mm Gas Bulged Shock Absorbers		SAB36680	2 ea	R E A R
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs 2WD only	20mm	FOR-214	1 pr	









FORD TERRITORY - 2WD

SX, SY, SZ 10/2007 to 5/2011

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT / SHOCK ABSORBERS					
	Strut/Gas Spring Seat Shock Absorbers		SA673677G	1 L	F R O N T
			SA673678G	1 R	
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs 2WD Only	20mm	FOR-213	1 pr	
SHOCK ABSORBERS					
	30mm Gas Bulged Shock Absorbers		SAB36680	2 ea	R E A R
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs 2WD only	20mm	FOR-214	1 pr	

HOLDEN RODEO - 2WD









KB/TFS 8/1988 to 2003

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					FRONT
	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	2 ea	
	35mm Gas Bulged Shock Absorbers - Piranha V6 Models		SA35649GP		
TORSION BARS					
	Increased Rate Torsion Bars Length 1000mm		HOLD005A	1 pr	
SHOCK ABSORBERS					REAR
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea	
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS					
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 250kg	40mm	HOLD004	2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 250kg to 400kg	40mm	HOLD004M		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		BU728UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB453-1	4 ea	
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
	Check pin size				
	Greaseable Pins Non Teardrop - 14mm		P387-2	2 ea	
	Greaseable Pins Teardrop - 18mm		P792		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

HOLDEN RODEO - 2WD









RA Standard Chassis 3/2003 to 2008

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
STRUT						
	Strut/Gas Spring Seat Shock Absorbers		SA67080G	2 ea	FRONT	
COIL SPRINGS						
	Raised Height Heavy Duty Coil Springs Petrol	20-30mm	KHFR-51	1 pr		
	Raised Height Heavy Duty Coil Springs Diesel	20-30mm	TPR-200			
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea		
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	40mm	HOLD018	2 ea		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	40mm	HOLD018M			
	Raised Height Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	40mm	HOLD018MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU728UK	1 kit	REAR	
U-BOLTS						
	Round Form U Bolts - With Nuts		UB453-1	4 ea		
SHACKLES						
	Greaseable Shackles		S386K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

HOLDEN RODEO - 2WD









RA Hi-Rider 3/2003 to 2008

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					F R O N T
	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	
TORSION BARS					F R O N T
	Increased Rate Torsion Bars Length 1140mm		HOLD005B	1 pr	
SHOCK ABSORBERS					R E A R
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP		
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS					
	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	50mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	50mm	HOLD018M		
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	50mm	HOLD018MH		
SHACKLE BUSH KITS					R E A R
	Polyurethane Bush Kit		BU728UK	1 kit	
U-BOLTS					R E A R
	Check U Bolt part number with rear springs				
	Round Form U Bolts - With Nuts		UB473		
	Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH		UB473-1	4 ea	
SHACKLES					R E A R
	Greaseable Shackles		S386K	2 ea	
PINS					R E A R
	Greaseable Pins		P387-2	2 ea	

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

HOLDEN COLORADO - 2WD









RC Standard Chassis 9/2008 to 5/2012

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
STRUT						
	Strut/Gas Spring Seat Shock Absorbers		SA67080G	2 ea	FRONT	
COIL SPRINGS						
	Raised Height Heavy Duty Coil Springs Petrol	20-30mm	KHFR-51	1 pr		
	Raised Height Heavy Duty Coil Springs Diesel	20-30mm	TPR-200			
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP			
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	40mm	HOLD018	2 ea		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	40mm	HOLD018M			
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	40mm	HOLD018MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU728UK	1 kit	REAR	
U-BOLTS						
	Round Form U Bolts - With Nuts		UB453-1	4 ea		
SHACKLES						
	Greaseable Shackles		S386K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

HOLDEN COLORADO - 2WD








RC Hi-Rider 9/2008 to 5/2012

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					FRONT
	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	
TORSION BARS					
	Increased Rate Torsion Bars Length 1140mm		HOLD005B	1 pr	REAR
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP		
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS					
	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	50mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	50mm	HOLD018M		
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	50mm	HOLD018MH		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		BU728UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB473		
	Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH		UB473-1	4 ea	
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

HOLDEN COLORADO - 2WD




RG Hi-Ride 5/2012 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	F R O N T
COILS & STRUT ASSEMBLY	NOTE: 04/2013 to 06/2016 must purchase SSA strut top plates mount TPL1002				
	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210 COIL-ST-HOL01		
	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL11		
	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210T COIL-ST-HOL51	1 pr	
	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea	
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS					R E A R
	Raised Height 4 Leaf Parabolic Springs LBA up to 200kg	40mm	HOLD022P4		
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 200kg	40mm	HOLD022		
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	HOLD022M	2 ea	
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 400kg to 600kg	40mm	HOLD022MH		
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	HOLD022GV		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		BU786UK	1 kit	
U-BOLTS					
	Square Form U Bolts - With Nuts		UB453-2	4 ea	
	Square Form U Bolts - With Nuts use with HOLD022P4, HOLD022MH & HOLD022GV		UB437		
SHACKLES					P I N S
	Greaseable Shackles		S390K	2 ea	
PINS					P I N S
	Greaseable Pin		P387-2	2 ea	

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

HOLDEN COLORADO 7 / TRAILBLAZER - 2WD







LT & LTZ 11/2012 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	
COILS & STRUT ASSEMBLY	NOTE: 04/2013 to 06/2016 must purchase SSA strut top plates mount TPL1002				
	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210 COIL-ST-HOL01		
	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL11	1 pr	F
	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210T COIL-ST-HOL51		R
	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL53		O
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	N
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		SA35100GP	2 ea	T
COIL SPRINGS					
	Raised Height Coil Springs	40mm	HOL-211	1 pr	R
	Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load	40mm	HOL-211HD		E
					A
					R

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

HYUNDAI iLOAD - 2WD









2.4, 2.5 CRDI

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA674893	1 R	F R O N T
			SA674892	1 L	
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs	20mm	KHFR-173	1 pr	
SHOCK ABSORBERS					
	30mm Gas Shock Absorbers		SAS314891	2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 400kg		HYUN006	2 ea	R E A R
	Raised Height Extra Heavy Duty 4 + 2 Leaf Springs with all 10mm leaves - constant loads LBA 500kg to GVM		HYUN006MH		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit Must use BlueMax bush kit with these springs		BU791UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB258-3	4 ea	

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

ISUZU D-MAX - 2WD









9/2008 to 5/2012

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
STRUT						
	Strut/Gas Spring Seat Shock Absorbers		SA67080G	2 ea	F R O N T	
COIL SPRINGS						
	Raised Height Heavy Duty Coil Springs Petrol	20-30mm	KHFR-51	1 pr		
	Raised Height Heavy Duty Coil Springs Diesel	20-30mm	TPR-200			
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea		
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	40mm	HOLD018	2 ea		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	40mm	HOLD018M			
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	40mm	HOLD018MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU728UK	1 kit	R E A R	
U-BOLTS						
	Round Form U Bolts - With Nuts		UB453-1	4 ea		
SHACKLES						
	Greaseable Shackles		S386K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

ISUZU D-MAX - 2WD








TFS85 Standard Chassis 6/2012 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
STRUT						
	Strut/Gas Spring Seat Shock Absorbers		SA67080G	2 ea	FRONT	
COIL SPRINGS						
	Raised Height Heavy Duty Coil Springs Petrol	20-30mm	KHFR-51	1 pr		
	Raised Height Heavy Duty Coil Springs Diesel	20-30mm	TPR-200			
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea		
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 200kg	40mm	HOLD024	2 ea		
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	HOLD024M			
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM	40mm	HOLD024MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU728UK	1 kit	REAR	
U-BOLTS						
	Round Form U Bolts - With Nuts - Check Dimensions 1/2" Material		UB475	4 ea		
	Round Form U Bolts - With Nuts - Check Dimensions 9/16" Material		UB473-1			
SHACKLES						
	Greaseable Shackles		S386K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

ISUZU D-MAX - 2WD

TFS85 Hi-Rider 5/2012 to 5/2020

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
<div>STRUT</div> <div>COILS & STRUT ASSEMBLY</div> <div></div>	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea
	Coils Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL12	1 pr
	Coils Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR02	
	Coils Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL52	
	Coils Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR53	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea
SHOCK ABSORBERS				
<div></div>	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA	
LEAF SPRINGS				
<div></div>	Raised Height 4 Leaf Parabolic Springs LBA up to 200kg	40mm	HOLD022P4	2 ea
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 200kg	40mm	HOLD022	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	HOLD022M	
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 400kg to 600kg	40mm	HOLD022MH	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	HOLD022GV	
SHACKLE BUSH KITS				
<div></div>	Polyurethane Bush Kit		BU786UK	1 kit
U-BOLTS				
<div></div>	Square Form U Bolts - With Nuts		UB453-2	4 ea
	Square Form U Bolts - With Nuts Use with HOLD022P4, HOLD022MH & HOLD022GV		UB437	
SHACKLES				
<div></div>	Greaseable Shackles		S390K	2 ea
PINS				
<div></div>	Greaseable Pin		P387-2	2 ea

F
R
O
N
T

R
E
A
R

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

ISUZU D-MAX - 2WD



High Ride 06/2020 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP		F R O N T
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA	2 ea	
COILS & STRUT ASSEMBLY	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL12		
	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR02		
	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL52	1 pr	
	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35096GP	2 ea	
	35mm Adjustable Shock Absorbers - Piranha		SA35096GPA		
LEAF SPRINGS					R E A R
	Raised Height 3 Leaf Parabolic Springs No Load	30-40mm	HOLD022P3		
	Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg	30-40mm	HOLD022P4		
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg	40mm	HOLD022	2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	40mm	HOLD022M		
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM	40mm	HOLD022MH		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		BU792UK	1 kit	
U-BOLTS					
	Square Form U Bolts - With Nuts		UB453-2	4 ea	
	Square Form U Bolts - With Nuts use with HOLD022P4 & HOLD022MH		UB437		
SHACKLES					
	Greaseable Shackles		S392K	2 ea	
PINS					
	Greaseable Pin		P387-2	2 ea	

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ISUZU MU-X - 2WD

2013 to 7/2021

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	F R O N T
COILS & STRUT ASSEMBLY	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL12	1 pr	
	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR02		
	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL52		
	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS					R E A R
	 35mm Gas Bulged Shock Absorbers - Piranha		SA35100GP	2 ea	
COIL SPRINGS					
	Raised Height Coil Springs	40mm	ISU-201	1 pr	
	Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load	40mm	ISU-201HD		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

ISUZU MU-X - 2WD









7/2021 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP	2 ea	F R O N T
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA		
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204	1 pr	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR03		
	Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204H		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR17		
	Coil Springs For Vehicles With 100kg + of Accessories	40mm	TPR-204HD		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR27		
	Tapered Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204T		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR60		
	Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204HT		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR61		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35100GP	2 ea	R E A R
COIL SPRINGS	Raised Height Coil Springs	40mm	KIRS-02	1 pr	
	Raised Height Heavy Duty Coil Springs	40mm	ISU-201		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

MAZDA BRAVO - 2WD

1985 to 11/2006

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers Urethane boot optional extra	STD	SA12087GL	2 ea	F R O N T	
	35mm Gas Bulged Shock Absorbers	RSD	SA35649GP			
	Optional Urethane Shock Protection Boot		SC641U			
TORSION BARS						
	Increased Rate Torsion Bars Length 898mm		MAZDA009	1 pr		
SHOCK ABSORBERS						
	35mm Gas Shock Absorbers - Piranha		SA35636GP	2 ea		
LEAF SPRINGS						
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA up to 250kg		MAZDA006	2 ea	R E A R	
	Raised Height Extra Heavy Duty 7 + 2 Leaf Springs LBA 300kg to 500kg		MAZDA006M			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU756UK	1 kit		
U-BOLTS						
	Round Form U Bolts - With Nuts * Check U bolt dimensions before ordering as some later models vary		UB451	4 ea		
SHACKLES						
	Greaseable Shackles		S386-1K	2 ea		
PINS						
	Greaseable Pins		P794	2 ea		










*** LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

NOTE: 4 x 2 Hi-Rider models 2004 to 2006 are exceptions.

Refer 4 x 4 section of catalogue

MAZDA BT50 - 2WD

2.5L Diesel Standard Chassis 1/2007 to 8/2011

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea
TORSION BARS				
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr
SHOCK MOUNT REINFORCEMENT BRACKET				
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers Confirm Shock Measurements Before Ordering - Can Be SA35095GP		*SA35650GLB*	2 ea
LEAF SPRINGS				
	STD Chassis With Underslung Leaf Springs			
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA060M	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA060MH	2 ea
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 600kg to GVM	30-40mm	MAZDA060GV	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU765UK	1 kit
U-BOLTS				
	Round Form U Bolts - With Nuts		UB475	4 ea
SHACKLES				
	Greaseable Shackles		S386-1K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea

F
R
O
N
T









R
E
A
R

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

* Contact SSA For More Info*

MAZDA BT50 - 2WD









3L Diesel Hi-Rider 1/2007 to 8/2011

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					F R O N T
	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea	
TORSION BARS					
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr	
SHOCK ABSORBERS					R E A R
	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea	
	35mm Adjustable Shock Absorbers - Piranha		SA35095GPA		
LEAF SPRINGS					
	Hi-Rider Chassis With Overslung Leaf Springs				
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 200kg	30-40mm	MAZDA050		
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 200kg to 300kg	30-40mm	MAZDA050M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA050MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA050GV		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		BU765UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB475	4 ea	
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MAZDA BT50 - 2WD

2.2L Standard Chassis 8/2011 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		TBA	2 ea	F R O N T
COILS & STRUT ASSEMBLY 	Preassembled Strut/Coil With Top Plate Mount		Nominate coil fitment		
	Raised Height Heavy Duty Coils No Bar / Winch	30-40mm	FOR-210	1 pr	
	Raised Extra Height Heavy Duty Coils With Bar / Winch	30-40mm	FOR-210H		
	Raised Height Extra Heavy Duty Coils Extreme loads only	30-40mm	FOR-210HD		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL3080	2 ea	
TAIL SHAFT SPACER KIT 	Driveshaft Centre Bearing Spacer Kit		SP-MAZ-01	1 kit	
SHOCK ABSORBERS 	35mm Gas Bulged Shock Absorbers Confirm Shock Measurements Before Ordering - Can Be SA35095GP		*SA35650GLB*	2 ea	R E A R
LEAF SPRINGS 	STD Chassis With Underslung Leaf Springs				
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA060M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA060MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA060GV		
SHACKLE BUSH KITS 	Polyurethane Bush Kit - Use With MAZDA060 Springs		BU773UK	1 kit	
U-BOLTS 	Round Form U Bolts - With Nuts		UB473	4 ea	
SHACKLES 	Greaseable Shackles		S389K	2 ea	
PINS 	Greaseable Pins		P387-2	2 ea	

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

* Contact SSA For More Info*

MAZDA BT50 - 2WD







2.2L & 3.2L Diesel Hi-Rider 8/2011 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GP	2 ea
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GPA	
COILS & STRUT ASSEMBLY	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210 COIL-ST-FOR01	1 pr
	Coils Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210H COIL-ST-FOR03	
	Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HD COIL-ST-FOR21	
	Coils Springs For Vehicles With Steel Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HHD COIL-ST-FOR04	
	Tapered Coils Springs For Vehicles Without Bullbar Raised Height Coil Springs - Tapered Comfort Coil	40mm	FOR-210T COIL-ST-FOR05	
	Tapered Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HT COIL-ST-FOR52	
	Tapered Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HDT COIL-ST-FOR06	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL3080	2 ea
TAIL SHAFT SPACER KIT	Driveshaft Centre Bearing Spacer Kit		SP-MAZ-01	1 kit
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35095GPA	
LEAF SPRINGS	Hi-Rider Chassis With Overslung Leaf Springs Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg - Must Use BU770UK	30-40mm	MAZDA052P5	2 ea
	Raised Height Comfort 4 + 2 Leaf Springs LBA Up to 200kg	30-40mm	MAZDA050	
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	30-40mm	MAZDA050M	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves	30-40mm	MAZDA050MH	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 400kg to 600kg	30-40mm	MAZDA050GV	
SHACKLE BUSH KITS	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK	1 kit
	Polyurethane Bush Kit - Use With MAZDA050 Springs		BU773UK	
U-BOLTS	Round Form U Bolts - With Nuts		UB473	4 ea
	Round Form U Bolts - With Nuts use with MAZDA052P5 MAZDA050MHT & MAZDA050GV		UB473-1	
SHACKLES	Greaseable Shackles		S389K	2 ea
PINS	Greaseable Pins		P387-2	2 ea

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

MAZDA BT50 - 2WD









High Ride 10/2020 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP	2 ea
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA	
COILS & STRUT ASSEMBLY	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL12	1 pr
	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR02	
	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL52	
	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR53	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35096GP	2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35096GPA	
LEAF SPRINGS				
	Raised Height 3 Leaf Parabolic Springs No Load		HOLD022P3	2 ea
	Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg		HOLD022P4	
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg	40mm	HOLD022	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	40mm	HOLD022M	
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM	40mm	HOLD022MH	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU792UK	1 kit
U-BOLTS				
	Square Form U Bolts - With Nuts		UB453-2	4 ea
	Square Form U Bolts - With Nuts use with HOLD022P4 & HOLD022MH		UB437	
SHACKLES				
	Greaseable Shackles		S392K	2 ea
PINS				
	Greaseable Pin		P387-2	2 ea

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI TRITON - 2WD

ME, MF, MG, MH, MJ, MK 1987 to 9/2006

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
SHOCK ABSORBERS						
	30mm Gas Shock Absorbers		SA30700G	2 ea	FRONT	
COIL SPRINGS						
	ME - MJ '87 to '96 Raised Height Medium Duty Coils		NLA	1 pr		
	MK '96 to '06 Raised Height Medium Duty Coils		NLA			
SHOCK ABSORBERS						
	35mm Gas Shock Absorbers - Piranha		SA35636GP	2 ea		
	35mm Adjustable Absorbers - Piranha		SA35636GPA			
LEAF SPRINGS						
	Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 250kg	50mm	MITS018	2 ea		
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	50mm	MITS018M			
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM	50mm	MITS018MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit Suits SSA Springs Only		BU774UK	1 kit	REAR	
U-BOLTS						
	Round Form U Bolts - With Nuts		UB451	4 ea		
SHACKLES						
	Greaseable Shackles		S795K	2 ea		
PINS						
	Check pin size			2 ea		
	Greaseable Pins Non Teardrop		P387-2 14mm			
	Greaseable Pins Teardrop		P796 18mm			

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

MITSUBISHI TRITON - 2WD










ML, MN 5/2006 to 5/2015

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207 COIL-ST-MIT01	1 pr
	Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207H COIL-ST-MIT11	
	Tapered Coil Springs For Vehicles With Steel Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207HD COIL-ST-MIT21	
	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207T COIL-ST-MIT51	
	TOP PLATE MOUNT	Strut Top Plate Mount		
TAIL SHAFT SPACER KIT	Use this kit with raised suspensions to correctly align the tailshaft centre bearing on 2 piece tailshafts. Contains: 1 x spacer - 2 x wedges - 4 x bolts, nuts, washers		SPKITTRIT	1 kit
	Use this kit with Bluemax Springs . As Bluemax springs already have a wedge fitted to bottom of the spring pack		SPKITTRIT-BM	
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35634GP	2 ea
LEAF SPRINGS				
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 250kg	50mm	MITS028	2 ea
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 300kg to 400kg	50mm	MITS028M	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 500kg to GVM	50mm	MITS028GV	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU772UK	1 kit
U-BOLTS				
	Square Form U Bolts - With Nuts - ML 1/2" material		UB454	4 ea
	Square Form U Bolts - With Nuts - MN 9/16" material		UB464	
SHACKLES				
	Greaseable Shackles		S795K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI TRITON - 2WD

MQ MR 5/2015 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT				
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea
	Coil Springs For Vehicles Without Bullbar	40mm	MIT-207	1 pr
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-MIT01	
	Coil Springs For Vehicles With Alloy Bull Bar	40mm	MIT-207H	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-MIT11	
	Coil Springs For Vehicles With Steel Bullbar & Winch	40mm	MIT-207HD	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-MIT21	
	Taoered Coil Springs For Vehicles Without Bullbar	40mm	MIT-207T	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-MIT51	
TOP PLATE MOUNT				
	Strut Top Plate Mount		TPL4075	2 ea
SHORTENED FRONT BUMP STOP				
	Shortened Bump Stop For Front Upper Control Arm		BSMC0960-15	2 ea
TAIL SHAFT SPACER				
	Use to correctly align the tailshaft centre bearing on 2 piece tailshafts. Contains: 1 x spacer - 2 x wedges - 4 x bolts, nuts, washers		SPKITTRIT	1 kit
	Use this kit with Bluemax Springs . As Bluemax springs already have a wedge fitted to bottom of the spring pack		SPKITTRIT-BM	
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea
LEAF SPRINGS				
	Raised Height Heavy Duty Leaf Springs LBA up to 250kg	40-50mm	MIT040	2 ea
	Raised Height Heavy Duty Leaf Springs LBA 300kg to 500kg	40-50mm	MIT040M	
	Raised Height Extra Heavy Duty Leaf Springs LBA 600kg to GVM	40-50mm	MIT040GV	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU782UK	1 kit
U-BOLTS				
	Square Form U Bolts With Nuts		UB453-2	4 ea
	Square Form U Bolts With Nuts use with MITS040M & MITS040GV		UB437	
SHACKLES				
	Greaseable Shackles		S393K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea









F
R
O
N
T

R
E
A
R

** LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)*

NISSAN NAVARA - 2WD









D21, D22 to Current Model

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
SHOCK ABSORBERS						
	35mm Gas Shock Absorbers Urethane boot optional extra *Bulged cannister too big for control arms		SA12087GL	2 ea	FRONT	
TORSION BARS						
	Increased Rate Torsion Bars D21 1985 to 1996 - Length 1203mm D22 1997 to current - Length 890mm		NISS013 NISS013A	1 pr		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35074GP	2 ea	REAR	
LEAF SPRINGS						
	Raised Height Medium Duty 3 + 2 Leaf Springs LBA up to 200kg	40mm	NISS022	2 ea		
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 250kg to 400kg	40mm	NISS022M			
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs LBA 450kg to GVM	40mm	NISS022MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU704UK	1 kit		
U-BOLTS						
	Round Form U Bolts - With Nuts 190mm x 77mm x 1/2"		UB451	4 ea		
	Round Form U Bolts - With Nuts 215mm x 83mm x 9/16"		UB453-1			
SHACKLES						
	Greaseable Shackles		S797K	2 ea		
PINS						
	Greaseable Pins		P798	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

NISSAN NAVARA - 2WD







D40 11/2005 to 12/2011

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT				
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea
	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226 COIL-ST-NIS01	1 pr
	Coil Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226HD COIL-ST-NIS21	
	Tapered Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226T COIL-ST-NIS52	
	Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226HDT COIL-ST-NIS51	
	TOP PLATE MOUNT			
	Strut Top Plate Mount		TPL2040	2 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35651GP	2 ea
	41mm Foam Cell Shock Absorbers (for NISS024GV use only)		SA41094FCA	
LEAF SPRINGS				
 	Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 250kg	40mm	NISS024	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	40mm	NISS024M	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 500kg to GVM	40mm	NISS024GV	
	Note: When using NISS024GV use Braided Extended Brake Hoses BH1010BR			
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU767UK	1 kit
U-BOLTS				
	Square Form U Bolts - With Nuts		UB453-2	4 ea
	Square Form U Bolts - With Nuts use with NISS024GV		UB437	
SHACKLES				
	Greaseable Shackles		S797-1K	2 ea
PINS				
	Greaseable Pins		P387-2	2 ea

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

NISSAN NAVARA - 2WD









D40 2012 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea	F R O N T	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226 COIL-ST-NIS01	1 pr		
	Coil Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226HD COIL-ST-NIS21			
	Tapered Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226T COIL-ST-NIS52			
	Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226HDT COIL-ST-NIS51			
TOP PLATE MOUNT	Strut Top Plate Mount		TPL2040	2 ea		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35651GP	2 ea		
LEAF SPRINGS						
	Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 250kg	40mm	NISS034	2 ea	R E A R	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	40mm	NISS034M			
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM	40mm	NISS034MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU767UK	1 kit		
U-BOLTS						
	Square Form U Bolts - With Nuts		UB453-3	4 ea		
SHACKLES						
	Greaseable Shackles		S797-1K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

TOYOTA HILUX - 2WD









8/1988 to 2005

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					F R O N T
	30mm Gas Shock Absorbers		SA30700G	2 ea	
TORSION BARS					
	Increased Rate Torsion Bars		TOY033	1 pr	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea	
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS					
	Raised Height Heavy Duty 4 + 2 Leaf Springs Main Leaf 530mm - 670mm LBA up to 250kg	40mm	TOY085M	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	40mm	TOY085MH		
	Raised Height Heavy Duty 4 + 2 Leaf Springs Main leaf 560mm - 740mm Must check main leaf length - LBA up to 200kg	40mm	TOY040		
	Raised Height Extra Heavy Duty 4 + 2 Leaf Springs Main leaf 560mm - 740mm Must check main leaf length - LBA 300kg to 500kg	40mm	TOY040M		
SHACKLE BUSH KITS					R E A R
	Polyurethane Bush Kit for TOY085M / MH use with parallel shackle		BU733UKT	1 kit	
	Polyurethane Bush Kit for TOY085M / MH use with non parallel shackle		BU758UK		
	Polyurethane Bush Kit for TOY040 / TOY040M use with non parallel shackle		BU747UK		
U-BOLTS					
	Round Form U Bolts - With Nuts for TOY085M/MH		UB451	4 ea	
	Round Form U Bolts - With Nuts for TOY040/M		UB455		
SHACKLES					
	Greaseable Shackles Parallel		S386K	2 ea	
	Greaseable Shackles Non Parallel		S386-1K		
PINS					
	Check pin size			2 ea	
	Greaseable Pins Non Teardrop		P387-2		
	Greaseable Pins Teardrop		P385		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

TOYOTA HILUX - 2WD









2005 to 10/2015

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
STRUT / SHOCK ABSORBERS						
	Strut/Gas Spring Seat Shock Absorbers		SA67711G	1 L	F R O N T	
			SA67712G	1 R		
COIL SPRINGS						
	Raised Height Heavy Duty Coil Springs		TPR-213	1 pr		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35650GP			
	35mm Adjustable Shock Absorbers - Piranha		SA35650GPA			
LEAF SPRINGS						
	Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 200kg	40mm	TOY145		2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs Constant loads - LBA 250kg to 400kg	40mm	TOY145M			
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Constant loads - LBA 500kg to GVM	40mm	TOY145MH			
SHACKLE BUSH KITS						
	Polyurethane Bush Kit		BU776UK genuine tear-drop pin BU766UK P387-2	1 kit	R E A R	
U-BOLTS						
	Round Form U Bolts - With Nuts		UB453-3	4 ea		
SHACKLES						
	Greaseable Shackles		S387K	2 ea		
PINS (check pin type)						
	Greaseable Pins non-teardrop		P387-2	2 ea		
	Greaseable Pins teardrop		N/A			

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

TOYOTA HILUX - 2WD







10/2015 Onwards Standard Chassis Underslung Reaf Leaf

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT / SHOCK ABSORBERS					
	Strut/Gas Spring Seat Shock Absorbers		SA67711G	1 L	F R O N T
			SA67712G	1 R	
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs		TPR-213	1 pr	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35650GP	2 ea	
	35mm Adjustable Shock Absorbers - Piranha		SA35650GPA		
LEAF SPRINGS					
	Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 200kg	40mm	TOY052	2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs Constant loads - LBA 200kg - 500kg	40mm	TOY052M		
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Constant loads - LBA 500kg to GVM	40mm	TOY052MH		
	Special Note: From Factory Single Cab Models Should Have a 35mm Front Spring Eye & Extra/Dual Cabs Should Have a 40mm Front Spring Eye Where SSA Springs Have 35mm Spring Eye . We Use This Spring For All Models.				
SHACKLE BUSH KITS					
	Polyurethane Bush Kit - Suits Tear Drop Style Pin & SSA Springs		BU777UK	1 kit	R E A R
	Polyurethane Bush Kit - Suits 14mm Bolt Style Pin & SSA Springs		BU794UK		
	Special Note: Replacement Bushes For 40mm Front Spring Eye Use BU776UK For Teardrop Pins & BU766UK For 14mm Bolt Style Pin				
U-BOLTS					
	Round Form U Bolts - With Nuts		UB453-3	4 ea	
SHACKLES					
	Greaseable Shackles		TBA	2 ea	
PINS					
(check pin type)	Greaseable Pins non-teardrop		P387-2	2 ea	
	Greaseable Pins teardrop		N/A		

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA HILUX - 2WD







2015 Onwards High Rider Chassis Overslung Reaf Leaf

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GP	2 ea	F R O N T	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR01	1 pr		
	Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR11			
	Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HD COIL-ST-TPR21			
	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR52			
	Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HT COIL-ST-TPR51			
TOP PLATE MOUNT	Strut / Coil Assembly Top Plate Mount		TPL1083	2 ea		
SHOCK ABSORBERS						
	35mm Gas Bulged Shock Absorbers - Piranha		SA35098GP	2 ea		
	35mm Adjustable Shock Absorbers - Piranha		SA35098GPA			
	LEAF SPRINGS					
	Raised Height Comfort 3 + 2 Leaf Springs LBA up to 200kg	50mm	TOY056	2 ea		
	Raised Height Heavy Duty 3 + 2 Leaf Springs LBA 300kg to 500kg	50mm	TOY056M			
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 500kg to GVM	50mm	TOY056GV			
SHACKLE BUSH KITS					R E A R	
	Polyurethane Bush Kit		BU766UK	1 kit		
U-BOLTS						
	Square Form U Bolts - With Nuts		UB453-2	4 ea		
	Square Form U Bolts - With Nuts use with TOY056M & TOY056GV		UB437			
SHACKLES						
	Greaseable Shackles		S391K	2 ea		
PINS						
	Greaseable Pins		P387-2	2 ea		

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

TOYOTA HI-ACE - 2WD







100 Series 1989 to 2004

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					F R O N T
	30mm Gas Shock Absorbers		SAS290152	2 ea	
TORSION BARS					
	Increased Rate Torsion Bars		TOY027	1 pr	
SHOCK ABSORBERS					R E A R
	30mm Gas Shock Absorbers - eye/pin		SAS312804	2 ea	
	30mm Gas Shock Absorbers - eye/eye Confirm shock end types		SAS230023		
LEAF SPRINGS					
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA up to 300kg	40mm	TOY029	2 ea	
	Raised Height Extra Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 600kg to GVM	40mm	TOY029GV		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		BU754UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB453-3	4 ea	

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

TOYOTA HI-ACE - 2WD







200 Series 3/2005 to 4/2019

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					F R O N T
	30mm Gas Shock Absorbers		SAS315350	2 ea	
TORSION BARS					F R O N T
	Increased Rate Torsion Bars		TOY027	1 pr	
SHOCK ABSORBERS					R E A R
	30mm Gas Shock Absorbers		SAS315351	2 ea	
LEAF SPRINGS					
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA up to 300kg	40mm	TOY029	2 ea	
	Raised Height Extra Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	TOY029GV		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit does not include chassis bushes		BU784UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB453-3	4 ea	

* **LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)**

TOYOTA HI-ACE - 2WD


300 Series 4/2019 Onwards

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					FRONT
	30mm Gas Shock Absorbers		TBA	2 ea	
COIL SPRINGS					FRONT
	Raised Height Heavy Duty Coil Springs		TBA	1 pr	
SHOCK ABSORBERS					REAR
	30mm Gas Shock Absorbers		TBA	2 ea	
LEAF SPRINGS					
	OE Replacement 3 Leaf Parabolic Springs	20mm	TOY030P		
	Heavy Duty 4 Leaf Parabolic Springs LBA 300kg to 500kg	20mm	TOY030MP		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		TBA	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		TBA	4 ea	

* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)



Go to the Max



PH: 1800 630 411



BRISBANE · MELBOURNE · PERTH

SSA | BRISBANE

219 Toombul Road
Northgate Queensland 4013
☎: 07 3370 3200
✉: info@ssa.com.au

MCNAUGHTAN'S | MELBOURNE

321 Greens Rd
Keysborough, VIC, 3173
☎: 03 8768 6666
✉: vicsales@mcnaughtans.com.au

MCNAUGHTAN'S | PERTH

3 Kalli Street, Malaga
Western Australia, 6090
☎: 08 92481833
✉: wainfo@mcnaughtans.com.au