







www.ssa.com.au

**Note:** The "Bluemax" parts offered are not O.E.M. Parts. Manufacturer's names, part numbers and other references or illustrations are for identification purposes only. The products offered are after market parts suitable for the use or vehicle prescribed.

FORD EXPLO	ORER - 4WD V8 Models 2001 to 2005				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	30mm Gas Shock Absorbers (Sachs)		SAS030320	2 ea	F R
COIL SPRINGS	Raised Height Coil Springs 6 Cylinder Engine	25mm	FOR-208	1 pr	O N T
6777AA110)	Raised Height Coil Springs V8 Engine	25mm	FOR-208SP	— 1 pr	
SHOCK ABSORBERS					
	35mm Gas Shock Absorbers	25mm	SAS030321	2 ea	R
COIL SPRINGS					E
	Raised Height Coil Springs 6 Cylinder & V8 Engine	25mm	FOR-209	1 pr	R

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea	
TORSION BARS					ŀ
	Increased Rate Torsion Bars Length 924mm		MAZDA005	1 pr	F (
SHOCK MOUNT REINFO	RCEMENT BRACKET				1
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea	
SHOCK ABSORBERS	05 0 B 1 101 1 M 1 B		0.10-00-00		4
o piranha o	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GP SA35095GPA	2 ea	
LEAF SPRINGS	•				ı
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs  Overslung - LBA up to 400kg	50mm	MAZDA016	2 ea	
SHACKLE BUSH KITS					•
2 2 2 2 1 1 1 1 1 1	Polyurethane Bush Kit		BU756UK	1 kit	R
U-BOLTS					_
	Round Form U Bolts - With Nuts		UB453-1	4 ea	R
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS					
1					

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		Liit	Number	Vollido	
o piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea	
ORSION BARS					-
	Increased Rate Torsion Bars  Length 1025mm		MAZDA051	1 pr	
HOCK MOUNT REINFO	RCEMENT BRACKET				•
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea	
EAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA		-
EAF SPRINGS	Overslung Leaf Springs Raised Height Medium Duty 5 + 2 Leaf Springs LBA up to 150kg	30-40mm	MAZDA050		
	Overslung Leaf Springs Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	30-40mm	MAZDA050M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA050MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA050GV		
SHACKLE BUSH KITS					
0000	Polyurethane Bush Kit		BU765UK	1 kit	1
J-BOLTS					•
	Round Form U Bolts - With Nuts		UB475	4 ea	
SHACKLES					•
	Greaseable Shackles		S386-1K	2 ea	
PINS					
				_	
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

5 ( 11				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
TRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GP	
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GPA	2 ea
COILS & STRUT	Coils Springs For Vehicles Without Bullbar	40	FOR-210	
	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-FOR01	_
ASSEMBLY	Coils Springs For Vehicles With Alloy Bull Bar	40mm	FOR-210H	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-FOR03	-
	Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch	40mm	FOR-210HD	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-FOR21	_
Chinalis	Coils Springs For Vehicles With Steel Bullbar & Winch	40mm	FOR-210HHD	1 pr
Mary William	Preassembled Strut/Coil With Top Plate Mount	40111111	COIL-ST-FOR04	ı pı
1110	Tapered Coils Springs For Vehicles Without Bullbar	40	FOR-210T	-
	Raised Height Coil Springs - Tapered Comfort Coil	40mm	COIL-ST-FOR05	_
•	Tapered Coils Springs For Vehicles Without Bullbar	40mm	FOR-210HT	
	Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With Steel Bullbar		COIL-ST-FOR52	-
	or Alloy Bar & Winch	40mm	FOR-210HDT	
	Preassembled Strut/Coil With Top Plate Mount	-	COIL-ST-FOR06	
OP PLATE MOUNT	Strut Top Plate Mount		TPL3080	2 ea
AIL SHAFT SPACER KI	Г			
100001	Driveshaft Centre Bearing Spacer Kit		SP-MAZ-01	1 kit
SHOCK ABSORBERS				
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea
EAE CODINGC	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA	
EAF SPRINGS	Raised Height 5 Leaf <b>Parabolic</b> Springs	40		
	LBA Up to 300kg - Must Use BU770UK	40mm	MAZDA052P5	
~~	Raised Height Comfort 4 + 2 Leaf Springs	10	MAZDA050	-
	LBA Up to 200kg	40mm	MAZDA050	
	Raised Height Medium Duty 5 + 2 Leaf Springs <b>LBA 200kg to 400kg</b>	40mm	MAZDA050M	2 ea
	Raised Height Heavy Duty 5 + 2 Leaf Springs			-
	with 10mm main & wrap leaves	40mm	MAZDA050MH	
	LBA 400kg to 600kg  Raised Height Extra Heavy Duty 5 + 2 Leaf Springs			=
	with 10mm main & wrap leaves - constant load	40mm	MAZDA050GV	
	LBA 600kg to GVM			
SHACKLE BUSH KITS				
11.44	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK	
8886	WIAZDA052F5 With 54mm From Spring Eye			- 1 kit
	Polyurethane Bush Kit - Use With MAZDA050 Springs		BU773UK	
J-BOLTS				
	Round Form U Bolts - With Nuts		UB473	4 ea
	Round Form U Bolts - With Nuts use with MAZDA052P5 MAZDA050MHT & MAZDA050GV		UB473-1	
SHACKLES	use with MAZDAU32F3 MAZDAU30MiTT & MAZDAU30GV			
WILLU				
Acres 1			00001/	0
	Greaseable Shackles		S389K	2 ea
PINS 🛝	Greaseable Shackles		S389K	∠ ea

FORD RANGE					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67093GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles Without Bullbar	40mm	FOR-224		
ASSEMBLY	Preassembled Strut/Coil With Top Plate Mount	40111111	COIL-ST-FOR07		
ACCEMBET	Coil Springs For Vehicles With Alloy Bullbar	40mm	FOR-224H		
	Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles WithSteel Bullbar or Alloy		COIL-ST-FOR08	=	
	Bar & Winch	50mm	FOR-224HH		
Mindly of the second	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-FOR09		_
and Malan	Coil Springs For Vehicles WithSteel Bullbar & Winch		KFFR-24HD	1 pr	F
THE STATE OF THE S		50mm			R
· ·	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar		FOR-224T	-	0
	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-FOR10		N
	·			=	Т
	Tapered Coil Springs For Vehicles With Alloy Bullbar	40mm	FOR-224HT		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-FOR11		•
TOP PLATE MOUNT	Strut Top Plate Mount		TPL8099	2 ea	_
TAIL SHAFT SPACER KIT					
100001	Driveshaft Centre Bearing Spacer Kit - Required		SP-MAZ-01	1 kit	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP		
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA	2 ea	
LEAF SPRINGS	ooniin Aajactasio eneek Assersione Amarina				-
LLAI OFMINOS	Raised Height 5 Leaf <b>Parabolic</b> Springs <b>LBA Up to 300kg - Must Use BU770UK</b>	40mm	MAZDA052P5		
AP.	Raised Height Comfort 4 + 2 Leaf Springs  LBA Up to 200kg	40mm	MAZDA050		
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	MAZDA050M	-	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	40mm	MAZDA050MH		
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	MAZDA050GV		R E
SHACKLE BUSH KITS	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK	· 1 kit	A R
	Polyurethane Bush Kit - Use With MAZDA050 Springs		BU773UK		
U-BOLTS	Round Form U Bolts - With Nuts		UB473	4 ea	
	Round Form U Bolts - With Nuts		UB473-1	<del>.</del>	
	use with MAZDA052P5 MAZDA050MHT & MAZDA050GV				
SHACKLES	Greaseable Shackles		S389K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD MAVER	RICK - 4WD 1988 to 1994				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP		
	41mm Foam Cell Shock Absorbers		SA41091FCN		
STEERING DAMPER					
-(00)	Steering Damper - Pre 9/1989	Eye/Eye	SD14034G	— 1 only	F
COUL ODDINGS	Expanded Body Steering Damper - 9/1989 Onwards	Pin/Pin	SD35036		R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs No bar / winch	50mm	NIS-200	1 nr	O N T
ommuni de la communicación	Raised Height Heavy Duty Coil Springs With bar / winch	50mm	NIS-201	— 1 pr	
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP		
O prairie	41mm Foam Cell Shock Absorbers		SA41094FC	<del></del>	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  LBA up to 100KG	50mm	NIS-213	1 nr	E A R
WYYO	Raised Height Heavy Duty Coil Springs  LBA 200kg to GVM	50mm	NIS-214	— 1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD MAVE Y60 LWB Station W					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41091FCN	2 04	_
STEERING DAMPER	Steering Damper - Pre 9/1989	Eye/Eye	SD14034G	4	
*D0)	Expanded Body Steering Damper - 9/1989 Onwards	Pin/Pin	SD35036	—— 1 only	_
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD	NIS-204		F R O
	Raised Height Heavy Duty Coil Springs  LBA up to 45kg	50mm	NIS-201		N
<b>MWWW</b>	Raised Height Heavy Duty Coil Springs  LBA 50kg to 80kg	50mm	NIS-201HD	1 pr	•
	Raised Height Heavy Duty Coil Springs LBA 50kg to 80kg	65mm	NIS-201HHD		
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP	— 2 ea	
OOU OPPINION	41mm Foam Cell Shock Absorbers		SA41094FC		_
COIL SPRINGS	Standard Height Heavy Duty	STD	NIS-220		R
$\infty 1.0$	Raised Height Heavy Duty Coil Springs  LBA up to 150kg	50mm	NIS-214	•	E A
MAKIG.	Raised Height Heavy Duty Coil Springs LBA 200kg to 350kg GVM	50mm	NIS-214HD	1 pr	R
	Raised Height Heavy Duty Coil Springs  LBA 400kg to GVM - constant load  when fitting NIS-214EHD it is recommended to fit coil tower brace bracket	50mm	NIS-214EHD		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD MAVER Y60 Cab Chassis &					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS			Tumbo.	70010	
	35mm Gas Bulged Shock Absorbers		SA35661G	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41661FC	2 ea	
STEERING DAMPER					
	Steering Damper - Pre 9/1989	Eye/Eye	SD14034G	— 1 only	
LEAF SPRINGS	Expanded Body Steering Damper - 9/1989 Onwards	Pin/Pin	SD35036		
LEAF SPRINGS	Raised Height Heavy Duty 7 Leaf Springs Heavy duty	50mm	NISS011	2 ea	F R
SHACKLE BUSH KITS					0
	Polyurethane Bush Kit		BU718UK	1 kit	N T
U-BOLTS	Square Form U Bolts - With Nuts		UB436	3 N/S	
	Square Forged U Bolts - With Nuts		UB669F	1 D/S	
SHACKLES	Greaseable Shackles Anti-Inversion Shackles Also Available		S353K	2 ea	
PINS	Greaseable Pins		P667	2 ea	
SHOCK ABSORBERS	25mm Coo Bulgard Shook Aboorbara		CASEC40CI		
	35mm Gas Bulged Shock Absorbers 41mm Foam Cell Shock Absorbers Urethane boot optional extra		SA35648GL SA41648FC	2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 7 + 2 Leaf Springs  LBA up to 300kg	50mm	NISS012D-S NISS012N-S	1 D/S 1 N/S	
	Raised Height Extra Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg	50mm	NISS012MH		
	Raised Height Extra Heavy Duty 7 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	50mm	NISS012GV	2 ea	R
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU719UK	1 kit	E A R
U-BOLTS	Round Form U Bolts - With Nuts		UB453	4 ea	
SHACKLES	Greaseable Shackles Anti-Inversion Shackles Also Available		S353K	2 ea	
PINS	Greaseable Pins		P667	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD TERRI SX SY 2004 to					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA673671G SA673672G	1 L 1 R	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs <b>AWD Only</b>	20mm	FOR-213	1 pr	O N T
SHOCK ABSORBERS	30mm Gas Bulged Shock Absorbers		SAB36680	2 ea	R E
COIL SPRINGS	Raised Height Heavy Duty Coil Springs <b>AWD Only</b>	20mm	FOR-214	1 pr	A R

FORD TERRI SX SY SZ 10/2007					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA673675G SA673676G	1 L 1 R	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  AWD Only	15-20mm	FOR-211	1 pr	O N T
SHOCK ABSORBERS	30mm Gas Bulged Shock Absorbers		SAB36680	2 ea	R E
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  AWD Only	25mm	FOR-214	1 pr	A R

FORD F250 - 2000 Onwards	4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		Liit	Number	Vernoie	
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35101GP	2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty Parabolic Springs  3 Leaf - LBA up to 100kg - bushes supplied pre fitted	50mm to 75mm	FORD033P3		
	Raised Height Extra Heavy Duty Parabolic Springs 4 leaf - use with extreme loads LBA 100kg plus - bushes supplied pre fitted	50mm to 75mm	FORD033P4	2 ea	
SHACKLE BUSHES					F
222 22	Silent Block Bush - Shackle Pin Upper & Lower		BU149	4 ea	R
1/.	Silent Block Bush - Fixed Pin		BU150	2 ea	O N
<b>5 6 6</b>	also available as Polyurethane Bush Kit		BU740UK	1 kit	T
PINS	Greaseable Pins - Front Eye Only		P1136	2 ea	
	Greaseable Pins - Rear Eye Only. Will not fit Shackle		P1134	2 ea	
U-BOLTS	Square Form U Bolts - With Nuts		UB471	4 ea	
PANHARD RODS	Adjustable Panhard Rod		PRF250	1 ea	
SHOCK ABSORBERS					
O piranha O	Quad Suspension		SA35102GP	4 ea	
LEAF SPRINGS	35mm Gas Bulged Shock Absorbers - Piranha		3A33102GF	4 ea	
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 500kg	50mm	FORD031	2.00	
0	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 500kg to 800kg	50mm	FORD031M	— 2 ea	
SHACKLE BUSHES					
8888 88	Silent Block Bush - Shackle Pin Upper & Lower		BU149	4 ea	
-1/-	Silent Block Bush - Fixed Pin		BU150	2 ea	
9996	also available as Polyurethane Bush Kit		BU740UK	1 kit	R E
PINS					A
	Greaseable Pins - Front Eye Only		P1136	2 ea	R
U-BOLTS	Greaseable Pins - Rear Eye Only. Will not fit Shackle		P1134	2 ea	
3 BOLIS	Round Form U Bolts - With Nuts		UB472	_	
	Round Form U Bolts - With Nuts use with FORD031M		UB472-1	4 ea	
POLYAIR SPRINGS					
<b>'8''_1''</b>	Polyair Bellows Kit F250, F350 2000 onwards 4 shock rear	RSD	PA85301	1 kit	
aoa	Spacer Bracket use with RSD suspension		SP-F250	4 ea	
	Square Form U Bolts - With Nuts to suit spacer bracket		UB381	4 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD F350 -	4WD				
2000 Onwards					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS				10111010	
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35101GP	2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty Parabolic Springs  3 Leaf - LBA up to 100kg - bushes supplied pre fitted	50mm to 75mm	FORD033P3	2	
	Raised Height Extra Heavy Duty Parabolic Springs 4 leaf - use with extreme loads LBA 100kg plus - bushes supplied pre fitted	50mm to 75mm	FORD033P4	— 2 ea	
SHACKLE BUSHES	Silent Block Bush - Shackle Pin Upper & Lower		BU149	4 ea	F
1111 00	Silent Block Bush - Fixed Pin		BU150	4 ea  2 ea	R
111.4/4	Also available as				O N
8888	Polyurethane Bush Kit		BU740UK	1 kit	Т
PINS	0 11 8: 5 145 101		D4400		
A Tamana	Greaseable Pins - Front Eye Only Greaseable Pins - Rear Eye Only. Will not fit Shackle		P1136 P1134	2 ea 2 ea	_
U-BOLTS					
	Square Form U Bolts - With Nuts		UB471	4 ea	
PANHARD RODS	Adjustable Panhard Rod		PRF250	1 ea	
SHOCK ABSORBERS	35mm Shock Absorbers		SA35102GP	2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty Leaf Springs *** Made to order ***	50mm	FORD038	2 ea	
SHACKLE BUSHES					R
2222 00	Silent Block Bush - Shackle Pin Upper & Lower		BU149	4 ea	Е
	Silent Block Bush - Fixed Pin		BU150	2 ea	A R
	Also available as Polyurethane Bush Kit		BU740UK	1 kit	
PINS	Greaseable Pins - <b>Front Eye Only</b>		P1136	2 ea	
4	Greaseable Pins - Rear Eye Only. Will not fit Shackle		P1134	2 ea	
U-BOLTS	Round Form U Bolts - With Nuts		ТВА	4 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FOTON TUNL P201 2012 Onward					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GP	2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bull Bar	40mm 40mm	TPR-204 COIL-ST-TPR01 TPR-204H	-	
Mile.	Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bullbar & Winch	40mm	COIL-ST-TPR11 TPR-204HD	-	F R
Min William	Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Bullbar	40mm	COIL-ST-TPR21 TPR-204T	1 pr -	O N
China .	Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bull Bar	40mm	COIL-ST-TPR52 TPR-204HT	-	Т
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR51		
TOP PLATE MOUNT	Strut / Coil Assembly Top Plate Mount		TPL1083	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35650GP	2 ea	
o piranha	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35650GPA		
LEAF SPRINGS	Raised Height Medium Duty 4 + 2 Leaf Springs  LBA up to 150kg  * do not use TOY146 on style side utilities  Raised Height Heavy Duty 5 + 2 Leaf Springs	40mm 40mm	TOY146 TOY146M	- 2 ea	
	LBA 250kg to 400kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 500kg to GVM	40mm	TOY146GV	-	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU766UK	1 kit	R E A
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2		R
	Square Form U Bolts - With Nuts use with TOY146P5, TOY146M, TOY146MH & TOY146GV		UB437	4 ea	
SHACKLES	Greaseable Shackles		S387K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

35mm Gas Bulged Shock Absorbers - Piranha	DOD			
35mm Gas Bulged Shock Absorbers - Piranha	D0D			
	RSD	SA35649GP		F
				O
Increased Rate Torsion Bars  Length 1140mm		HOLD005B	1 pr	N T
35mm Gas Bulged Shock Absorbers		SA35636GP	— 2 ea	
35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA	2 00	
Raised Height Heavy Duty 5 + 3 Leaf Springs  LBA up to 250kg	50mm	HOLD018		
Raised Height Heavy Duty 6 + 3 Leaf Springs  LBA 250kg to 400kg	50mm	HOLD018M		
Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	50mm	HOLD018MH		
Polyurethane Bush Kit		BU728UK	1 kit	R
				R
Round Form U Bolts - With Nuts		UB473	4	
Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH		UB473-1	— 4 ea	
Greaseable Shackles		S386K	2 ea	
Greaseable Pins		P387-2		
	35mm Gas Bulged Shock Absorbers 35mm Adjustable Shock Absorbers - Piranha  Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM  Polyurethane Bush Kit  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH	25mm Gas Bulged Shock Absorbers 35mm Adjustable Shock Absorbers - Piranha  Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM  Polyurethane Bush Kit  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH	Assed Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM  Polyurethane Bush Kit  Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH  HOLD018M  HOLD018M  BU728UK  UB473-1	According to the state of the s

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
HOCK ABSORBERS					
piranha	35mm Gas Bulged Shock Absorbers - Piranha	RSD	SA35649GP		
DRSION BARS					-
	Increased Rate Torsion Bars  Length 1140mm		HOLD005B	1 pr	
HOCK ABSORBERS					-
piranha o	35mm Gas Bulged Shock Absorbers		SA35636GP	— 2 ea	
Septiment of the second of the	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA	2 04	
EAF SPRINGS	Raised Height Heavy Duty 5 + 3 Leaf Springs  LBA up to 250kg	50mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs  LBA 250kg to 400kg	50mm	HOLD018M		
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs  LBA 500kg to GVM	50mm	HOLD018MH	_	
HACKLE BUSH KITS					-
	Polyurethane Bush Kit		BU728UK	1 kit	
BOLTS					1
	Round Form U Bolts - With Nuts		UB473		
	Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH		UB473-1	— 4 ea	
HACKLES					1
	Greaseable Shackles		S386K	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

X200 - X240		Approx	Part	Qty Per	
Part and Location	Description	Lift	Number	Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers Urethane boot optional extra		SA35643G	2 ea	F R
	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP		0
TORSION BARS					N
	Increased Rate Torsion Bars		HOLD005B	1 pr	Т
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers  DO NOT use this shock with STD suspension		SA35661G	2 ea	R
COIL SPRINGS					E
	Raised Height Medium Duty Coil Springs	30mm	HOL-202	1 pr	R

<b>KB/TFS</b> 8/1988  Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
HOCK ABSORBERS		LIπ	Number	venicie
o piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	
ORSION BARS				
	Increased Rate Torsion Bars  Length 1000mm		HOLD005A	1 pr
HOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	
piranha 0	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA	2 ea
EAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs			
	LBA up to 300kg	40mm	HOLD004M	2 ea
	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA 300kg to 400kg</b>	40mm	HOLD004MH	
HACKLE BUSH KITS				
1,11,1	Polyurethane Bush Kit		BU728UK	1 kit
BOLTS				
	Round Form U Bolts - With Nuts		UB453-1	4 ea
HACKLES				
	Greaseable Shackles		S386K	2 ea
NS				
	Greaseable Pins		P387-2	2 ea

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
HOCK ABSORBERS					
piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	
ORSION BARS					
	Increased Rate Torsion Bars  Length 1140mm		HOLD005B	1 pr	
HOCK ABSORBERS	Officer Con Bulged Oberth Abandhara Biranha		0.40500000		
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	— 2 ea	
EAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
.Al orkinos	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	50mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	50mm	HOLD018M	 2 ea	
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	50mm	HOLD018MH		
HACKLE BUSH KITS					
9000	Polyurethane Bush Kit		BU728UK	1 kit	
BOLTS					
	Round Form U Bolts - With Nuts		UB473		
	Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH		UB473-1	4 ea	
HACKLES					
	Greaseable Shackles		S386K	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	LORADO - 4WD 008 to 5/2012				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					_
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	F R
TORSION BARS					0
	Increased Rate Torsion Bars  Length 1140mm		HOLD005B	1 pr	N T
SHOCK ABSORBERS			0.4050000		
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	— 2 ea	
LEAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
LEAT OF KINOO	Raised Height Heavy Duty 5 + 3 Leaf Springs <b>LBA up to 200kg</b>	50mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	50mm	HOLD018M	2 ea	
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs  LBA 500kg to GVM	50mm	HOLD018MH		
SHACKLE BUSH KITS					R
9999	Polyurethane Bush Kit		BU728UK	1 kit	E
U-BOLTS					R
	Round Form U Bolts - With Nuts		UB473		
	Round Form U Bolts - With Nuts use with HOLD018M & HOLD018MH		UB473-1	4 ea	
SHACKLES					1
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN COI	LORADO - 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	
COILS & STRUT ASSEMBLY	NOTE: 04/2013 to 06/2016 must purchase SSA strut to Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	p plates mo	ount TPL1002 HOL-210 COIL-ST-HOL01	_	
More.	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With Up To 50kg	40mm	HOL-210H COIL-ST-HOL11	- 1 pr	F R O
Minute .	Bullbar  Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With 50kg Plus	40mm	HOL-210T COIL-ST-HOL51	1 pr -	N T
	Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GP SA35636GPA	- 2 ea	
LEAF SPRINGS	Raised Height 4 Leaf Parabolic Springs  LBA up to 200kg  Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 5 + 2 Leaf Springs	40mm 40mm	HOLD022P4	-	
	LBA 200kg to 400kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 400kg to 600kg	40mm 40mm	HOLD022MH	2 ea	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	HOLD022GV		R E
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU786UK	1 kit	A R
U-BOLTS	Square Form U Bolts - With Nuts Square Form U Bolts - With Nuts		UB453-2 UB437	- 4 ea	
SHACKLES	use with HOLD022P4, HOLD022MH & HOLD022GV  Greaseable Shackles		S390K	2 ea	
PINS	Greaseable Pin		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

## **HOLDEN COLORADO 7 / TRAILBLAZER - 4WD** LT & LTZ 11/2012 to 2020 Part **Qty Per** Approx **Part and Location** Description Vehicle Lift Number **ST**RUT SA67092GP Strut/Gas Spring Seat Shock Absorbers - Piranha 2 ea NOTE: 04/2013 to 06/2016 must purchase SSA strut top plates mount TPL1002 **COILS & STRUT** Coils Springs For Vehicles With Up To 50kg Bullbar HOL-210 40mm **ASSEMBLY** Preassembled Strut/Coil With Top Plate Mount COIL-ST-HOL01 Coils Springs For Vehicles With 50kg Plus Bullbar / HOL-210H Challie . Winch 40mm R Preassembled Strut/Coil With Top Plate Mount COIL-ST-HOL11 0 1 pr Tapered Coils Springs For Vehicles With Up To 50kg HOL-210T N 40mm Bullbar Preassembled Strut/Coil With Top Plate Mount COIL-ST-HOL51 Т Tapered Coils Springs For Vehicles With 50kg Plus HOL-210HT 40mm **Bullbar / Winch** Preassembled Strut/Coil With Top Plate Mount COIL-ST-HOL53 **TOP PLATE MOUNT** Strut Top Plate Mount TPL1002 2 ea **SHOCK ABSORBERS** 35mm Gas Bulged Shock Absorbers **SA35100GP** 2 ea O piranha O R Ε **COIL SPRINGS** Α Raised Height Coil Springs 40mm HOL-211 R 1 pr Raised Height Heavy Duty Coil Springs 40mm HOL-211HD LBA 100kg to 300kg - constant load

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
piranha )	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	2 ea	F
TORSION BARS					· (
	Increased Rate Torsion Bars  Length 1000mm		HOLD005A	1 pr	7
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	— 2 ea	
LEAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		•
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 250kg to 400kg	50mm	HOLD004M	2 ea	
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		BU728UK	1 kit	F
J-BOLTS					F
	Round Form U Bolts - With Nuts		UB451	4 ea	r
SHACKLES					,
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P792	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	0	F
	41mm Foam Cell Shock Absorbers Urethane boot optional extra		SA41087FC	— 2 ea	C
TORSION BARS					N
	Increased Rate Torsion Bars  Length 997mm		HOLD007	1 pr	1
SHOCK ABSORBERS					•
	35mm Gas Bulged Shock Absorbers		SA35758G	2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA 250kg to 400kg</b>	50mm	HOLD004M	2 ea	
	LDA 200kg to 400kg				
SHACKLE BUSH KITS					
5566	Polyurethane Bush Kit		BU728UK	1 kit	F
U-BOLTS					A
	Round Form U Bolts - With Nuts		UB451	4 ea	R
SHACKLES					1
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN JACKAROO - 4WD UBS 25, 69 SWB & LWB Wagon 4/1992 to 2004 (including Monterey)							
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle			
SHOCK ABSORBERS							
	36mm Gas Bulged Shock Absorbers		ТВА	2 ea	F R		
TORSION BARS					O N		
	Increased Rate Torsion Bars  Length 1220mm		HOLD009	1 pr	Т		
SHOCK ABSORBERS							
	36mm Gas Bulged Shock Absorbers		ТВА	2 ea	R		
COIL SPRINGS					E		
	Raised Height Medium Duty Coil Springs	40mm	HOL-201	••• 1 ea	R		
	Raised Height Heavy Duty Coil Spring	40mm	HOL-201HD	ı ea			

HYUNDAI TE HP 11/2001 - 12/20	RRACAN - 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		ТВА	2 ea	F R
TORSION BARS	Increased Rate Torsion Bars Length 1275mm		HYUN004	1 pr	O N T
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS	Raised Height Medium Duty Coil Springs	40mm	MIT-201	1 pr	A R

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	F
TORSION BARS					C
	Increased Rate Torsion Bars  Length 1140mm		HOLD005B	1 pr	T
SHOCK ABSORBERS	25 years Coo Bulgard Charle Abouthous Discussor		CASECSCOR		1
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	— 2 ea	
LEAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		•
LEAT OF KINOO	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	50mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	50mm	HOLD018M	2 ea	
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	50mm	HOLD018MH		
SHACKLE BUSH KITS					R
9000	Polyurethane Bush Kit		BU728UK	1 kit	A
U-BOLTS					R
	Round Form U Bolts - With Nuts		UB473	 4 ea	
	Round Form U Bolts - With Nuts use with HOLD018M & HOLD018MH		UB473-1	4 ea	
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ISUZU D-MAX 5/2012 to 5/2020	( - 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	
COILS & STRUT	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL12	_	
ASSEMBLY	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	TPR-204		F
Mindly	Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With Up To 50kg Bullbar	40mm	COIL-ST-TPR02 HOL-210HT	1 pr	R O
William .	Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With 50kg Plus	40111111	COIL-ST-HOL52	-	N T
	Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS					
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	- 2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS					
	Raised Height 4 Leaf Parabolic Springs  LBA up to 200kg	40mm	HOLD022P4	_	
<i></i>	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA up to 200kg	40mm	HOLD022	_	
	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA 200kg to 400kg</b>	40mm	HOLD022M	_ 2 ea	
	Raised Height Heavy Duty 6 + 2 Leaf Springs <b>LBA 400kg to 600kg</b>	40mm	HOLD022MH	_	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	HOLD022GV		R
SHACKLE BUSH KITS					A
8866	Polyurethane Bush Kit		BU786UK	1 kit	R
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2		
	Square Form U Bolts - With Nuts Use with HOLD022P4, HOLD022MH & HOLD022GV		UB437	4 ea	
SHACKLES					
	Greaseable Shackles		S390K	2 ea	
PINS	Greaseable Pin		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location Description Lit With Top Plate Mount Tepre-204H Coll Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount Tepre-204H Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount Tepre-204H Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount Tepre-204H Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount Tepre-204H Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount Tepre-204H Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount Tepre-204H Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Tepre-204H Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Tepre-204H Coil-ST-TPR60 Tepre	
Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha  Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount CoilST-TPR03  Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount CoilST-TPR04  Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount CoilST-TPR17  Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Trpr.204HT CoilST-TPR60  TOP PLATE MOUNT Strut Top Plate Mount Strut Top Plate Mount Trpl.1002 2 e SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha SA35096GP 2 e SA35096GPA  LEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs HOLD022P3  Raised Height 4 Leaf Parabolic Springs HOLD022P4  Raised Height Heavy Duty 4 + 2 Leaf Springs HOLD022P4  Raised Height Heavy Duty 5 + 2 Leaf Springs HOLD022P4  LBA 100kg to 300kg Raised Height Heavy Duty 6 + 2 Leaf Springs HOLD022P4  LBA 200kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs HOLD022P4  SHACKLE BUSH KITS  Polyurethane Bush Kit BU792UK 1 k	
Absorbers - Piranha  Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount  Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount  Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount  Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount  Tapered Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount  Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount  Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount  Top PLATE MOUNT  Strut Top Plate Mount  Top Plate Mount  Top Plate Mount  Strut Top Plate Mount	
COILS & STRUT ASSEMBLY  Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Top Plate Mo	
Accessories Preassembled Strut/Coil With Top Plate Mount Coil-ST-TPR03  Preassembled Strut/Coil With Top Plate Mount Coil-Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Top Plate Mount Tapered Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Top PLATE MOUNT Strut Top Plate Mount Top Plat	_
ASSEMBLY    Preassembled Strut/Coil With Top Plate Mount   TPR-204H	
Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount Top PLATE MOUNT Strut Top Plate Mount Top PLATE MOUNT Strut Top Plate Mount	
Accessories Preassembled Strut/Coil With Top Plate Mount  Coil Springs For Vehicles With 100kg + of Accessories Preassembled Strut/Coil With Top Plate Mount  Tapered Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount  Tapered Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount  Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount  TOP PLATE MOUNT  Strut Top Plate Mount  Strut Top Plate Mount  TPR-204HT COIL-ST-TPR60  TPR-204HT COIL-ST-TPR60  TPR-204HT COIL-ST-TPR61  TOP PLATE MOUNT  Strut Top Plate Mount  TPL1002  2 e  SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha  SA35096GP  35mm Adjustable Shock Absorbers - Piranha  SA35096GP  2 e  Raised Height 4 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 100kg to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k	
Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount  TOP PLATE MOUNT Strut Top Plate Mount  Strut Top Plate Mount  TPL1002  2 e  35mm Gas Bulged Shock Absorbers - Piranha  35mm Adjustable Shock Absorbers - Piranha  SA35096GPA  LEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 100kg to 500kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k  TPR-204HT COIL-ST-TPR61  TPR-204HT COIL-ST-TPR61  TPL1002 2 e  40mm HOLD022P3 HOLD022P3 HOLD022P4 HOLD022P4 HOLD022P4 HOLD022P4 HOLD022M HOLD022M HOLD022MH	F
Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount  TOP PLATE MOUNT Strut Top Plate Mount  Strut Top Plate Mount  TPL1002  2 e  35mm Gas Bulged Shock Absorbers - Piranha  35mm Adjustable Shock Absorbers - Piranha  SA35096GPA  LEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 100kg to 500kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k  TPR-204HT COIL-ST-TPR61  TPR-204HT COIL-ST-TPR61  TPL1002 2 e  40mm HOLD022P3 HOLD022P3 HOLD022P4 HOLD022P4 HOLD022P4 HOLD022P4 HOLD022M HOLD022M HOLD022MH	R
Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount  TOP PLATE MOUNT Strut Top Plate Mount  Strut Top Plate Mount  TPL1002  2 e  35mm Gas Bulged Shock Absorbers - Piranha  35mm Adjustable Shock Absorbers - Piranha  SA35096GPA  LEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 100kg to 500kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k  TPR-204HT COIL-ST-TPR61  TPR-204HT COIL-ST-TPR61  TPL1002 2 e  40mm HOLD022P3 HOLD022P3 HOLD022P4 HOLD022P4 HOLD022P4 HOLD022P4 HOLD022M HOLD022M HOLD022MH	O N
Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount  TOP PLATE MOUNT Strut Top Plate Mount  Strut Top Plate Mount  TPL1002  2 e  35mm Gas Bulged Shock Absorbers - Piranha  35mm Adjustable Shock Absorbers - Piranha  SA35096GPA  LEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 100kg to 500kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k  TPR-204HT COIL-ST-TPR61  TPR-204HT COIL-ST-TPR61  TPL1002 2 e  40mm HOLD022P3 HOLD022P3 HOLD022P4 HOLD022P4 HOLD022P4 HOLD022P4 HOLD022M HOLD022M HOLD022MH	T
Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount  TOP PLATE MOUNT Strut Top Plate Mount  Strut Top Plate Mount  TPL1002  2 e  35mm Gas Bulged Shock Absorbers - Piranha  35mm Adjustable Shock Absorbers - Piranha  SA35096GPA  LEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k  TPR-204HT COIL-ST-TPR61  TPR-204HT COIL-ST-TPR61  TPL1002  2 e  40mm HOLD022P3 HOLD022P3 HOLD022P4 HOLD022P4 HOLD022P4 HOLD022M HOLD022M HOLD022MH	•
Accessories Preassembled Strut/Coil With Top Plate Mount  TOP PLATE MOUNT Strut Top Plate Mount  TPL1002 2 e  SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha SA35096GPA  2 e  35mm Adjustable Shock Absorbers - Piranha SA35096GPA  LEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK 1 k	
Preassembled Strut/Coil With Top Plate Mount  TOP PLATE MOUNT  Strut Top Plate Mount  SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha  SA35096GP  35mm Adjustable Shock Absorbers - Piranha  SA35096GPA  LEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k	
TOP PLATE MOUNT SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha SA35096GP  35mm Adjustable Shock Absorbers - Piranha SA35096GPA  LEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK 1 k	
SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha SA35096GP  35mm Adjustable Shock Absorbers - Piranha SA35096GPA  LEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK 1 k	_
35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha SA35096GP  2 e  LEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK 1 k	_
TEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  Polyurethane Bush Kit  Polyurethane Bush Kit	
Adjustable Shock Absorbers - Piranha  SA35096GPA  LEAF SPRINGS  Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k	
Raised Height 3 Leaf Parabolic Springs No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 300kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  Bu792UK  1 k  U-BOLTS	
No Load Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k	
Raised Height 4 Leaf Parabolic Springs LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k	
LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k  U-BOLTS	
LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k	
Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS Polyurethane Bush Kit  BU792UK  1 k	
Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit  BU792UK  1 k	
SHACKLE BUSH KITS Polyurethane Bush Kit  U-BOLTS  POWN POLD022MH  HOLD022MH  1 k	
Polyurethane Bush Kit BU792UK 1 k  U-BOLTS	R
U-BOLTS	E
	A R
Square Form U Bolts - With Nuts UB453-2	_
Square Form U Bolts - With Nuts  UB437	
use with HOLD022P4 & HOLD022MH	_
SHACKLES	
Greaseable Shackles \$392K 2 e	
PINS Greaseable Pin P387-2 2 e	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ISUZU MU-X - 2013 to 7/2021	- 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	
COILS & STRUT	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL12		
ASSEMBLY	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	TPR-204		F
The .	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR02	_	R
Minghis	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar	40mm	HOL-210HT	1 pr	0
Maria	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-HOL52		N
	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	TPR-204T		Т
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35100GP	2 ea	R
COIL SPRINGS					Ε
	Raised Height Coil Springs	40mm	ISU-201	4	A R
	Raised Height Heavy Duty Coil Springs  LBA 100kg to 300kg - constant load	40mm	ISU-201HD	- 1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP	
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA	2 ea
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR03	
	Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204H	_
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR17	
	Coil Springs For Vehicles With 100kg + of Accessories	40mm	TPR-204HD	- 1 pr
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR27	
	Tapered Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204T	_
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR60	
	Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204HT	=
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR61	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35100GP	2 ea
COIL SPRINGS				
	Raised Height Coil Springs	40mm	KIRS-02	1 pr
	Raised Height Heavy Duty Coil Springs	40mm	ISU-201	- 1 pr

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

JEEP CHERC XJ Limited, Classic					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
ф. <b>#30 :]                                    </b>	46mm Gas Mono Tube Shock Absorbers	STD	SA46665GM	2 ea	
STEERING DAMPER					F R
ţ	Steering Damper		SD14040G	1 only	O N
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	40mm	JEEP-200	1 pr	Т
SHOCK ABSORBERS	46mm Gas Mono Tube Shock Absorbers	STD	SA46666GM		
	36mm Gas Bulged Shock Absorbers	RSD	SA36766G	— 2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 500kg	50mm	JEEP004	2 ea	REA
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU761UK	1 kit	R
U-BOLTS	Round Form U Bolts - With Nuts		UB512	4 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

JEEP CHERC ZG, ZJ GRAND CHE					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	Shock Absorbers		ТВА	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	JEEP-200	1 pr	F R O N T
STEERING DAMPER	Steering Damper		SD14040G	1 only	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	JEEP-203	1 pr	E A R

JEEP CHERC WJ, WG GRAND CH					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
ф <u> </u>	Gas Shock Absorbers		ТВА	2 ea	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	JEEP-202	1 pr	O N T
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		SA36659G	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	JEEP-206	1 pr	E A R

JEEP CHERO WH, WK1 GRAND C	KEE - 4WD CHEROKEE 7/2005 to 2010 (WK Series	1 only)			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		ТВА	2 ea	F R
COIL SPRINGS					0
	Raised Height Heavy Duty Coil Springs  No bar / winch	30mm	JEEP-215	— 1 pr	N T
<b>ellimino</b>	Raised Height Heavy Duty Coil Springs With bar / winch	30mm	JEEP-215HD	īβī	
SHOCK ABSORBERS					
	Gas Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS					E A
	Raised Height Medium Duty Coil Springs	30mm	JEEP-216	— 1 pr	R
	Raised Height Heavy Duty Coils Springs	30mm	JEEP-216HD	ιρι	

<b>JEEP CHER</b> ( KJ 9/2001 to 1/20					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		ТВА	2 ea	F
COIL SPRINGS					R O
	Raised Height Medium Duty Coil Springs Petrol Engine	40mm	JEEP-207	1 pr	N T
<b>ellimino</b>	Raised Height Heavy Duty Coil Springs Diesel Engine	50mm	JEEP-207HD	— 1 pr	
SHOCK ABSORBERS					
	Gas Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS					E A
	Raised Height Heavy Duty Coil Springs	50mm	JEEP-208	1 pr	R

JEEP CHERO KK 2008 Onwards	KEE - 4WD Limited Edition Only (Sport Model may vary)				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		ТВА	2 ea	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30-35mm	JEEP-217	1 pr	O N T
SHOCK ABSORBERS	Gas Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	JEEP-218	1 pr	E A R

<b>JEEP WRAN</b> ( TJ 10/1996 to 200					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	Gas Shock Absorbers		ТВА	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30mm	JEEP-201	1 pr	F R O N T
STEERING DAMPER	Steering Damper		SD14040G	1 only	
SHOCK ABSORBERS	Gas Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30mm	JEEP-204	1 pr	E A R

JEEP WRAN JK SWB & LWB	IGLER - 4WD 3/2007 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		ТВА	2 ea	
COIL SPRINGS					F
.4.1.1.4.0.000	Raised Height Heavy Duty Coil Springs  SWB Petrol	25-30mm	JEEP-209		R O
	Raised Height Heavy Duty Coil Springs  SWB Diesel	25-30mm	JEEP-210	1 nr	N T
CONTAINO)	Raised Height Heavy Duty Coil Springs  LWB Petrol	25-30mm	JEEP-211	— 1 pr	
	Raised Height Heavy Duty Coil Springs <b>LWB Diesel</b>	25-30mm	JEEP-212		
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS					· E
	Raised Height Heavy Duty Coil Springs <b>SWB</b>	25-30mm	JEEP-213	1 pr	A R
	Raised Height Heavy Duty Coil Springs <b>LWB</b>	25-30mm	JEEP-214	— 1 pr	

MAHINDRA - Pickup	- 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
400	35mm Gas Shock Absorbers Urethene boot extra		SA12087GL	2 ea	F R
TORSION BARS					O N
	Increased Rate Torsion Bars  Must Confirm Torsion Bar Length As Later Models  May Vary		MAHIN002	1 pr	T
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty 5 + 2 Leaf Springs	40mm	MAHIN001	2 ea	
SHACKLE BUSH KITS					
8866	Polyurethane Bush Kit		BU719UK	1 kit	R E
U-BOLTS					A R
	Round Form U Bolts - With Nuts		UB478	4 ea	K
SHACKLES					
	Greaseable Shackles		S353K	2 ea	
PINS					
	Greaseable Pins		ТВА	2 ea	

MAZDA BRA B2200, B2500, B26					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP		F R
TORSION BARS					O
	Increased Rate Torsion Bars  Length 928mm		MAZDA005	1 pr	T
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	— 2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA		
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs  Overslung - LBA up to 400kg	50mm	MAZDA016	2 ea	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU756UK	1 kit	RE
U-BOLTS	Round Form U Bolts - With Nuts		UB453-1	4 ea	R
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS					
	Greaseable Pins		P794	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MAZDA BT50	- 4WD				
2007 to 10/2011	Description	Approx	Part	Qty Per	
Part and Location	Description	Lift	Number	Vehicle	
SHOCK ABSORBERS					F
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea	R
TORSION BARS					0
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr	N T
SHOCK ABSORBERS					
o piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	— 2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA	2 00	
LEAF SPRINGS	Daised Usight Comfort F. L. 2 Loof Springs				
	Raised Height Comfort 5 + 2 Leaf Springs <b>LBA up to 150kg</b>	30-40mm	MAZDA050		
	Raised Height Medium Duty 5 + 2 Leaf Springs <b>LBA 200kg to 400kg</b>	30-40mm	MAZDA050M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA050MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA050GV		R E
SHACKLE BUSH KITS					A
	Polyurethane Bush Kit		BU765UK	1 kit	R
U-BOLTS					
	Round Form U Bolts - With Nuts		UB475	4 ea	
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MAZDA BT50 10/2011 - 08/2020	- 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GP		
	<b>Adjustable</b> Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GPA	2 ea	
COILS & STRUT	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210 COIL-ST-FOR01		
ASSEMBLY	Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210H COIL-ST-FOR03	-	
	Coil Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch	40mm	FOR-210HD	-	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-FOR21	-	
Miller	Coil Springs For Vehicles With Steel Bullbar & Winch	40mm	FOR-210HHD	1 pr	
Chappine .	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Raised Height Coil Springs - Tapered Comfort Coil	40mm	FOR-210T COIL-ST-FOR05	-	
	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HT COIL-ST-FOR52	-	
	Tapered Coil Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch	40mm	FOR-210HDT	=	
	Preassembled Strut/Coil With Top Plate Mount	40111111	COIL-ST-FOR06		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL3080	2 ea	-
TAIL SHAFT SPACER KIT	·				_
100001	Driveshaft Centre Bearing Spacer Kit		SP-MAZ-01	1 kit	
SHOCK ABSORBERS					
piranha O	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA		_
LEAF SPRINGS	Raised Height 5 Leaf <b>Parabolic</b> Springs <b>LBA Up to 300kg - Must Use BU770UK</b>	40mm	MAZDA052P5	_	
	Raised Height Comfort 4 + 2 Leaf Springs	40mm	MAZDA050		
	Raised Height Medium Duty 5 + 2 Leaf Springs			-	
	LBA 200kg to 400kg	40mm	MAZDA050M	2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	40mm	MAZDA050MH		
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	MAZDA050GV	=	R
SHACKLE BUSH KITS					Α
111111	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK	- 1 kit	R
3 5 5 5	Polyurethane Bush Kit - Use With MAZDA050 Springs		BU773UK		
U-BOLTS	Round Form U Bolts - With Nuts		UB473	4 ea	
	Round Form U Bolts - With Nuts			-	
<i>y</i> -	use with MAZDA052P5 MAZDA050MHT & MAZDA050GV		UB473-1		
SHACKLES					
	Greaseable Shackles		S389K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MAZDA BT50 10/2020 Onwards	- 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP	_	
	<b>Adjustable</b> Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA	2 ea	
	Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204		
COILS & STRUT	Preassembled Strut/Coil With Top Plate Mount	10111111	COIL-ST-TPR03		
ASSEMBLY	Coil Springs For Vehicles With 50 - 100kg of	40	TPR-204H	-	_
The .	Accessories Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-TPR17		F R
China de la constantina della	Coil Springs For Vehicles With 100kg + of Accessories	40mm	TPR-204HD	- 4	0
TO THE STATE OF TH	Preassembled Strut/Coil With Top Plate Mount	40111111	COIL-ST-TPR27	1 pr	N
	Tapered Coil Springs For Vehicles With Up To 50kg of Accessories	40	TPR-204T	-	Т
0	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-TPR60		
	Tapered Coil Springs For Vehicles With 50 - 100kg of	40	TPR-204HT	-	
	Accessories Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-TPR61		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS	Cut 10p 1 late Mount		2.002	2 04	
OHOOK ADOOKDERO	35mm Gas Bulged Shock Absorbers - Piranha		SA35096GP		
O piranha	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35096GPA	– 2 ea	
LEAF SPRINGS					
	Raised Height 3 Leaf Parabolic Springs		HOLD022P3		
ala a	No Load Raised Height 4 Leaf Parabolic Springs		HOLD022P4	=	
0	LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs		110120221 4	-	
	LBA Up to 300kg	40mm	HOLD022	2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA 300kg to 500kg	40mm	HOLD022M		
	Raised Height Heavy Duty 6 + 2 Leaf Springs	40mm	HOLD022MH	-	
SHACKLE BUSH KITS	LBA 500kg to GVM	10111111			R
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU792UK	1 kit	E A R
U-BOLTS					
	Square Form U Bolts - With Nuts		UB453-2	4 ea	
	Square Form U Bolts - With Nuts use with HOLD022P4 & HOLD022MH		UB437	+ Ca	
SHACKLES	Greaseable Shackles		S392K	2 ea	
PINS	Greaseable Pin		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
OCK ABSORBERS		Liit		Vollidio
piranha 0	1987 - 11/1996 35mm Gas Bulged Shock Absorbers <b>Urethane boot optional extra</b>		SA35082GL	2 ea
	11/1996 Onwards 35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	
TEERING DAMPER				
i i	Steering Damper - 10/1987 - 5/1992		SD14022G	1 only
ORSION BARS	Increased Data Tarrian Dava			
	Increased Rate Torsion Bars 1987 - 6/1991			
	Length 1277.5mm		MITS013	
	7/1991 Onwards <b>Length 1366mm</b>		MITS015	— 1 pr
HOCK ABSORBERS	·			
piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35075GP	2 ea
EAF SPRINGS				
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 250kg	50mm	MITS018	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	50mm	MITS018M	— 2 ea
HACKLE BUSH KITS				
11111	Polyurethane Bush Kit Suits SSA Springs Only		BU774UK	1 kit
-BOLTS				
	Round Form U Bolts - With Nuts		UB451	4 ea
HACKLES				
	Greaseable Shackles		S795K	2 ea
NS				

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI 7	TRITON - 4WD				
ML, MN 5/2006 to	5/2015				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207 COIL-ST-MIT01	=	
William .	Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207H COIL-ST-MIT11	_	
Will be	Tapered Coil Springs For Vehicles With Steel Bullbar & Winch	40mm	MIT-207HD	1 pr	
ASSEMBLY	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-MIT21 MIT-207T COIL-ST-MIT51	_	F
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea	R
SHORTENED FRONT BUMP STOP	Shortened Bump Stop For Front Upper Control Arm		BSMC0960-15	2 ea	O N T
TAIL SHAFT SPACER KIT					
. (0)	Use to correctly align the tailshaft centre bearing on 2 piece tailshafts. <b>Contains:</b> 1 x spacer - 2 x wedges - 4 x bolts, nuts, washers		SPKITTRIT	- 1 kit	
	Use this kit with <b>Bluemax Springs</b> . As Bluemax springs already have a wedge fitted to bottom of the spring pack		SPKITTRIT-BM		
SHOCK ABSORBERS					
<b>Diranha</b>	35mm Gas Bulged Shock Absorbers - Piranha		SA35634GP	2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA up to 250kg	50mm	MITS028		
	Raised Height Heavy Duty 6 + 2 Leaf Springs <b>LBA 300kg to 400kg</b>	50mm	MITS028M	2 ea	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	50mm	MITS028GV		В
SHACKLE BUSH KITS					R
8866	Polyurethane Bush Kit		BU772UK	1 kit	A R
U-BOLTS	Square Form U Bolts With Nuts - ML		UB454		
	1/2" material Square Form U Bolts With Nuts - MN			- 4 ea	
	9/16" material		UB464		
SHACKLES	Greaseable Shackles		S795K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea
COILS & STRUT	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207 COIL-ST-MIT01	
ASSEMBLY	Coil Springs For Vehicles With Alloy Bull Bar		MIT-207H	
Marca	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-MIT11	
ASSEMBLY WAR ASSEMBLY	Coil Springs For Vehicles With Steel Bullbar & Winch	40mm	MIT-207HD	1 pr
11/1/20	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-MIT21	
0	Taoered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207T COIL-ST-MIT51	_
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea
SHORTENED FRONT				
BUMP STOP				
	Shortened Bump Stop For Front Upper Control Arm		BSMC0960-15	2 ea
TAIL SHAFT SPACER				
	Use to correctly align the tailshaft centre bearing on 2			
	piece tailshafts. <b>Contains:</b> 1 x spacer - 2 x wedges - 4 x		SPKITTRIT	
	bolts, nuts, washers			- 1 kit
	Use this kit with <b>Bluemax Springs</b> . As Bluemax springs already have a wedge fitted to bottom of the spring pack		SPKITTRIT-BM	
SHOCK ABSORBERS				
o pirana o	35mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea
LEAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs			
	with 10mm main & wrap leaves - Low Camber	40-50mm	MITS040	
and a	LBA up to 250kg	10 00111111		
	Raised Height Heavy Duty 4 + 2 Leaf Springs			_
	with 10mm main & wrap leaves - High Camber LBA 300kg to 500kg	40-50mm	MITS040M	2 ea
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs			_
	with 10mm main & wrap leaves	40-50mm	MITS040GV	
SHACKLE BUSH KITS	LBA 600kg to GVM			
SHACKLE BUSH KIIS				
3 3 3 3	Polyurethane Bush Kit		BU782UK	1 kit
U-BOLTS				
O-DOLIO	Square Form U Bolts With Nuts		UB453-2	
	·		JD40J-Z	_ 4 ea
	Square Form U Bolts With Nuts use with MITS040M & MITS040GV		UB437	4 Ca
SHACKLES				
40	Crannahla Shaalda-		C2021/	0
	Greaseable Shackles		S393K	2 ea
PINS				
	Grassachla Pins		D297 2	2 00
A. C.	Greaseable Pins		P387-2	2 ea

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI F	PAJERO - 4WD B Leaf Springs Rear 5/1991 to 1996				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	2 ea	F
STEERING DAMPER					R
₫—— <b>₫</b>	Steering Damper		SD14017G	1 only	O N
TORSION BARS					Т
	Increased Rate Torsion Bars Length 1277.5mm		MITS013	1 pr	
SHOCK ABSORBERS					
piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea	
LEAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		1
LLAI SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA up to 250kg	50mm	MITS018	- 2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	50mm	MITS018M	- 2 ea	
SHACKLE BUSH KITS					
9996	Polyurethane Bush Kit  Must confirm pin sizing - Suits 18mm Pin		BU764UK	1 kit	R E
U-BOLTS					A R
	Round Form U Bolts - With Nuts		UB451	4 ea	
SHACKLES					1
	Greaseable Shackles		S795K	2 ea	
PINS					
	Greaseable Pins		P796	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NF - NL SWB V6 W		Approx	Part	Qty Per	
Part and Location	Description	Lift	Number	Vehicle	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers 8/1988 to 5/1991 - Urethane boot optional extra		SA36082G	— 2 ea	
	36mm Gas Bulged Shock Absorbers - Piranha 5/1991 Onwards		SA35087GP	_ 2 <del>c</del> a	F
STEERING DAMPER					R
(right angle pin)	Steering Damper * Fitted to NF & NG models only to 4/1991		SD14017G	1 only	O N T
TORSION BARS					'
	Increased Rate Torsion Bars Length 1366mm		MITS015	1 pr	
SHOCK ABSORBERS					•
	36mm Gas Bulged Shock Absorbers - Piranha 8/1988 to 5/1991		SA35645GP	— 2 ea	
	36mm Gas Bulged Shock Absorbers 5/1991 Onwards		SA35646GL	2 <del>c</del> a	R E
COIL SPRINGS					Α
	Raised Height Heavy Duty Progressive Rate Coils LBA up to 200kg	40mm	MIT-202	1 pr	R

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	PAJERO - 4WD  NL LWB V6 TDI Wagon 1988 to 2000	0			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers 8/1988 to 5/1991 - Urethane boot optional extra		SA36082G		
	36mm Gas Bulged Shock Absorbers -Piranha 5/1991 Onwards		SA35087GP	2 ea	
	*check some late 1999 models may use a strut option	n			F
STEERING DAMPER					R
# · · · · · · · · · · · · · · · · · · ·	Steering Damper		SD14017G	1 only	N
ф ф	* Fitted to NF & NG models only to 4/1991				T
TORSION BARS					
	Increased Rate Torsion Bars  Length 1277.5mm		MITS013	— 1 pr	
	Increased Rate Torsion Bars  Length 1307mm		MITS014	iβi	
SHOCK ABSORBERS					
0 31	36mm Gas Bulged Shock Absorbers - Piranha 8/1988 to 5/1991		SA35645GP	— 2 ea	
	36mm Gas Bulged Shock Absorbers 5/1991 Onwards		SA35646GL	2 <del>c</del> a	R E
COIL SPRINGS					Α
	Raised Height Heavy Duty Progressive Rate Coils LBA up to 200kg	50mm	MIT-201	— 1 pr	R
	Raised Height Heavy Duty Progressive Rate Coils  LBA 200kg plus - constant load	50mm	MIT-201HD	ı pı	

<sup>\*</sup>LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI F	PAJERO - 4WD /B (3 Door) 2000 to 2014				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers - Piranha This shock does not come with top bush. Use O.E. bush or supply top plate mount which includes a new bush in the assembly.		SA67105GP	2 ea	
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs Petrol LBA up to 25kg	40mm	MIT-200		F
	Raised Height Heavy Duty Coil Springs Petrol LBA 50kg to 80kg	40mm	MIT-200H	1 pr	R O
	Raised Height Heavy Duty Coil Springs  Diesel LBA up to 25kg	40mm	MIT-200HD		N
TOP PLATE MOUNT					Т
	Strut Top Plate Mount		TPL4038	2 ea	
STRUT BUMP STOP					
	Front Strut Bump Stop & Boot		BSMC5911	2 ea	
SHOCK ABSORBERS					
piranta 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35647GP	2 ea	R
COIL SPRINGS					E
	Raised Height Heavy Duty Coil Springs	40mm	MIT-206	1 pr	A R

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

\* Extra half hour labour to be charged to remove airbox and battery

MITSUBISHI F	PAJERO - 4WD I, NX - LWB 2000 to Current				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers - Piranha This shock does not come with top bush. Use O.E. bush or supply top plate mount which includes a new bush in the assembly.		SA67105GP	2 ea	
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs Petrol LBA up to 25kg	40mm	MIT-200		
	Raised Height Heavy Duty Coil Springs Petrol LBA 50kg to 80kg	40mm	MIT-200H	1 pr	F
	Raised Height Heavy Duty Coil Springs Diesel LBA up to 25kg	40mm	MIT-200HD	_	R O
	Raised Height Heavy Duty Coil Springs Diesel With Bull Bar / Winch	40mm	MIT-200HHD	_	N T
TOP PLATE MOUNT					
	Strut Top Plate Mount		TPL4038	2 ea	
STRUT BUMP STOP					
	Front Strut Bump Stop		BSMC5911	2 ea	
SHOCK ABSORBERS					
o piranta	35mm Gas Bulged Shock Absorbers - Piranha		SA35647GP	2 ea	R
COIL SPRINGS					E
	Raised Height Heavy Duty Progressive Rate Coils LBA up to 200kg	40mm	MIT-203		A R
<b>OVVID</b>	Raised Height Heavy Duty Progressive Rate Coils LBA 200kg plus - constant load	40mm	MIT-203HD	1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)
\* Extra half hour labour to be charged to remove airbox and battery

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o pirantea	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP		F
	41mm Foam Cell Shock Absorbers Urethane boot optional extra		SA41087FC	— 2 ea	F
TORSION BARS					N
	Increased Rate Torsion Bars  Length 1308mm		MITS014	1 pr	T
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	— 2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 250kg	50mm	MITS018	2 ea	
SHACKLE BUSH KITS					• F
7111	Polyurethane Bush Kit  Must confirm pin size - bush kit may not be in stock		ТВА	1 kit	A
J-BOLTS					4
	Round Form U Bolts - With Nuts		UB451	4 ea	
SHACKLES					
+	Greaseable Shackles		S795K	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI Montero Sport PA	CHALLENGER - 4WD Coil Springs Rear 1996 to 2008				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	2 ea	F R
TORSION BARS	Increased Rate Torsion Bars  Length 1308mm		MITS014	1 pr	O N T
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	MIT-205	1 pr	E A R

MITSUBISHI (PB 2009 to 2013	CHALLENGER - 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207 COIL-ST-MIT01		
Mary.	Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207H COIL-ST-MIT11		_
Windly	Coil Springs For Vehicles With Steel Bullbar & Winch	40mm	MIT-207HD	1 pr	F R
0	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-MIT21	_	0
	Tapered Coil Springs For Vehicles Without Bullbar	40mm	MIT-207T		N
•	Preassembled Strut/Coil With Top Plate Mount	40111111	COIL-ST-MIT51		Т
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea	
SHORTENED FRONT BUN	MP STOP				
	Shortened Bump Stop For Front Upper Control Arm		BSMC0960-15	2 ea	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea	R
COIL SPRINGS					• E
	Raised Height Heavy Coil Springs	40-50mm	MIT-204	1 pr	A R

Part and Location	CHALLENGER - 4WD  Description	Approx	Part	Qty Per	
CTDIIT	Strut/Gas Spring Seat Shock Absorbers - Piranha	Lift	Number SA67330GP	Vehicle 2 ea	
STRUT COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207 COIL-ST-MIT01	_ <u> </u>	
ASSEMBLI	Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207H COIL-ST-MIT11	_	
Min Wie	Coil Springs For Vehicles With Steel Bullbar & Winch	40mm	MIT-207HD	1 pr	F
ASSEMBLY OF THE PROPERTY OF TH	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Raised Height Coil Springs - Tapered Comfort Coil	40mm	COIL-ST-MIT21 MIT-207T COIL-ST-MIT51	_	R O N
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea	Т
SHORTENED FRONT BUMP STOP	Shortened Bump Stop For Front Upper Control Arm		BSMC0960-15	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea	R
COIL SPRINGS					E
	Raised Height Heavy Duty Progressive Rate Coils LBA up to 200kg	40-50mm	MIT-201	1 pr	A R
	Raised Height Heavy Duty Progressive Rate Coils  LBA 200kg plus - constant load	40-50mm	MIT-201HD	- 1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NISSAN NAV					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		Liit	Humber	Vernoie	
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha 9/1985 - 2/1997		SA35087GP	— 2 ea	
	35mm Gas Bulged Shock Absorbers - Piranha 3/1997 onwards		SA35335GP		
STEERING DAMPER	o, roor onwardo				ı
<b>∄</b>	Steering Damper 9/1985 - 1997		SD14035G		F R
	Expanded Body Steering Damper		SD35035G		0
TORSION BARS					N T
	Increased Rate Torsion Bars				
	D21 1985 to 1996 - Length 1203mm		NISS013	— 1 pr	
	D22 1997 to current - Length 890mm		NISS013A		
	O.E. torsion bars have 40mm of spline each end.  The above bars have 30mm. Centralise torsion bar so 15mm of spline is in each end of the cup length.				
SHOCK ABSORBERS					
piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35074GP	2 ea	
LEAF SPRINGS					1
	Raised Height Medium Duty 4 + 1 Leaf Springs  Med duty spring with tapered leaves & slipper pads  LBA up to 200kg	40mm	NISS016T		
	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA up to 250kg	40mm	NISS016	 2 ea	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 300kg to GVM - constant load	40mm	NISS016M		
SHACKLE BUSH KITS					R
	Polyurethane Bush Kit		BU704UK	1 kit	E A R
U-BOLTS					•
	Square Form U Bolts - With Nuts		UB788	4 ea	
SHACKLES					
	Greaseable Shackles		S797K	2 ea	
PINS					
	Greaseable Pins		P798	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea
COILS & STRUT	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226 COIL-ST-NIS01	_
ASSEMBLY	Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HD	
Mary.	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS21	_
Cinglisia.	Tapered Coil Springs For Vehicles With Up To 50kg Bullar	40mm	NIS-226T	1 pr
1111	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS52	=
THE S	Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HDT	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS51	
OP PLATE MOUNT	Strut Top Plate Mount		TPL2040	2 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35651GP	
o piranha o	41mm Foam Cell Shock Absorbers		SA41651FC	2 ea
	41mm Foam Cell Shock Absorbers (for NISS024GV use only)		SA41094FCA	_ 2 <del>e</del> a
EAF SPRINGS	•			
~	Raised Height Heavy Duty 4 + 2 Leaf Springs <b>LBA up to 250kg</b>	40-50mm	NISS024	
	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA 300kg to 500kg</b>	40-50mm	NISS024M	_
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves	40-50mm	NISS024GV	
·	LBA 600kg to GVM - constant load			=
	When using NISS024GV use Braided Extended Brake Hoses		BH1010BR	
SHACKLE BUSH KITS	110000			
9996	Polyurethane Bush Kit		BU767UK	1 kit
J-BOLTS				
	Square Form U Bolts - With Nuts		UB453-2	
	Square Form U Bolts - With Nuts use with NISS024GV		UB437	4 ea
SHACKLES	use with Ni33024GV			
STACKLES	Greaseable Shackles		S797-1K	2 ea

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha	Liit	SA67089GP	2 ea
COILS & STRUT	Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HDSP	
199EINIDL I	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS31	
OP PLATE MOUNT	Strut Top Plate Mount		TPL2040	2 ea
SHOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35651GP	
O piranha	41mm Foam Cell Shock Absorbers		SA41651FC	2 ea
	41mm Foam Cell Shock Absorbers (for NISS024GV use only)		SA41094FCA	_
EAF SPRINGS				
~~	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA up to 250kg	40-50mm	NISS024	
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	40-50mm	NISS024M	<del>-</del> -
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 600kg to GVM - constant load	40-50mm	NISS024GV	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU767UK	1 kit
J-BOLTS	Square Form U Bolts - With Nuts		UB453-2	
	Square Form U Bolts - With Nuts		UB437	4 ea
	use with NISS024GV		02.0.	
SHACKLES				
	Greaseable Shackles		S797-1K	2 ea

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NP300 2015 Onv					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	25-30mm	NIS-232 COIL-ST-NIS02	_	
ASSEMBLY	Coil Springs For Vehicles With 50kg Plus Bullar / Winch	25-30mm	NIS-232HD		F
White.	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS22	- 4	R
Minute .	Tapered Coil Springs For Vehicles With Up To 50kg Bullar	25-30mm	NIS-232T	1 pr	O N
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS53	=	Т
W. Co.	Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch	25-30mm	NIS-232HDT		•
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS54		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL2040	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35084GP	2 ea	
COIL SPRINGS					R
mi A	Raised Height Meduim Duty Coil Springs  LBA Up to 100kg	25-30mm	NIS-233	1 pr	E
	Raised Height Meduim Duty Higher Coil Springs  LBA 100kg to 250kg	25-30mm	KDRR-73H	_	R
	Raised Height Heavy Duty Coil Springs  LBA 100kg to 300kg	25-30mm	NIS-233HD	_	
	Raised Height Extra Heavy Duty Coil Springs  LBA 300kg to 500kg	25-30mm	NIS-233EHD		

NISSAN NAV					
NP300 2015 Onw Part and Location	vards Leaf Springs Rear  Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226 COIL-ST-NIS01	_	
ASSEMBLY	Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HD		F
TO WIND	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS21	=	R
Charles .	Tapered Coil Springs For Vehicles With Up To 50kg Bullar	40mm	NIS-226T	1 pr	O N
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS52	_	Т
ASSEMBLY ON THE STATE OF THE ST	Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HDT		•
TOD DI ATE MOUNT	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS51		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL2040	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35075GP	2 ea	
LEAF SPRINGS  Raised Height Heavy Duty 3+1 Leaf Springs LBA up to 250kg	Raised Height Heavy Duty 3+1 Leaf Springs  LBA up to 250kg	40mm	NISS036		
	Raised Height Heavy Duty 4+1 Leaf Springs  LBA 300kg to 500kg	40mm	NISS036M	- 2 ea	
	Raised Height Extra Heavy Duty 4+1 Leaf Springs with 10mm main & wrap leaves LBA 500kg to GVM	40mm	NISS036GV	_	
SHACKLE BUSH KITS					R
	Polyurethane Bush Kit		BU787UK	1 kit	E
U-BOLTS					R
	Round Form U Bolts - With Nuts		UB453-3	4 ea	
SHACKLES					
	Greaseable Shackles		S395K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NISSAN PATI WD21 Terrano 1, Ba	HFINDER - 4WD akkie, Trader 10/1987 to 1995				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP		
TORSION BARS	Increased Rate Torsion Bars  Length 1232mm		NISS017	1 pr	F R O N
STEERING DAMPER (right angle pin)	Steering Damper		SD14035G	1 only	Т
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GP SA35636GPA	— 2 ea	R
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD+	NIS-217		E A R
	Raised Height Heavy Duty Coil Springs	40mm	NIS-212	1 pr	

NISSAN PATH R51 2005 to 2012	HFINDER - 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226 COIL-ST-NIS01		
ASSEMBLY	Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HD		F
William .	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS21	- ,	R
Chillie .	Tapered Coil Springs For Vehicles With Up To 50kg Bullar	40mm	NIS-226T	1 pr	O N
· Allia	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With 50kg Plus		COIL-ST-NIS52	_	Т
0	Bullar / Winch	40mm	NIS-226HDT		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS51		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL2040	2 ea	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		SA36442G	2 ea	R
COIL SPRINGS					' E
	Raised Height Heavy Duty Coil Springs  LBA up to 200kg	40mm	NIS-227	4	A R
OVVIII)	Raised Height Heavy Duty Coil Springs  LBA 200kg plus - constant load	40mm	NIS-227HD	- 1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	HFINDER - 4WD 10 to 2012				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	1 pr	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	NIS-226HDSP	1 pr	O N T
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		SA36442G	2 ea	R
COIL SPRINGS					E
	Raised Height Heavy Duty Coil Springs  LBA up to 200kg	40mm	NIS-227	— 1 pr	R
	Raised Height Heavy Duty Coil Springs  LBA 200kg plus - constant load	40mm	NIS-227HD	ı pı	

<sup>\*</sup>LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NISSAN X-TF T30 Wagon 2001	RAIL - 4WD to 9/2007				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA673227G	1 L	F
			SA673226G	1 R	R O
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	NIS-222	1 pr	N T
SHOCK ABSORBERS					
	Strut/Gas Spring Seat Shock Absorbers		SA673229G	1 L	
	Strut Gas Spring Geat Shock Absorbers		SA673228G	1 R	R E
COIL SPRINGS					A R
	Raised Height Heavy Duty Coil Springs	40mm	NIS-224	1 pr	

NISSAN X-TR T31 Wagon 10/2	RAIL - 4WD 2007 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
COIL SPRINGS	Strut/Gas Spring Seat Shock Absorbers		SA67043G	1 L	
	Strutt Gas Opining Seat Shock Absoluters		SA67042G	1 R	F R
COIL SPRINGS					0
COIL SPRINGS	Raised Height Heavy Duty Coil Springs Petrol - No Bar / Winch	25-30mm	NIS-228		N T
	Raised Height Heavy Duty Coil Springs Petrol - With Bar / Winch Diesel - all applications	25-30mm	NIS-228HD	1 pr	
SHOCK ABSORBERS					
	30mm Gas Shock Absorbers		SAS314044	2 ea	R E
COIL SPRINGS					A
	Raised Height Heavy Duty Coil Springs	25-30mm	NIS-229	1 pr	R

NISSAN PATI GQ / Y60 SWB Sta		8 to 1998			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	— 2 ea	
- Cillianian	41mm Foam Cell Shock Absorbers		SA41091FCN	— 2 <del>c</del> a	
STEERING DAMPER (check end type)	Steering Damper - Pre 9/1989	Eye/Eye	SD14034G	— 1 only	F
	Expanded Body Steering Damper - 9/1989 Onwards	Pin/Pin	SD35036	— I Offig	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs No LBA	50mm	NIS-200	— 1 pr	O N T
CONTAINO	Raised Height Heavy Duty Coil Springs With LBA to 45kg - steel bar and/or winch	50mm	NIS-201		
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS					
COIL SPRINGS  CASTER BUSH KIT  SHOCK ABSORBERS  COIL SPRINGS	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP	— 2 ea	_
	41mm Foam Cell Shock Absorbers		SA41094FC		R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  LBA 100kg to GVM	50mm	NIS-213	— 1 pr	A
<b>OYYU</b>	Raised Height Heavy Duty Coil Springs  LBA 150kg to GVM	50mm	NIS-214	ı pı	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

		37 to 199	7		
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o dilitifia piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	_ 2 ea	
	41mm Foam Cell Shock Absorbers		SA41091FCN	2 04	
STEERING DAMPER (Check end type)	Steering Damper - Pre 9/1989	Eye/Eye	SD14034G	1 only	
	Expanded Body Steering Damper - 9/1989 Onwards	Pin/Pin	SD35036	— I Offiny	_
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD	NIS-204		R
COIL SPRINGS  CASTER BUSH KIT	Raised Height Heavy Duty Coil Springs  LBA up to 45kg	50mm	NIS-201	_	N
	Raised Height Heavy Duty Coil Springs <b>LBA 50kg to 80kg</b>	50mm	NIS-201HD	1 pr	•
	Raised Height Heavy Duty Coil Springs LBA 80kg plus	50mm	NIS-201HHD		
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS	And Location Description Lift Number Vehicle  ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha A1mm Foam Cell Shock Absorbers SA41091FCN  A1mm Foam Cell Shock Absorbers SA41091FCN  Steering Damper - Pre 9/1989 Eye/Eye SD14034G Expanded Body Steering Damper - 9/1989 Onwards Expanded Body Steering Damper - 9/1989 Onwards  Standard Height Heavy Duty Coil Springs BA Standard Height Heavy Duty Coil Springs LBA up to 45kg Raised Height Heavy Duty Coil Springs LBA up to 45kg Raised Height Heavy Duty Coil Springs LBA 50kg to 80kg Raised Height Heavy Duty Coil Springs LBA 30kg plus  BUSH KIT  Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift  BSORBERS A35094GP 2 ea  41mm Foam Cell Shock Absorbers SA41094FC				
o piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP	— 2 ea	FRONT
	41mm Foam Cell Shock Absorbers		SA41094FC		
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD	NIS-220		
CO 1 VVVV		50mm	NIS-214		Α
		50mm	NIS-214HD	1 pr	R
	450kg plus - constant load when fitting NIS-214EHD it is recommended to fit coil	50mm	NIS-214EHD		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NIS	SAN PATI	ROL - 4WD				
GQ/	Y60 Cab Cha	assis & Utility Leaf Sprung 1988 to 5/1	1999			
Pa	art and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK	( ABSORBERS					
-(80)		35mm Gas Bulged Shock Absorbers		SA35661G	— 2 ea	
		41mm Foam Cell Shock Absorbers		SA41661FC	2 Ga	
	ING DAMPER					
(Che	ck end type)	Steering Damper - Pre 9/1989	ES17-EB1	SD14034G		
ф́ (		Insufficient clearance for 35mm expanded body	EB1-EB1	SD14022G	1 only	
		<u>cannister</u> Expanded Body Steering Damper - 9/1989 Onwards	PIN - PIN	SD35036		
LEAF S	SPRINGS					
Q.	<b>3</b>					_
0		Raised Height Heavy Duty 7 Leaf Springs	50mm	NISS011	2 ea	F . R
SHACK	(LE BUSH KITS					0
1	1.2.2.2	Polyurethane Bush Kit		BU718UK	1 kit	N
6	) S & &	r orygretiane Bush Kit		Borrook	1 Kit	Т
U-BOL	TS	Square Form U Bolts With Nuts		UB436	3 N/S	
		Square Forged U Bolts With Nuts		UB669F	1 D/S	
SHACK	(LES	equal of engla of Boile Will Male		02000.	1 1 1 1 1	
		Heavy Duty Greaseable Shackle		S353K	2 ea	
		Anti - Inversion Shackle L/H optional	Must fit	S353KLH	1 L/H	
	<b>√</b>	Anti - Inversion Shackle R/H optional	in pairs	S353KRH	1 R/H	
PINS		Greaseable Pins		P667	2 ea	
SHOCK	( ABSORBERS					
		35mm Gas Bulged Shock Absorbers		SA35648GL		
		41mm Foam Cell Shock Absorbers Urethane boot optional extra		SA41648FC	2 ea	
IENES	SPRINGS	Orethane Boot Optional extra				•
LLAI	OF KINGS	Raised Height Heavy Duty 7 + 2 Leaf Springs		NISS012D-S	1 D/S	
		LBA up to 300kg	50mm	NISS012N-S	1 N/S	
0		Raised Height Extra Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg	50mm	NISS012MH		
		Raised Height Extra Heavy Duty 7 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	50mm	NISS012GV	2 ea	R
SHACK	(LE BUSH KITS					· E
3.	966	Polyurethane Bush Kit		BU719UK	1 kit	A R
U-BOL	TS W	Round Form U Bolts - With Nuts		UB453	4 ea	
SHACK	(LES	Hanni Dubi Crance Ha Charles		02521/	0	
	<b>†</b>	Heavy Duty Greaseable Shackle Anti - Inversion Shackle L/H optional	Must fit	S353K S353KLH	2 ea 1 L/H	
		Anti - Inversion Shackle L/H optional Anti - Inversion Shackle R/H optional	in pairs	S353KRH	1 L/H 1 R/H	
PINS	4	Involvior endonio i vi i optional			1 1 1/11	
		Greaseable Pins		P667	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		Liit	Humber	Vernoic	
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41091FCN	2 ea	
STEERING DAMPER					
	Expanded Body Steering Damper	Pin/Pin	SD35036	1 only	ı
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD+	NIS-204		- (
	Raised Height Heavy Duty Coil Springs  LBA up to 45kg	50mm	NIS-201	 1 pr	1
	Raised Height Heavy Duty Coil Springs  LBA 50kg to 80kg	50mm	NIS-201HD		
CASTER BUSH KIT					
	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS					
o dillifffilli piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41094FC		
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD	NIS-210LP		F
(OVVV)	Raised Height Heavy Duty Coil Springs  LBA up to 150kg	50mm	NIS-214		, F
ÓMMI	Raised Height Heavy Duty Coil Springs Progressive Rate LBA 200kg to 400kg - constant load	50mm	NIS-209HD	1 pr	
	Raised Height Heavy Duty Coil Springs Progressive Rate Constant 500kg to GVM	50mm	NIS-211SP	<u> </u>	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
HOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	— 2 ea
	41mm Foam Cell Shock Absorbers		SA41091FCN	
TEERING DAMPER	Expanded Body Steering Damper - Piranha	Pin-Pin	SD35011GP	
OIL SPRINGS				
	Standard Height Heavy Duty Coil Springs	STD	NIS-204	<u>—</u>
	Raised Height Heavy Duty Coils LBA up to 40kg	50mm	NIS-201	1 pr
	Raised Height Heavy Duty Coils LBA 50kg to 80kg	50mm	NIS-201HD	
ASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit
HOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers		SA35648GL	2 ea
	41mm Foam Cell Shock Absorbers Urethane boot optional extra		SA41648FC	
EAF SPRINGS	·			
	Raised Height Heavy Duty 7 + 2 Leaf Springs LBA up to 300kg	50mm	NISS012D-S NISS012N-S	1 D/S 1 N/S
	Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg	50mm	NISS012MH	
	Raised Height Extra Heavy Duty 7 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	50mm	NISS012GV	2 ea
HACKLE BUSH KITS				
9.99.9 1/11/1	Polyurethane Bush Kit		BU719UK	1 kit
I-BOLTS				
	Round Form U Bolts - With Nuts		UB671	4 ea
HACKLES	Usana Buta Garasa da Ghadha		00501/	0
+	Heavy Duty Greaseable Shackle Anti - Inversion Shackle L/H optional	Must fit	S353K S353KLH	2 ea 1 L/H
	Anti - Inversion Shackle R/H optional	in pairs	S353KEH	1 R/H

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

\*\* While Stocks Last\*\*

NISSAN PAT GU / Y61 LWB St	ROL - 4WD tation Wagon 12/1997 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS				70111010	
o dilitififi	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41091FCN		
STEERING DAMPER					1
11	Expanded Body Steering Damper - Pre 2000 - Piranha	PIN/PIN	SD35011GP		
7	Expanded Body Steering Damper - 4/2000 Onwards	R.A.P	SD35501GP		
OIL SPRINGS					'
	Standard Height Heavy Duty Coil Springs	STD+	NIS-204		
	Raised Height Heavy Duty Coil Springs  LBA up to 45kg	50mm	NIS-201		ı
<b>MMM</b>	Raised Height Heavy Duty Coil Springs  LBA 50kg to 80kg	50mm	NIS-201HD	1 pr	
	Raised Height Heavy Duty Coil Springs  LBA 80kg plus	50mm	NIS-201HHD		
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
HOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP		
piranha o	41mm Foam Cell Shock Absorbers		SA41094FC	2 ea	
OIL SPRINGS					
	Standard + Height Heavy Duty Coil Springs	STD	NIS-220		
	Raised Height Heavy Duty Coils - Progressive Rate NIS-209LP* has 30mm split L&R for GU Wag	40mm	NIS-209LP*		
(0)	Raised Height Heavy Duty Coil Springs  LBA up to 150kg	50mm	NIS-215		4
MAKE.	Raised Height Heavy Duty Coil Springs  LBA 200kg to 350kg	50mm	NIS-214HD	1 pr	
	Raised Height Heavy Duty Coil Springs  LBA 450kg to GVM - Constant load  when fitting NIS-214EHD it is recommended to fit coil tower brace bracket	50mm	NIS-214EHD		
	Raised Height Heavy Duty Coils - Progressive Rate NIS-211* has 30mm split L&R for GU Wag	50mm	NIS-211*		

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41091FCN	2 Ga	
STEERING DAMPER					
-(04)	Steering Damper ** <b>WSL</b> **	Pin-Pin	SD14011	— 1 only	
	Expanded Body Steering Damper - Piranha		SD35011GP		- F
COIL SPRINGS	Standard Haight Haavy Duty Cail Springs	STD+	NIS-204		C
	Standard Height Heavy Duty Coil Springs  Raised Height Heavy Duty Coil Springs	310+	NIS-204	<u></u>	ı
	LBA up to 45kg	50mm	NIS-201	1 pr	7
	Raised Height Heavy Duty Coil Springs  LBA 50kg to 80kg	50mm	NIS-201HD	<u> </u>	
CASTER BUSH KIT					
	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41094FC	2 Ca	
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs  LBA up to 100kg	50mm	NIS-214		F
CO I VOO	Raised Height Heavy Duty Coil Springs  LBA up to 250kg - Progressive Rate	50mm	NIS-209HD		Æ
WWW IO	Raised Height Heavy Duty Coil Springs  LBA 200kg to 350kg - constant load	50mm	NIS-214HD	1 pr	F
	Raised Height Heavy Duty Coil Springs 450kg to GVM - constant load when fitting NIS-214EHD it is recommended to fit coil tower brace bracket	50mm	NIS-214EHD	_	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	DROVER - 4WD WB 110 Wheelbase 1992 to 2001 & 130 V	Vheelbase Dou	ıble Cab 1994	to 1999	
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	41mm Foam Cell Shock Absorbers		SA41689FC	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs 110, TD5 & 130	50mm	LAN-207	— 1 pr	F R O
emmallo	Raised Height Heavy Duty Coil Springs 110, TD5 (only)	50mm	LAN-207HD	1 61	N T
STEERING DAMPER	Expanded Body Steering Damper		SD14032G	1 only	
SHOCK ABSORBERS	41mm Foam Cell Shock Absorbers		SA41690FC	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs 110, TD5 & 130	50mm	LAN-202	— 1 pr	E A R
<b>WYY10</b>	Raised Height Heavy Duty Coil Springs 110, TD5 (only)	50mm	LAN-202HD	, bi	

ROVER - LAN Discovery Series I	IDROVER - 4WD 1991 to 3/1999				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	41mm Foam Cell Shock Absorbers		SA41689FC	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  LBA up to 30kg	50mm	LAN-206	1 pr	F R O N T
STEERING DAMPER					
i	Steering Damper		SD14011	– 1 only	
7	Expanded Body Steering Damper		SD35011G	,	
SHOCK ABSORBERS	41mm Foam Cell Shock Absorbers special raised - check coil entrapment		SA41690FC	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  LBA up to 200kg	50mm	LAN-213	_ 1 pr	E A R
<b>ELVY10</b>	Raised Height Heavy Duty Coil Springs  LBA 250kg plus - constant load	50mm	LAN-213HD	, b.	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ROVER - LAN Discovery Series II	IDROVER - 4WD 3/1999 to 2004				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	41mm Foam Cell Shock Absorbers		SA41776FC	2 ea	
COIL SPRINGS					F
ullymo	Raised Height Heavy Duty Coil Springs				R O
<b>COMMUNIO</b>	LBA up to 30kg	50mm	LAN-208	1 pr	N T
STEERING DAMPER					
(right angle pin)	Steering Damper		SD14502G	1 only	
SHOCK ABSORBERS					
	41mm Foam Cell Shock Absorbers		SA41777FC	2 ea	R
COIL SPRINGS					E
<b>QVVVXX</b>	Raised Height Heavy Duty Coil Springs  LBA up to 200kg	50mm	LAN-213	— 1 pr	A R
<b>ELIVITO</b>	Raised Height Heavy Duty Coil Springs  LBA 250kg plus - constant load	50mm	LAN-213HD	1 pr	

LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ROVER - LAN Discovery Series III	DROVER - 4WD 1/2005 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67778G	2 ea	F R
COIL SPRINGS					0
	Raised Height Heavy Duty Coil Springs  LBA up to 30kg	50mm	LAN-216	— 1 pr	N T
<b>cummo</b>	Raised Height Heavy Duty Coil Springs  LBA up to 50kg	50mm	LAN-216HD	ı pı	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA67779G	2 ea	
COIL SPRINGS					R E
	Raised Height Heavy Duty Coil Springs <b>LBA up to 200kg</b>	50mm	LAN-217		Α
	Raised Height Heavy Duty Coil Springs LBA 250kg to 400kg	50mm	LAN-217HD	1 pr	R
	Raised Height Extra Heavy Duty Coil Springs LBA 450kg plus - constant Load	50mm	LAN-217EHD	_	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	NGEROVER - 4WD to 1998 excluding air suspension				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	41mm Foam Cell Shock Absorbers		SA41689FC	2 ea	
COIL SPRINGS					F R
	Raised Height Heavy Duty Coil Springs  LBA up to 30kg	50mm	LAN-206	1 pr	O N T
STEERING DAMPER (right angle pin)					
tright dright pin)	Steering Damper		SD35011G	1 only	
SHOCK ABSORBERS					
	41mm Foam Cell Shock Absorbers		SA41690FC	2 ea	R
COIL SPRINGS					E A
CONTRACTOR OF THE PROPERTY OF	Raised Height Heavy Duty Coil Springs	F0	1.411.040	4	R
	LBA up to 150kg	50mm	LAN-212	1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

SSANGYONG Musso & Korando					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		SA35667GL	2 ea	F R
TORSION BARS					O N
	Increased Rate Torsion Bars		MUSS001	1 pr	T
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		SA35758G	2 ea	R
COIL SPRINGS					E
<b>CLANNIN</b>	Standard Height Heavy Duty Coil Springs	STD	MUS-201	4	A R
omily	Raised Height Heavy Duty Coil Springs	40mm	MUS-200	— 1 pr	

SUBARU FOI	RESTER - 4WD 2001 1997 to 6/2002 excluding self levellir	ng suspensi	on		
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA67074G	1 L	F
	Strate Gas Spring Seat Shock Absorbers		SA67075G	1 R	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30mm	SUB-201	1 pr	N T
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67076G SA67077G	1 L 1 R	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs LBA up to 100kg - constant load	30mm	SUB-203	1 pr	E A R

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

SUBARU FOR MY03, MY04, MY05	RESTER - 4WD 7/2002 to 7/2008 excluding 2.5L turbo an	nd all self lev	elling suspensi	on	
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA67071G	1 L	F
			SA67070G	1 R	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30mm	SUB-201SP	1 pr	N T
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67073G SA67072G	1 L 1 R	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30mm	SUB-204	1 pr	E A R

SUZUKI JIMN SN413 to JB33 Wa					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		SA36631G	2 ea	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40-50mm	SUZ-206	1 pr	O N T
SHOCK ABSORBERS	36mm Gas Bulged Shock Absorbers		SA36640G	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40-50mm	SUZ-212	1 pr	E A R

SUZUKI SIER SJ & LJ 1981 to					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
O piranha	35mm Gas Shock Absorbers		SA12649GP	2 ea	
STEERING DAMPER					
ф. — ф	Steering Damper		SD14030G	1 only	
LEAF SPRINGS	Raised Height Heavy Duty 4 Leaf Springs	50mm	SUZ001	2 ea	F R
SHACKLE BUSH KITS					0
9886	Polyurethane Bush Kit		BU734UK	1 kit	N T
U-BOLTS	Round Form U Bolts - With Nuts		UB654 UB655	2 D/S 2 N/S	
SHACKLES	Greaseable Shackles		S656K	2 ea	
PINS	Non-Greaseable Pins		P657	2 ea	
SHOCK ABSORBERS					
O piranta O	35mm Gas Shock Absorbers		SA12635GP	2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 3 + 2 Leaf Springs LBA up to 300kg	50mm	SUZ002	2 ea	
	Raised Height Heavy Duty 3 + 2 Leaf Springs use SUZ002D/S with spare tyre on rear door	50mm	SUZ002D/S SUZ002	1 D/S 1 N/S	
	Raised Height Extra Heavy Duty 4 + 2 Leaf Springs LBA 300kg to GVM	50mm	SUZ002M	 2 ea	
	Special Note: SUZ002M suits SJ41T Trayback & LJ 80 S	Stockman			R
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU734UK	1 kit	E A R
U-BOLTS	Round Form U Bolts - With Nuts		UB655	4 ea	
SHACKLES	Greaseable Shackles		S656K	2 ea	
PINS	Non-Greaseable Pins		P657	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

SUZUKI SIER SJ80 / SJ413 4/	RRA - 4WD /1996 to 12/1998				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
• • • • • • • • • • • • • • • • • • •	Strut/Gas Spring Seat Shock Absorbers		SA67104G	2 ea	F R
COIL SPRINGS					O N
	Raised Height Heavy Duty Coil Springs	30mm	SUZ-204	1 pr	T
SHOCK ABSORBERS					
	30mm Gas Shock Absorbers		SAS310922	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30mm	SUZ-210	1 pr	E A R

SUZUKI VITA					
	E420 2 Litre 3 door SWB 1988 to 1997 Santan	a, Sidekick, Approx	Escudo, Geo Part	Tracker Qty Per	
Part and Location	Description	Lift	Number	Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA67140G	1 L	F
			SA67139G	1 R	R
COIL SPRINGS					O N
	Raised Height Heavy Duty Coil Springs  1.6 Litre Engine	30mm	SUZ-201	— 1 pr	T
<i>communication</i>	Raised Height Heavy Duty Coil Springs  2 Litre Engine	30mm	SUZ-202	īβī	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		SA35639GL	2 ea	R
COIL SPRINGS					E A
omis .	Raised Height Heavy Duty Coil Springs	30mm	SUZ-208	1 pr	R

SUZUKI VITA SE416 & SV420 / 62		1991 to 1998			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA67140G	1 L	F
	, ,		SA67139G	1 R	R
COIL SPRINGS					O N
	Raised Height Heavy Duty Coil Springs  4 Cylinder Engine	30mm	SUZ-202	— 1 pr	T
	Raised Height Heavy Duty Coil Springs V6 Engine	30mm	SUZ-203	- 1 μ	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		SA35639GL	2 ea	R
COIL SPRINGS					Ε
OWWLD					A R
OMIL	Raised Height Heavy Duty Coil Springs	30mm	SUZ-209	1 pr	

SUZUKI VITA Grand Vitara SWB,					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67144G SA67143G	1 L 1 R	F
COIL SPRINGS	Raised Height Heavy Duty Coil Springs 4 Cylinder Engine SWB & LWB	30mm	SUZ-214		R O N
	Raised Height Heavy Duty Coil Springs V6 Engine	30mm	SUZ-205	1 pr	Т
9000011100	Raised Height Heavy Duty Coil Springs XL-7	30mm	SUZ-205H	_	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers 4 Cylinder Engine & V6 SWB & LWB Models		SA35639GL	2 ea	
	35mm Gas Bulged Shock Absorbers XL7 Models		SA35632G	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs 4 Cylinder Engine SWB	30mm	SUZ-217		R E A
<b>WYYYD</b>	Raised Height Heavy Duty Coil Springs 4 Cylinder LWB	30mm	SUZ-211		R
WYYO	Raised Height Heavy Duty Coil Springs V6 Engine	30mm	SUZ-211	— 1 pr	
	Raised Height Heavy Duty Coil Springs XL-7	30mm	SUZ-213	_	

SUZUKI VITA Grand Vitara JE	<b>ARA - 4WD</b> 3416 4Cyl & JB627 V6 8/2005 Onwards			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRIIT	Strut/Gas Spring Seat Shock Absorbers		SA67142G SA67141G	1 L 1 R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs 4 Cylinder Engine Raised Height Heavy Duty Coil Springs	30mm	SUZ-215 SP	1 pr
COUNTING	V6 Engine / 4 Cylinder Diesel	30mm	SUZ-215	_
SHOCK ABSORBERS	36mm Gas Bulged Shock Absorbers 4 Cylinder & V6 SWB & LWB Models		SA36645G	2 ea
COIL SPRINGS	Raised Height Heavy Duty Coil Springs 4 Cylinder & V6 Engine	30mm	SUZ-216	1 pr

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35639GP	2 ea	
STEERING DAMPER					4
right angle pin on one end)	Expanded Body Steering Damper		SD35021G	1 only	
EAF SPRINGS					
	Raised Height Heavy Duty 5 Leaf Springs  Petrol Engine	50mm	TOY010CD/S TOY010CN/S	1 D/S	
	Raised Height Heavy Duty 6 Leaf Springs  Diesel Engine	50mm	TOY010HD/S TOY010HN/S	1 N/S	F
SHACKLE BUSH KITS					F
0000	Polyurethane Bush Kit		BU732UK	1 kit	1
J-BOLTS	Square Form U Bolts - With Nuts		UD452.2	2 (N/S)	
	Square Form U Bolts - With Nuts Square Forged Form U Bolts - With Nuts		UB453-2 UB678	2 (N/S) 2 (D/S)	
SHACKLES	· · · · · ·			· ·	1
	Greaseable Shackles		S384K	2 ea	
PINS 🛦					
	Greaseable Pins		P385	2 ea	
OPTIONAL PARTS	Adjustable Torque Arm		ACCATA-TOY01		
0	Drop Drag Link		ACCDDL-TOY01	– 1 kit	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers -Piranha - Pre 1/1984		SA35636GP	_	
O piranha O	35mm <b>Adjustable</b> Shock Absorbers -Piranha - Pre 1/1984		SA35636GPA	_ 2 ea	
	35mm Gas Bulged Shock Absorbers - Piranha - Post 1/198		SA35650GP	_	
LEVE CODINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha - Post 1/198	4	SA35650GPA		
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA up to 300kg	50mm	TOY011		
0	Raised Height Extra Heavy Duty 6 + 1 Leaf Springs  LBA 400kg to GVM	50mm	TOY011M	– 2 ea	F
SHACKLE BUSH KITS	<b></b>				E
	Polyurethane Bush Kit		BU733UK	1 kit	F
U-BOLTS					
	Square Form U Bolts - With Nuts		UB453-2	4 ea	
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P385	2 ea	

TOYOTA HILUX & 4 RUNNER - 4WD leaf spring front & rear

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Dual Cab LN107 SR5, LN108, RN106  Description	9/1991 to Approx Lift	Part Number	Qty Per Vehicle
SHOCK ABSORBERS				
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35088GP	0
	41mm Foam Cell Shock Absorbers		SA41088FC	— 2 ea
TEERING DAMPER	Steering Damper Insufficient clearance for 35mm expanded body cannister on some Turbo Diesel models		SD14033G	1 only
, —	Expanded Body Steering Damper		SD35033G	
TORSION BARS	Increased Rate Torsion Bars  Length 1064mm		TOY026	1 pr
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35650GP SA35650GPA	— 2 ea
EAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA up to 200kg	50mm	TOY040	2 ea
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 250kg to 400kg	50mm	TOY040M	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU747UK	1 kit
J-BOLTS	Square Form U Bolts - With Nuts		UB453-2	4 ea
SHACKLES	Greaseable Shackles		S386-1K	2 ea
PINS	Greaseable Pins		P387-2	2 ea

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

I.F.S. LN / KZN / RN Single Cab / Dual C	N165/166/167, LN170 (2.4L DsI), LN172 (3.0 Cab / Extra Cab 10/1997 to 2005	L DsI), R	ZN169		
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35088GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41088FC	2 00	
STEERING DAMPER	Steering Damper Insufficient clearance for 35mm expanded body cannister on some Turbo Diesel models		SD14033G	1 only	F R O N
	Expanded Body Steering Damper		SD35033G		, T
TORSION BARS	Increased Rate Torsion Bars  Length 1064mm		TOY026	1 pr	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35650GP SA35650GPA	— 2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA up to 200kg	50mm	TOY040	— 2 ea	
0	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs  LBA 250kg to 400kg	50mm	TOY040M		
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU747UK	1 kit	R
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2	4 ea	A R
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

**TOYOTA HILUX - 4WD** 

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA 4 RU	JNNER - 4WD Surf 8/1985 to 1989				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35088GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41088FC	Z Ca	
STEERING DAMPER	Steering Damper Insufficient clearance for 35mm expanded body cannister on some Turbo Diesel models		SD14033G	1 only	F R O N
	Expanded Body Steering Damper		SD35033G		T
TORSION BARS	Increased Rate Torsion Bars Length 1064mm		TOY026	1 pr	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35650GP SA35650GPA	— 2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA up to 300kg	50mm	TOY011	— 2 ea	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 400kg to GVM	50mm	TOY011M	2 <del>C</del> a	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU733UK	1 kit	R
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2	4 ea	A R
SHACKLES	Greaseable Shackles		S386K	2 ea	
PINS	Greaseable Pins		P385	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
HOCK ABSORBERS				
M S O	35mm Gas Bulged Shock Absorbers - Piranha		SA35088GP	— 2 ea
	41mm Foam Cell Shock Absorbers		SA41088FC	— 2 <del>e</del> a
ORSION BARS				
	Increased Rate Torsion Bars  Length 1064mm		TOY026	1 pr
TEERING DAMPER				
ţ	Steering Damper Insufficient clearance for 35mm expanded body cannister on some Turbo Diesel models		SD14033G	1 only
	Expanded Body Steering Damper		SD35033G	
HOCK ABSORBERS				
	35mm Gas Bulged Shock Absorbers		SA35637GL	— 2 ea
	41mm Foam Cell Shock Absorbers		SA41637FC	2 00
OIL SPRINGS				
WYY	Raised Height Heavy Duty Coil Springs  LBA up to 100kg	40mm	THX-201	— 1 pr
	Raised Height Extra Heavy Duty Coil Springs  LBA 150kg to 250kg - constant load	40mm	THX-201HD	— ірі

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
TRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha  Adjustable Dampening Strut/Gas Spring Seat Shock		SA67087GP SA67087GPA	2 ea
COILS & STRUT	Absorbers - Piranha  Coil Springs For Vehicles Without Bullbar  Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR01	
SSEMBLY	Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR11	
The state of the s	Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HD COIL-ST-TPR21	1 pr
Chinalis	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR52	
	Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HT COIL-ST-TPR51	
OP PLATE MOUNT	Strut / Coil Assembly Top Plate Mount		TPL1083	2 ea
EWAY BAR RELOCATION	Sway Bar Relocation Plates		ACCSWBR-TOY01	1 kit
HOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35650GP	— 2 ea
	35mm Adjustable Shock Absorbers - Piranha		SA35650GPA	2 Cu
EAF SPRINGS	Raised Height 5 Leaf Parabolic Springs  LBA 100kg to 300kg	50mm	TOY146P5	_
	Raised Height Comfort 4 + 2 Leaf Springs  LBA up to 200kg	50mm	TOY146	
	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA 250kg - 400kg	50mm	TOY146M	2 ea
	Raised Height Heavy Duty 6 + 2 Leaf Springs <b>LBA 400kg to 600kg</b>	50mm	TOY146MH	<u> </u>
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs  LBA 600kg to GVM  with 10mm main & wrap leaves - constant load	50mm	TOY146GV	
HACKLE BUSH KITS	Polyurethane Bush Kit		BU766UK	1 kit
I-BOLTS	Square Form U Bolts - With Nuts		UB453-2	
	Square Form U Bolts - With Nuts use with TOY146P5, TOY146M, TOY146MH & TOY146GV		UB437	 4 ea
HACKLES	Greaseable Shackles		S387K	2 ea
INS	Greaseable Pins		P387-2	2 ea
RAKE BIAS ROD				

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha  Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GP SA67087GPA	_ 2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR01	_	
	Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR11	_	
The William	Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HD COIL-ST-TPR21	1 pr	
Change .	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR52	_	
	Tapered Coil Springs <b>For Vehicles With Bull Bar</b> Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HT COIL-ST-TPR51		-
TOP PLATE MOUNT	Strut / Coil Assembly Top Plate Mount		TPL1083	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35098GP SA35098GPA	- 2 ea	
LEAF SPRINGS	Raised Height 4 Leaf Parabolic Springs  LBA 100kg to 300kg	50mm	TOY056P4		
	Raised Height Comfort 3 + 2 Leaf Springs LBA up to 200kg	50mm	TOY056	_	
	Raised Height Heavy Duty 3 + 2 Leaf Springs  LBA 300kg to 500kg	50mm	TOY056M	- 2 ea	
	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA 500kg to GVM	50mm	TOY056GV	_	ı
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU766UK	1 kit	-   
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2		
	Square Form U Bolts - With Nuts use with TOY056P4, TOY056M & TOY056GV		UB437	4 ea	
ALLA ALZI EA					
SHACKLES	Greaseable Shackles		S391K	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	DCRUISER - 4WD				
FJ45 / HJ47 LWB  Part and Location	7/1980 Onwards  Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA12635GP	2 ea	
STEERING DAMPER					
Ō Ō	Steering Damper		SD14023G	1 only	
LEAF SPRINGS	Raised Height Heavy Duty 7 Leaf Springs  Comfort - no load	50mm	TOY004A	— 2 ea	
	Raised Height Heavy Duty 8 Leaf Springs LBA 50kg	50mm	TOY004	2 ea	F
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU719UK	1 kit	R O N T
U-BOLTS	Round Form U Bolts - With Nuts		UB453-1	3 ea	
	Square Form U Bolt - With Nuts		UB449	1 ea	
SHACKLES	Heavy Duty Greaseable Shackles  Anti - Inversion Shackle L/H optional  Anti - Inversion Shackle R/H optional	Must fit in pairs	S353K S353KLH S353KRH	2 ea 1 L/H 1 R/H	
	Greaseable Pins		P351	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP		
LEAF SPRINGS	Raised Height Heavy Duty 7 + 3 Leaf Springs  LBA up to 300kg  Raised Height Heavy Duty 8 + 3 Leaf Springs  LBA 350kg plus - constant load	50mm 50mm	TOY005 TOY005M	— 2 ea	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU719UK	1 kit	R E
U-BOLTS	Round Form U Bolts - With Nuts		UB416	4 ea	A R
SHACKLES	Heavy Duty Greaseable Shackle		S353K	2 ea	
† <b>*</b>	Anti - Inversion Shackle L/H optional	Must fit	S353KLH	1 L/H	
	Anti - Inversion Shackle R/H optional	in pairs	S353KRH	1 R/H	
PINS	Greaseable Pins		P351	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA LAN	NDCRUISER - 4WD Wagon 1980 to 1990				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35637GP	2 ea	
STEERING DAMPER (right angle pin)	•				
Ō Ō	Expanded Body Steering Damper - Piranha		SD35024GP	1 only	
LEAF SPRINGS	Raised Height Heavy Duty 7 Leaf Springs  Comfort - no load	50mm	TOY006	2 ea	
SHACKLE BUSH KITS					F R
9'8'6'6	Polyurethane Bush Kit		BU719UK	1 kit	0
U-BOLTS	Square Form U Bolts - With Nuts		UB436	4 ea	N T
SHACKLES	Heavy Duty Greaseable Shackles		S353K	2 ea	
<b>***</b>	Anti - Inversion Shackle L/H optional	Must fit	S353KLH	1 L/H	
	Anti - Inversion Shackle R/H optional	in pairs	S353KRH	1 R/H	
PINS	Greaseable Pins		P351	2 ea	
SHOCK ABSORBERS	Pre 10/1985				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP		
O piranha o	Post 10/1985			 2 ea	
	35mm Gas Bulged Shock Absorbers - Piranha		SA35650GP	_	
LEAF SPRINGS	41mm Foam Cell Shock Absorbers		SA41094FC		
ELAI OI KINGO	Raised Height Heavy Duty 6 + 1 Leaf Springs	50mm	TOY007CN-S TOY007CD-S	1 only	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU719UK	1 kit	R E
U-BOLTS					A R
0-BOLI3	Round Form - With Nuts		UB453-3	4 ea	
SHACKLES	Heavy Duty Greaseable Shackles		S353K	2 ea	
<b>*</b>	Anti - Inversion Shackle L/H optional	NA.,c4 £!4	S353KLH	2 ea 1 L/H	
	Anti - Inversion Shackle R/H optional	Must fit in pairs	S353KRH	1 R/H	
PINS		-			
	Greaseable Pins		P351	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	DCRUISER - 4WD				
FJ / HJ75 1984 to 1	990 FZJ / HZJ75 1990 to 9/1999		<b>Troop Carrier</b>		
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35637GP	2 ea	
STEERING DAMPER					
(right angle pin)	Expanded Body Steering Damper - Piranha		SD35024GP	1 only	
LEAF SPRINGS					•
	Raised Height Heavy Duty 7 Leaf Springs <b>LBA up to 70kg</b>	50mm	TOY008		
	Raised Height Extra H/D 8 Leaf Springs  LBA 50kg Plus	50mm	TOY008M	2 ea	F
SHACKLE BUSH KITS	25A ookg Flao				R
	Polyurethane Bush Kit		BU719UK	1 kit	0
U-BOLTS					. N T
111119	Square Form U Bolts - With Nuts		UB436	4 ea	•
	Square Form O Boits - With Nuts		08430	4 <del>C</del> a	
SHACKLES					-
	Heavy Duty Greaseable Shackles  Anti - Inversion Shackle L/H optional	Must fit	S353K S353KLH	2 ea 1 L/H	
	Anti - Inversion Shackle E/H optional	in pairs	S353KRH	1 R/H	
PINS	7 III III III ONG TUTT OPLICITAL				•
	Greaseable Pins		P351	2 ea	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35099GP		
O piranha O	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35099GPA	2 ea	
	41mm Foam Cell Shock Absorbers		SA41094FC		
LEAF SPRINGS	Deire d Heinka Med Detector of Continue				
	Raised Height Med Duty 6 + 2 Leaf Springs <b>LBA up to 200kg - Tray Back only</b>	30mm	TOY009 **		
	Raised Height H/D 7 + 2 Leaf Springs	50mm	TOY009M	-	
	LBA 250kg to 400kg	John	101000	2 ea	
SEASON SEE	Raised Height H/D 8 + 2 Leaf Springs <b>LBA 400kg to 600kg</b>	50mm	TOY009MH		
	Raised Height EH/D 9 + 2 Leaf Springs <b>LBA 600kg to GVM</b>	50mm	TOY009RS	•	R
SHACKLE BUSH KITS					A
	Polyurethane Bush Kit		BU720UK	1 kit	R
					-
U-BOLTS	Round Form U Bolts - With Nuts		UB453-1		
	Round Form U Bolts - With Nuts			4 ea	
	Use with TOY009MH & TOY009RS		UB416		
SHACKLES	Hoovy Duty Grossophia Shackles		63E3K	2.00	
-1-5	Heavy Duty Greaseable Shackles  Anti - Inversion Shackle L/H optional	Must fit	S353K S353KLH	2 ea 1 L/H	
	Anti - Inversion Shackle R/H optional	in pairs	S353KRH	1 R/H	
PINS 🙏					

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA LAN	IDCRUISER - 4WD				
VDJ76 Station Wag	on 2007 Onwardss				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35097GP	_	
O piranha O	35mm <b>Adjustable</b> Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers		SA35097GPA SA41091FCT	2 ea	
STEERING DAMPER	4 Hilli I Gall Gell Griock Absorbers		0A410311 01		
ļ d	Expanded Body Steering Damper - Piranha		SD35047GP	1 only	
COIL SPRINGS					
. 4 4 4 4 4 4 4 4 4	Standard Height Heavy Duty Coil Springs	STD+	TLC-207	_	
	Raised Height Heavy Duty Coil Springs  No Bar / Winch	50mm	TLC-203		F
<b>WWWW</b>	Raised Extra Height Heavy Duty Coil Springs Progressive Rate - With Bar / Winch	50mm	TLC-203HT	1 pr	R O
	Raised Height Extra Heavy Duty Coil Springs	50mm	TLC-203HD		N
CASTER BUSH KIT	Extreme loads to GVM				Т
35 III	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
ABS EXTENSION					
A CONTRACTOR OF THE PARTY OF TH	ABS Extension - Does not suit later models with DPF		ACCABSXT- TOY01	1 kit	
SWAY BAR SPACERS					
Great	Sway Bar Spacer		ACCSWBB- TOY02	2 ea	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35099GP		
o piranha o	35mm Adjustable Shock Absorbers - Piranha		SA35099GPA	2 ea	
	41mm Foam Cell Shock Absorbers		SA41094FC		
LEAF SPRINGS					
	Raised Height Medium Duty 5 + 2 Leaf Springs <b>LBA up to 200kg</b>	50mm	TOY050M		
	Raised Height Heavy Duty 8 + 2 Leaf Springs	50mm	TOY050MH	— 2 ea	
SHACKLE BUSH KITS	LBA 250kg to 400kg			_	
SHACKLE BOSH KITS	Polyurethane Bush Kit - Suits SSA Shackles & Pins				R
222	Shackle Widths May Vary Between Brands		BU779UK	1 kit	E
U-BOLTS (check length re	equired)				Α
	B 15 115 11 110 11 110 11				R
	Round Form U Bolts - With Nuts  Round Form U Bolts - With Nuts		UB453-3 UB416	— 4 ea	
SHACKLES	Round Form O Boits - With Huts		05410		
	Greaseable Shackles		S358HDK	2 ea	
PINS					
	Greaseable Pins		P356HD	2 ea	
BRAKE PROPORTION SP					
a.	Brake Proportioning Spacer		SP-TOY-BRK01	1 ea	

Part and Location Description Approx Lift Number Otylehicle SHOCK ABSORBERS  SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha SA36997GP 2es 2es 25mm Adjustable Shock Absorbers - Piranha SA36997GP 2es 2es 25mm Adjustable Shock Absorbers - Piranha SA36997GP 2es 2es 25mm Adjustable Shock Absorbers - Piranha SA36997GP 2es 2es 25mm Adjustable Shock Absorbers - Piranha SA36997GP 2es	FZJ78 / HZJ78 / VD	J78 Troop Carrier 9/1999 Onwards	A ::- ::-	D- 1	04.5	
35mm Gas Bulged Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers - Piranha 1999-2006 Expanded Body Steering Damper - Piranha 1999-2006 Expanded Body Steering Damper - Piranha 2007* V8 & 5 Cylinder Models  COIL SPRINGS  Standard Height Heavy Duty Coil Springs Falsed Height Heavy Duty Coil Springs No Bar / Winch Raised Height Heavy Duty Coil Springs No Bar / Winch Raised Height Heavy Duty Coil Springs Progressive Rate - With Bar / Winch Raised Height Heavy Duty Coil Springs Extreme loads to GVM  CASTER BUSH KIT  Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift  ABS Extremsion - Does not suit later models with DPF  ACCABSXT- TOY01  35mm Gas Bulged Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers - Piranha 53mm Adjustable Shock Absorbers - Piranha 54mm Foam Cell Shock Absorbers - Piranha 54m	Part and Location	Description				
35mm Agljustable Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers  STEERING DAMPER Expanded Body Steering Damper - Piranha 1999-2008 Expanded Body Steering Damper - Piranha 2007+ V8 & 6 Cylindor Models  Standard Height Heavy Duty Coil Springs Raised Height Heavy Duty Coil Springs Raised Height Heavy Duty Coil Springs Somm TLC-203 Raised Height Heavy Duty Coil Springs Extreme loads to GVM  CASTER BUSH KIT  Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift  BU1721UK (2 degrees) for 50mm lift  ABS EXTENSION  ABS Extension - Does not suit later models with DPF  ACCABSXT- TOYOL  SWAY BAR SPACERS  Sway Bar Spacer  ACCSW/BB- TOYOZ  SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers  SA41084FC  Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty B + 2 Leaf Springs LBA 25kg to 400kg Raised Height Heavy Duty B + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty B + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty B + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty B + 2 Leaf Springs LBA 400kg to 600kg Raised Height Medium Duty 7 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty B + 2 Leaf Springs LBA 400kg to 600kg Raised Height Medium Duty 7 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Medium Duty 8 + 2 Leaf Springs LBA 600kg to 600kg Raised Height Medium Duty 8 + 2 Leaf Springs LBA 600kg to 600kg Raised Height Medium Duty 8 + 2 Leaf Springs LBA 600kg to 600kg Raised Height Medium Duty 8 + 2 Leaf Springs LBA 600kg to 600kg Raised Height Medium Duty 8 + 2 Leaf Springs LBA 600kg to 600kg Raised Height Medium Duty 8 + 2 Leaf Springs LBA 600kg to 600kg Raised Height Medium Duty 8 + 2 Leaf Springs Raised Height Medium Duty 8 + 2 Leaf Springs Raised Height Medium Duty 8 + 2 Leaf Springs Raised Height Medium Raise Raised He	SHOCK ABSORBERS					
### Foam Cell Shock Absorbers   ### Spanned Body Steering Damper - Piranha   ### Spanned Body Steering Damper -						
STEERING DAMPER  Expanded Body Steering Damper - Piranha 1999-2006 Expanded Body Steering Damper - Piranha 1999-2006 Expanded Body Steering Damper - Piranha 2007 + 93 & Cylinder Models  SD35047GP  COIL SPRINGS  Standard Height Heavy Duty Coil Springs Raised Height Heavy Duty Coil Springs Raised Height Heavy Duty Coil Springs Raised Height Heavy Duty Coil Springs Extreme loads to GVM  CASTER BUSH KIT  Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift  ABS EXTENSION  ABS Extension - Does not suit later models with DPF  ACCABSXT. TOY01  SWAY BAR SPACERS  Sway Bar Spacer  SHOCK ABSORBERS  Simm Gas Bulged Shock Absorbers - Piranha SA35099GPA 35mm Adjustable Shock Absorbers - Piranha SA35099GPA 35mm Adjustable Shock Absorbers  SWAY Bar Spacer  SHOCK ABSORBERS  Simm Gas Bulged Shock Absorbers - Piranha SA35099GPA 41mm Foam Cell Shock Absorbers  SA41094FC  LEAF SPRINGS  Raised Height Medium Duty 7 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Meavy Duty 8 + 2 Leaf Springs LBA 400kg to 400kg Raised Height Meavy Duty 8 + 2 Leaf Springs Shack Height Meavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 400kg to 600kg Raised Height Meavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 400kg to 600kg Raised Height Meavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 400kg to 600kg Raised Height Meavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 400kg to 600kg Raised Height Meavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 400kg to 600kg Raised Height Meavy Duty 8 + 2 Leaf Springs Shackle Widths May Vary Between Brands  BU779UK  1 kit  Raised Height Meavy Dut	O pranha O	· · · · · · · · · · · · · · · · · · ·			2 ea	
Expanded Body Steering Damper - Piranha 1999-2008 Expanded Body Steering Damper - Piranha 2007+ V8 & 6 Cylinder Models  Standard Height Heavy Duty Coil Springs Raised Height Heavy Duty Coil Springs No Bar / Winch Raised Height Heavy Duty Coil Springs No Bar / Winch Raised Height Heavy Duty Coil Springs Progressive Rate - With Bar / Winch Raised Height Raised Height Heavy Duty Coil Springs Progressive Rate - With Bar / Winch Raised Height Heavy Duty Part Raised Height Raised Height Heavy Duty Part Raised Height Heavy Part Raised Height Part Raised Height Heavy Part Raised Height Raised Height Raised Height Heavy Part Raised Height R	STEFRING DAMPER	4 IIIIII FOAIII CEII SHOCK ADSOIDEIS		5A41091FC1		
Expanded Body Steering Damper - Piranha 2007- V8 & GVinder Models  COIL SPRINGS  Standard Height Heavy Duty Coil Springs Rased Height Heavy Duty Coil Springs Rased Height Heavy Duty Coil Springs No Bar / Winch Raised Height Heavy Duty Coil Springs Progressive Rate - With Bar / Winch Raised Extra Height Heavy Duty Coil Springs Progressive Rate - With Bar / Winch Raised Extra Height Heavy Duty Coil Springs Progressive Rate - With Bar / Winch Raised Extra Height Heavy Duty Coil Springs Rate of Height Extra Height Heavy Duty Coil Springs Rate of Height Extra Height Heavy Duty Coil Springs Rate of Height Extra Height Heavy Duty Coil Springs Rate of Height Extra Height Heavy Duty Coil Springs Rate of Height Extra Height Heavy Duty Coil Springs SWAY BAR SPACERS  Sway Bar Spacer  SWAY BAR SPACERS  Sway Bar Spacer  ACCSWBB- TOY02  ACCABSXT- TOY01  1 kit  SWAY BAR SPACERS  Sway Bar Spacer  ACCSWBB- TOY02  2 ea  SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers Adjustable Shock Absorbers SA41094FC  LEAF SPRINGS  Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs Raised Height Heavy Duty 9 + 2 Leaf Springs Raised Height Heavy Duty 9 + 2 Leaf Springs Raised Height Heavy Duty 9 + 2 Leaf Springs Raised Height Heavy Duty 9 + 2 Leaf Springs Raised Height Heavy Duty 9 + 2 Leaf Springs Raised Height Heavy Duty 9 + 2 Leaf	ţ.	·		SD35024GP		
COIL SPRINGS  Standard Height Heavy Duty Coil Springs Raised Height Heavy Duty Coil Springs Raised Height Heavy Duty Coil Springs Raised Height Heavy Duty Coil Springs Form TLC-203 Raised Extra Height Heavy Duty Coil Springs Form TLC-203HD  TLC-203HD  TLC-203HD  1 pr CASTER BUSH KIT  Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift  BU1721UK (2 degrees) for 50mm lift  ABS EXTENSION  ABS Extension - Does not suit later models with DPF  ACCABSXT- TOY01  SWAY BAR SPACERS  Sway Bar Spacer  ACCSWBB- TOY02  2 ea  SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers  Based Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 600kg to 6VM  SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Greaseable Pins  BRAKE PROPORTION SPACER					— 1 only	
Standard Height Heavy Duty Coil Springs STD + TLC-207 Raised Height Heavy Duty Coil Springs 50mm TLC-203 No Bar / Winch Raised Height Heavy Duty Coil Springs 50mm TLC-203HT Progressive Rate - With Bar / Winch Raised Height Heavy Duty Coil Springs 50mm TLC-203HD  CASTER BUSH KIT  Correct castor angles by using Castor Bush Kit BU1721UK 2 degrees) for 50mm lift  ABS EXTENSION  ABS Extension - Does not suit later models with DPF ACCABSXT-TOY01 1 kit  SWAY BAR SPACERS  Sway Bar Spacer ACCSWBB-TOY02 2 ea  SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha SA35099GPA 41mm Foam Cell Shock Absorbers SA41094FC  LEAF SPRINGS  Raised Height Heavy Duty 8 + 2 Leaf Springs LBA under Height Heavy Duty 8 + 2 Leaf Springs LBA under Height Heavy Duty 9 + 2 Leaf Springs Raised Height Heavy Duty 9 + 2 Leaf Springs LBA under the Height Heavy Duty 9 + 2 Leaf Springs Somm TOY020MH Raised H				SD35047GP		
Ralsed Height Heavy Duty Coil Springs No Bar / Winch Raised Extra Height Heavy Duty Coil Springs Progressive Rate - With Bar / Winch Raised Extra Height Heavy Duty Coil Springs Extreme loads to GVM  CASTER BUSH KIT  Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift  ABS EXTENSION  ABS Extension - Does not suit later models with DPF  ACCABSXT- TOY01  SWAY BAR SPACERS  Sway Bar Spacer  ACCSWBB- TOY02  2 ea  SHOCK ABSORBERS  35mm Adjustable Shock Absorbers - Piranha SA35099GPA 35mm Adjustable Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers  Raised Height Heavy Duty 8 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 200kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Extra Heavy Duty 9 + 2 Leaf Springs LBA 600kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts  Greaseable Shackles  Greaseable Shackles  Greaseable Shackles  BRAKE PROPORTION SPACER	COIL SPRINGS					
No Bar / Winch Raised Extra Height Heavy Duty Coll Springs Progressive Rate - With Bar / Winch Raised Height Extra Heavy Duty Coll Springs Extreme loads to GVM  CASTER BUSH KIT  Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift  ABS EXTENSION  ABS Extension - Does not suit later models with DPF  ACCABSXT- TOY01  1 kit  SWAY BAR SPACERS  Sway Bar Spacer  Sway Bar Spacer  ACCSWBB- TOY02  2 ea  SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha A35mm Adjustable Shock Absorbers - Piranha A4mm Foam Cell Shock Absorbers  Sad1094FC  LEAF SPRINGS  Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Extra Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 650kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 650kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 650kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 650kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 650kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 650kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 650kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 650kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs LBA 600kg to 650km  SHACKLE BUSH KITS Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bo	44.1.4.4.0.000		STD +	TLC-207		F
Progressive Rate - With Bar / Winch Raised Helight Extra Heavy Duty Coll Springs Extreme loads to GVM  CASTER BUSH KIT  Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift  ABS EXTENSION  ABS Extension - Does not suit later models with DPF  ACCABSXT- TOY01  1 kit  SWAY BAR SPACERS  Sway Bar Spacer  ACCSWBB- TOY02  2 ea  SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers  Basied Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 600kg to 6VM  SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round F		No Bar / Winch	50mm	TLC-203		R
Raised Height Medium Duty 7 + 2 Leaf Springs  LBA 1908 to 600kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 200kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Medium Duty 6 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Medium Duty 6 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 40kg to 600kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  Raised Height Heavy Duty 8 + 2 Leaf Springs  Raised Height Heavy Duty 8 + 2 Leaf Springs  Raised Height Heavy Duty 8 + 2 Leaf Springs  Ra			50mm	TLC-203HT	1 pr	O
Extreme loads to GVM  CASTER BUSH KIT Correct castor angles by using Castor Bush Kit BU1721UK 1 kit BU1721UK (2 degrees) for 50mm lift  ABS EXTENSION ABS Extension - Does not suit later models with DPF ACCABSXTTOY91 1 kit  SWAY BAR SPACERS Sway Bar Spacer  Sway Bar Spacer  ACCSWBB- 10762 2 ea  SHOCK ABSORBERS 35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha A35m99GPA 41mm Foam Cell Shock Absorbers SA41094FC  LEAF SPRINGS  Raised Height Heavy Duty 7 + 2 Leaf Springs LBA 20 to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 20kg to 400kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs LBA 40kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 60kg to 6VM  SHACKLE BUSH KITS Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With						
Correct castor angles by using Castor Bush Kit BU1721UK 1 kit BU1721UK (2 degrees) for 50mm lift  ABS EXTENSION  ABS Extension - Does not suit later models with DPF  ACCABSXTTOV61 1 kit  SWAY BAR SPACERS  Sway Bar Spacer  Shock Absorbers - Piranha SA35099GP  35mm Adjustable Shock Absorbers - Piranha SA35099GP  35mm Adjustable Shock Absorbers - Piranha SA35099GP  50mm TOV020  Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 600kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 600kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 600kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 600kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 600kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs BHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts  BHACKLES  Greaseable Shackles  S358HDK  2 ea  BRAKE PROPORTION SPACER		- · · · · · · · · · · · · · · · · · · ·	50mm	TLC-203HD		. T
BU1721UK (2 degrees) for 50mm lift  ABS EXTENSION  ABS Extension - Does not suit later models with DPF  ACCABSXTTOY01  1 kit  SWAY BAR SPACERS  Sway Bar Spacer  Sway Bar Spacer  35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers  SA35099GP 35mm Adjustable Shock Absorbers  ELEAF SPRINGS  Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 600kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Plate Read Read Read Read Read Read Read Read	CASTER BUSH KIT					
ABS EXTENSION  ABS Extension - Does not suit later models with DPF  ACCABSXT-TOY91  1 kit  SWAY BAR SPACERS  Sway Bar Spacer  Sway Bar Spacer  ACCSWBB-TOY02  2 ea  SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha  35mm Adjustable Shock Absorbers  A1mm Foam Cell Shock Absorbers  SA41094FC  LEAF SPRINGS  Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 600kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 600kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 600kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 600kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 600kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 600kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 600kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 600kg to 600kg Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Duty 8 + 2 Leaf Springs Raised Height Heavy Du				BU1721UK	1 kit	
ABS Extension - Does not suit later models with DPF  ACCABSXT-TOY01 1 kit  SWAY BAR SPACERS  Sway Bar Spacer  Sway Bar Spacer  Sway Bar Spacer  35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers  Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 400kg to 6WR  SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts  Greaseable Shackles  Greaseable Pins  P356HD 2 ea  BRAKE PROPORTION SPACER	ABS EXTENSION	201121011(2 dog1000)101 00111111111				=
SWAY BAR SPACERS  Sway Bar Spacer  ACCSWBB-TOV02  2 ea  SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha SA35099GP 35mm Adjustable Shock Absorbers - Piranha SA35099GPA 41mm Foam Cell Shock Absorbers SA41094FC  LEAF SPRINGS  Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Extra Heavy Duty 9 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to 60VM  SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts UB416 Round Form U Bolts - With Nuts SHACKLES  Greaseable Shackles  Greaseable Pins  P356HD 2 ea  BRAKE PROPORTION SPACER		ARS Extension Does not quit later models with DRE		ACCABSXT-	1 Lit	
SHACKLE BUSH KITS    Sway Bar Spacer   ACCSWBB-TOY02   2 ea		ADS Extension - Does not suit later models with DFF		TOY01	1 KIL	
SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha 5A35099GPA 41mm Foam Cell Shock Absorbers SA41094FC  LEAF SPRINGS  Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Heavy Duty 9 + 2 Leaf Springs With 10mm main & wrap leaves - constant load LBA 600kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts UB416 Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Plate Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Plate Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Plate Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Plate Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Plate Round Form U Bolts - With Nuts Round Form	SWAY BAR SPACERS					
SHOCK ABSORBERS  35mm Gas Bulged Shock Absorbers - Piranha SA35099GP 35mm Adjustable Shock Absorbers - Piranha SA35099GPA 41mm Foam Cell Shock Absorbers SA41094FC  LEAF SPRINGS  Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs SLBA 400kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts UB416 Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Plate Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Plate Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Plate Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Plate Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Plate Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Plate Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Plate Round Form U Bolts - With Nuts Round Form U		Sway Bar Spacer		_	2 ea	
35mm Gas Bulged Shock Absorbers - Piranha SA35099GP 35mm Adjustable Shock Absorbers - Piranha SA35099GPA 41mm Foam Cell Shock Absorbers  Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Leavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM  SHACKLE BUSH KITS Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form	Sig.			10102		
35mm Adjustable Shock Absorbers - Piranha SA35099GPA 41mm Foam Cell Shock Absorbers SA41094FC  LEAF SPRINGS  Raised Height Medium Duty 7 + 2 Leaf Springs 50mm TOY020 LBA up to 200kg TOY020M Raised Height Heavy Duty 8 + 2 Leaf Springs 50mm TOY020M LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs 50mm TOY020MH LBA 400kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts UB416 Round Form U Bolts - With Nuts UB418  SHACKLES  Greaseable Shackles  Greaseable Pins  P356HD 2 ea  BRAKE PROPORTION SPACER	SHOCK ABSORBERS	25 years Coo Bulgard Charle About and Biranta		C 425000CD		
### Foam Cell Shock Absorbers  ### Foam Cell Shock Absorbers  ### Foam Cell Shock Absorbers  ### Raised Height Medium Duty 7 + 2 Leaf Springs	piranha					
Raised Height Medium Duty 7 + 2 Leaf Springs 50mm TOY020  LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs 50mm TOY020M  LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs 50mm TOY020MH  Raised Height Heavy Duty 9 + 2 Leaf Springs 50mm TOY020MH  LBA 400kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts UB416 Round Form U Bolts - With Nuts Round For					2 ea	
Raised Height Medium Duty 7 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM  SHACKLE BUSH KITS Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts UB416 Round Form U Bolts - With Nuts UB418  SHACKLES Greaseable Shackles  Greaseable Pins P356HD 2 ea  BRAKE PROPORTION SPACER	I EVE SDDINGS	4 IIIIII FOAIII CEII SHOCK ADSOIDEIS		5A41094FC		-
LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM  SHACKLE BUSH KITS Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts UB416 Round Form U Bolts - With Nuts Phackles Greaseable Pins P356HD 2 ea  BRAKE PROPORTION SPACER	LLAI SPRINGS	Raised Height Medium Duty 7 + 2 Leaf Springs	50			
LBA 250kg to 400kg Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM  SHACKLE BUSH KITS Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required) Round Form U Bolts - With Nuts Plate Greaseable Shackles  Greaseable Pins Pas6HD 2 ea  BRAKE PROPORTION SPACER	~~	LBA up to 200kg	50mm	TOY020	<u></u>	
Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM  SHACKLE BUSH KITS Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts UB416 Round Form U Bolts - With Nuts UB418  SHACKLES Greaseable Shackles  Greaseable Pins  Greaseable Pins P356HD 2 ea  BRAKE PROPORTION SPACER		- · · · · · · · · · · · · · · · · · · ·	50mm	TOY020M		
Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts UB416 Round Form U Bolts - With Nuts UB418  SHACKLES  Greaseable Shackles  Greaseable Pins  P356HD 2 ea  BRAKE PROPORTION SPACER			50mm	TOVOZOMH	2 ea	
with 10mm main & wrap leaves - constant load LBA 600kg to GVM  SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts UB416 UB418  SHACKLES  Greaseable Shackles  Greaseable Pins  P356HD  2 ea  BRAKE PROPORTION SPACER			3011111	1010201111		
SHACKLE BUSH KITS  Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts UB416 Round Form U Bolts - With Nuts UB418  SHACKLES Greaseable Shackles  Greaseable Pins  P356HD 2 ea  BRAKE PROPORTION SPACER			50mm	TOY020GV		
Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts UB416 Round Form U Bolts - With Nuts UB418  SHACKLES Greaseable Shackles  S358HDK 2 ea  BRAKE PROPORTION SPACER						
Shackle Widths May Vary Between Brands  U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts UB416 Round Form U Bolts - With Nuts UB418  SHACKLES Greaseable Shackles  S358HDK 2 ea  BRAKE PROPORTION SPACER	SHACKLE BUSH KITS					
U-BOLTS (check length required)  Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts UB416 UB418  SHACKLES Greaseable Shackles S358HDK 2 ea  PINS Greaseable Pins P356HD 2 ea	33333	•		BU779UK	1 kit	
Round Form U Bolts - With Nuts  Round Form U Bolts - With Nuts  UB416 UB418  SHACKLES  Greaseable Shackles  S358HDK  2 ea  PINS  Greaseable Pins  P356HD  2 ea	IL-BOLTS (check length r					'
Round Form U Bolts - With Nuts  SHACKLES  Greaseable Shackles  S358HDK  2 ea  PINS  Greaseable Pins  P356HD  2 ea  BRAKE PROPORTION SPACER	O-DOLTO (check length i	cquireaj				
SHACKLES  Greaseable Shackles  S358HDK 2 ea  PINS  Greaseable Pins  P356HD 2 ea  BRAKE PROPORTION SPACER				UB416	— 4 ea	
Greaseable Shackles \$358HDK 2 ea  PINS Greaseable Pins P356HD 2 ea  BRAKE PROPORTION SPACER	CHACKIES	Round Form U Bolts - With Nuts		UB418		-
PINS Greaseable Pins P356HD 2 ea  BRAKE PROPORTION SPACER	SHACKLES					
Greaseable Pins P356HD 2 ea  BRAKE PROPORTION SPACER		Greaseable Shackles		S358HDK	2 ea	
BRAKE PROPORTION SPACER	PINS					
		Greaseable Pins		P356HD	2 ea	
Brake Proportioning Spacer SP-TOY-BRK01 1 ea	BRAKE PROPORTION SE					
		Brake Proportioning Spacer		SP-TOY-BRK01	1 ea	

Part and Location	J79 Utility - Single Cab Models 9/1999 O  Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35097GP		
o piranta o	35mm <b>Adjustable</b> Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers		SA35097GPA SA41091FCT	2 ea	
STEERING DAMPER					
I I	Expanded Body Steering Damper - Piranha		SD35024GP		
Ţ	1999-2006 Expanded Body Steering Damper - Piranha		SD35047GP	— 1 only	
COIL SPRINGS	2007+ V8 & 6 Cylinder Models				
COIL OF KINGS	Standard Height Heavy Duty Coil Springs	STD+	TLC-207		
	Raised Height Heavy Duty Coil Springs	50mm	TLC-203		F
	No Bar / Winch	SUIIIII	TLC-203		F
	Raised Extra Height Heavy Duty Coil Springs  Progressive Rate - With Bar / Winch	50mm	TLC-203HT	1 pr	C
	Raised Height Extra Heavy Duty Coil Springs				N
	Extreme loads to GVM	50mm	TLC-203HD		T
CASTER BUSH KIT					
	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
ABS EXTENSION					
C. C.	ABS Extension - Does not suit later models with DPF		ACCABSXT- TOY01	1 kit	
SWAY BAR SPACERS					
	Sway Bar Spacer		ACCSWBB- TOY02	2 ea	
SHOCK ABSORBERS					-
SHOCK ADSURDERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35099GP		
o piranha o	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35099GPA	 2 ea	
	41mm Foam Cell Shock Absorbers		SA41094FC		
LEAF SPRINGS	4 min Foam Cell Shock Absorbers		3A41034FC		-
LEAF SPRINGS	Raised Height Medium Duty 7 + 2 Leaf Springs				
	LBA up to 200kg	50mm	TOY020		
	Raised Height Heavy Duty 8 + 2 Leaf Springs <b>LBA 250kg to 400kg</b>	50mm	TOY020M	<del></del>	
	Raised Height Heavy Duty 9 + 2 Leaf Springs	50mm	TOY020MH	2 ea	
	LBA 400kg to 600kg Raised Height Extra Heavy Duty 8 + 2 Leaf Springs			_	
	with 10mm main & wrap leaves - constant load LBA 600kg to GVM	50mm	TOY020GV		R
SHACKLE BUSH KITS					E
	Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands		BU779UK	1 kit	A
U-BOLTS (check length r					•
O BOLTO (oncok longuit	oquii ou j				
	Round Form U Bolts - With Nuts		UB416	— 4 ea	
	Round Form U Bolts - With Nuts		UB418	— 4 <del>C</del> a	
SHACKLES	Greaseable Shackles		S358HDK	2 ea	
PINS 🐁					
	Greaseable Pins		P356HD	2 ea	
BRAKE PROPORTION SE	PACER				
W.	Brake Proportioning Spacer		SP-TOY-BRK01	1 ea	
G.					

TOYOTA LAN	IDCRUISER - 4WD				
70 Series Dual Cab	7/2012 Onwards	A	Dowt	Otry Day	
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers		SA35097GP SA35097GPA SA41091FCT	2 ea	
STEERING DAMPER	Expanded Body Steering Damper - Piranha		SD35047GP	1 only	
COIL SPRINGS	Standard Height Heavy Duty Coil Springs Raised Height Heavy Duty Coil Springs No Bar / Winch Raised Extra Height Heavy Duty Coil Springs Progressive Rate - With Bar / Winch Raised Height Extra Heavy Duty Coil Springs Extreme loads to GVM	STD + 50mm 50mm	TLC-207 TLC-203 TLC-203HT TLC-203HD	1 pr 	F R O N T
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	-
ABS EXTENSION	ABS Extension - Does not suit later models with DPF		ACCABSXT- TOY01	1 kit	
SWAY BAR SPACERS	Sway Bar Spacer		ACCSWBB- TOY02	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers		SA35099GP SA35099GPA SA41094FC	 2 ea	
LEAF SPRINGS	Raised Height Medium Duty 7 + 2 Leaf Springs	50			
	LBA up to 200kg Raised Height Heavy Duty 8 + 2 Leaf Springs LBA 250kg to 400kg	50mm 50mm	TOY020 TOY020M	_	
0	Raised Height Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg	50mm	TOY020MH	2 ea	
	Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	50mm	TOY020GV		R
SHACKLE BUSH KITS	Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands		BU779UK	1 kit	E A R
U-BOLTS (check length re	equired)				
	Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts		UB416 UB418	— 4 ea	
SHACKLES	Greaseable Shackles		S358HDK	2 ea	
PINS	Greaseable Pins		P356HD	2 ea	
BRAKE PROPORTION SP	ACER Brake Proportioning Spacer		SP-TOY-BRK01	1 ea	

TOYOTA LAN	NDCRUISER - 4WD  Station Wagon 8/1991 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35105GP	2 ea	
STEERING DAMPER	Expanded Body Steering Damper - Piranha		SD35024GP	1 only	F
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD	TLC-208		R O
	Raised Height Heavy Duty Coil Springs  LBA up to 50kg	50mm	TLC-202	1 pr	N T
	Raised Height Extra Heavy Duty Coil Springs LBA 50kg to 80kg	50mm	TLC-202HD	_	
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35106GP	2 ea	
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD	TLC-217		R
OWYD	Raised Height Heavy Duty Coil Springs Up to 150kg	50mm	TLC-213	_	E A
OWILL	Raised Height Extra Heavy Duty Coil Springs LBA 200kg to 300kg - constant load	50mm	TLC-213HD	1 pr	R
	Raised Height Ultra Heavy Duty Coil Springs  LBA 360kg to GVM - constant Load	50mm	TLC-213HHD		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

<sup>\*</sup> Early model 80 series 5/1990 - 8/1991 require different coils. Contact for more info.

HDJ100, HZJ100, U	JZJ100 I.F.S. Station Wagon  Description	4/1998	to 11/2007 Approx Lift	Part	Qty Per	
SHOCK ABSORBERS	2000.190.00		7 <b></b>	Number	Vehicle	
HOOK ADOOKBERO						
piranha	35mm Gas Bulged Shock Absorbers - Pir	ranha		SA35103GP	2 ea	
ORSION BARS						
	Increased Rate Torsion Bars  Length 1160mm			TOY041	1 pr	
	Petrol			101041	ı pı	
	Increased Rate Torsion Bars				-	
	Length 1210mm	l Engline		TOY041D	1 pr	
ORSION BAR SUPPOR	Diesel / Turbo Diesel / 6 Cylinder Petro T RRACKET	n Engine				
82	Torsion Bar Support Bracket			TOY041SUPPBKT	1 kit	
HOCK ABSORBERS						
piranha o	35mm Gas Bulged Shock Absorbers - Pir	ranha		SA35104GP	2 ea	
OIL SPRINGS						1
	Raised Height Heavy Duty Coil Springs Progressive Rate - LBA 50kg to GVM		STD	TLC-210		
<b>GWYYW</b>	Raised Height Heavy Duty Coil Springs Progressive Rate - LBA up to 150kg		20mm	TLC-209	- 1 nr	
	Raised Height Heavy Duty Coil Springs LBA up to 200kg		25mm	TLC-217	- 1 pr	
	Raised Height Extra Heavy Duty Coil Spr LBA 250kg Plus - constant load	ings	25mm	TLC-216HD	=	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35105GP	2 ea	
STEERING DAMPER	Expanded Body Steering Damper - Piranha		SD35024GP	1 only	. F
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD	TLC-208		R
	Raised Height Heavy Duty Coil Springs LBA up to 50kg	50mm	TLC-202	1 pr	N T
~~~~~	Raised Height Extra Heavy Duty Coil Springs  LBA 50kg to 80kg	50mm	TLC-202HD		
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35106GP	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  Progressive Rate	20mm	TLC-210		R
<b>GYVVYD</b>	Raised Height Heavy Duty Coil Springs Progressive Rate	40mm	TLC-209	1	A
	Raised Height Heavy Duty Coil Springs  LBA Up to 150kg	50mm	TLC-213	— 1 pr —	
	Raised Height Extra Heavy Duty Coil Springs  LBA 250kg to 400kg - constant load	50mm	TLC-213HD		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha  Must use BlueMax Top Plate Mount when using  BlueMax strut/shock absorbers		SA67200GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles With LBA up to 50kg Preassembled Strut/Coil With Top Plate Mount	40mm	TLC-218 COIL-ST-TLC01		
ASSEMBLY	Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount	40mm	KTFR-130H COIL-ST-TLC11	-	
The Man	Coil Springs For Vehicles With LBA 100kg to 130kg	40mm	TLC-218HD	1 pr	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TLC21	- I PI	
	Coil Springs For Vehicles With LBA 130kg plus	40mm	TLC-218HHD		
0	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TLC22	_	
	<b>Note:</b> Special Order Coils are available for vehicles with KDSS. With a 10mm Taller Coil on D/S				
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1107	2 ea	_
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35681GP	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  LBA Up to 150kg	25mm	TLC-219		
	Raised Height Heavy Duty Coil Springs  LBA 100kg to 250kg - constant load	45mm	KTRR-131H	4	
	Raised Height Heavy Duty Coil Springs LBA 300kg to 500kg - constant load	45mm	TLC-219HD	- 1 pr	
	Raised Height Extra Heavy Duty Coil Springs  LBA 500kg plus - constant Load	45mm	TLC-219HHD	-	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

<sup>\*</sup> Check vehicle KDSS suspension system. If fitted follow recommended fitment procedure outlined opposite.

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR01		
ASSEMBLY	Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR11		
Marile .	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR52	1 pr	
	Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HT COIL-ST-TPR51	_	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35682GP	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	50mm	TPR-205	1 pr	- I

TOYOTA FOR GUN156R 8/2015 O	RTUNER - 4WD nwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GP	2 ea	
COILS & STRUT	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL54		F
ASSEMBLY	Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR11		R
Challes .	Coils Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR	1 pr	O N T
	Tapered Coils Springs For Vehicles With Bullbar & Winch	40mm	TPR-204HT	-	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR51		
TOP PLATE MOUNT	Strut / Coil Assembly Top Plate Mount		TPL1083	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35686GP	2 ea	R
COIL SPRINGS					E
<b>QUVYXX</b>	Raised Height Heavy Duty Coil Springs	50mm	KTRR-215	1 pr	A R
OTYM	Raised Height Heavy Duty Coil Springs	Jonnin	KTRR-215HD	ı pı	

TOYOTA PRAI VZJ, KZJ, RZJ, KDJ	OO 95 SERIES - 4WD 95 Station Wagon 1996 to 2003				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67222G	2 ea	
COILS & STRUT ASSEMBLY	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	30mm	TPR-201 COIL-ST-TPR06	-	F R
Willia.	Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-201HD COIL-ST-TPR26	1 pr	O N T
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1081	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		SA35661G	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  LBA Up to 150kg	30mm	TPR-203	1 nr	E A R
	Raised Height Heavy Duty Coil Springs LBA 200kg plus - constant load	40mm	TPR-203HD	- 1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA PRADO 120 SERIES - 4WD VZJ, KZJ, RZJ, KDJ 120 SWB & LWB Station Wagon 2003 to 11/2009 *Excludes Air Suspension Models						
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle		
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67088GP	2 ea		
COILS & STRUT	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR04			
ASSEMBLY	Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR14	•	F	
Chinally and a	Coils Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HD COIL-ST-TPR22	1 pr	R O	
	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR54	•	N T	
	Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HT COIL-ST-TPR55			
TOP PLATE MOUNT	Strut Top Plate Mount		TPL-1083	2 ea		
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 11mm stem		SA35682GP	2 ea		
COIL SPRINGS	Raised Height Heavy Duty Coil Springs LBA Up to 150kg	40mm	TPR-205		R E A	
	Raised Height Heavy Duty Progressive Rate Coils	40mm	TPR-206	1 pr	R	
	Raised Height Extra Heavy Duty Coil Springs  LBA 200kg plus - constant load	40mm	TPR-205HD	•		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	ADO 150 SERIES - 4WD  ODJ155, GX & GXL Station Wagon 2010 C	Onwards ∗	Excludes Air Suspe	ension Mod	dels
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67095GP	2 ea	
COILS & STRUT	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR05		
ASSEMBLY	Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR15	_	
Marine.	Coils Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HD COIL-ST-TPR23	-	F R
China dia	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR57	1 pr	-
Ching His .	Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HT COIL-ST-TPR58	-	
	SWB Models Coils Springs For Vehicles With No Bar / Winch Raised Height Heavy Duty Coil Springs	40mm	KTFS-101		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1083	2 ea	
SHOCK ABSORBERS					
o piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35686GP	2 ea	
COIL SPRINGS	LWB Models				R
ammo	Raised Height Heavy Duty Coil Springs  LBA up to 150kg	40mm	TPR-205	– – 1 pr	
	Raised Height Heavy Duty Progressive Rate Coils	40mm	TPR-206		
<b>OIYVID</b>	Raised Height Extra Heavy Duty Coil Springs  LBA 200kg to 350kg	40mm	TPR-205HD	- I pi	
	SWB Models				
	Raised Height Heavy Duty Coil Springs	40mm	KTRS-102		


<sup>\*</sup>LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
TRUT				
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67090GP	2 ea
DIL SPRINGS	Raised Height Heavy Duty Coil Springs No bar / Winch	20mm	VW-201	— 1 pr
	Raised Extra Height Heavy Duty Coil Springs With bar / Winch	20mm	VW-201H	— трі
IOCK ABSORBERS				
piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35085GP	2 ea
AF SPRINGS	Raised Height Heavy Duty Leaf Springs 3 + 3  LBA 200 kg to 400kg	20mm	VW001M	— 2 ea
	Raised Height Extra Heavy Duty Leaf Springs 3 + 3  LBA 500kg to GVM - Additional camber	20mm	VW001MH	— 2 ea
HACKLE BUSH KITS	Polyurethane Bush Kit		BU780UK	1 kit
BOLTS	* does not include chassis bushes			
DOLIG	Round Form U Bolts - With Nuts		UB453-3	4 ea

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
TRUT				
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67090GP	2 ea
OIL SPRINGS	Raised Height Heavy Duty Coil Springs No bar / Winch	20mm	VW-201H	— 1 pr
	Raised Extra Height Heavy Duty Coil Springs With bar / Winch	20mm	VW-201HH	- ı pı
OCK ABSORBERS				
piranba 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35085GP	2 ea
EAF SPRINGS	B: 111:1411 B: 1 1 60 : 0:0			
	Raised Height Heavy Duty Leaf Springs 3 + 3 <b>LBA 200 kg to 400kg</b>	20mm	VW001M	2.00
	Raised Height Extra Heavy Duty Leaf Springs 3 + 3  LBA 500kg to GVM - Additional camber	20mm	VW001MH	— 2 ea
HACKLE BUSH KITS				
9.89.6	Polyurethane Bush Kit * does not include chassis bushes		BU780UK	1 kit
BOLTS				
	Round Form U Bolts - With Nuts		UB453-3	4 ea

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)



PH: 1800 630 411







www.ssa.com.au

## **BRISBANE** · **MELBOURNE** · **PERTH**

SSA | BRISBANE

219 Toombul Road Northgate Queensland 4013 3: 07 3370 3200 ⊠: info@ssa.com.au

## MCNAUGHTAN'S | MELBOURNE

321 Greens Rd Keysborough, VIC, 3173 3: 03 8768 6666 ⊠: vicsales@mcnaughtans.com.au

## MCNAUGHTAN'S | PERTH

3 Kalli Street, Malaga Western Australia, 6090 3: 08 92481833 ⊠: wainfo@mcnaughtans.com.au