



www.ssa.com.au



www.piranhaoffroad.com.au

# **TABLE OF CONTENTS**

Chapter	Page
Parts Warranty	viii
Conditions of Sale	ix
2WD CATALOGUE	
Ford Courier - PC, PD, PE, PG, PH 1985 to 11/2006	2.01
Ford Ranger - PJ, PK 2.5 Diesel Standard Chassis 1/2007 to 8/2011	
Ford Ranger - PJ, PK 2.5 Diesel Standard Chassis 1/2007 to 6/2011	
-	
Ford Ranger - PX I & II Standard Chassis Underslung Rear Leaf 9/2011 to 6/2018	
Ford Ranger - PX II & II High Rider Chassis Overslung Rear Leaf 9/2011 to 6/2018	
Ford Ranger - PX III Standard Chassis Underslung Rear Leaf 7/2018 to Current	
Ford Ranger - PX III High Rider Chassis Overslung Rear Leaf 7/2018 to Current	
Ford Falcon Wagon - XE-XF 6 Cyl & V8, EA-EL 6 Cyl, EB-EL V8, AU 6 Cyl & V8, BA-BF, BF MK II & III	
Ford Falcon Utility - AU, BA-BF, FG Ute Not Suitable for RTV Utilities	
Ford Territory - SX, SY 2004 to 9/2007	
Ford Territory - SX, SY 10/2007 to 5/2011	
Holden Rodeo - KB/TFS 8/1988 to 2003	
Holden Rodeo - RA Standard Chassis 3/2003 to 2008	
Holden Rodeo - RA Hi-Rider 3/2003 to 2008	
Holden Colorado - RC Standard Chassis 9/2008 to 5/2012	
Holden Colorado - RC Hi-Rider 9/2008 to 5/2012	
Holden Colorado - RG Hi-Rider 5/2012 to 2020	
Holden Colorado 7/Trailblazer - LT & LTZ 11/2012 to 2020	
Hyundai iLoad - 2.4, 2.5 CRDI	
Isuzu D-Max - 9/2008 to 5/2012	
Isuzu D-Max - TFS85 Standard Chassis 6/2012 Onwards	
Isuzu D-Max - TFS85 Hi-Rider 6/2012 to 5/2020	
Isuzu D-Max - Hi-Rider 6/2020 Onwards	
Isuzu MU-X — 4x2 2013 to 7/2021	
Isuzu MU-X — 4X2 7/2021 Onwards	2.25
Mazda Bravo - 1985 to 11/2006	
Mazda BT50 - 2.5L Diesel Standard Chassis 1/2007 to 8/2011	
Mazda BT50 - 3L Diesel Hi-Rider 1/2007 to 8/2011	
Mazda BT50 - 2.2L Standard Chassis 8/2011 to 9/2020	
Mazda BT50 - 2.2L & 3.2L Diesel Hi-Rider 8/2011 to 9/2020	
Mazda BT50 - Hi-Rider 10/2020 Onwards	
Mitsubishi Triton - ME, MF, MG, MH, MJ, MK 1987 to 9/2006	
Mitsubishi Triton - ML, MN 5/2006 to 5/2015	
Mitsubishi Triton - MQ, MR 5/2015 Onwards	
Nissan Navara - D21, D22 to Current Model	
Nissan Navara - D40 11/2005 Onwards	
Nissan Navara - D40 2012 Onwards	
Toyota Hilux - 8/1088 to 2005	
Toyota Hilux - 2005 to 10/2015	2 39

## **2WD CATALOGUE CONT.** Toyota Hilux Std Chassis - 10/2015 Onwards......2.40 Toyota Hilux High Ride Chassis - 10/2015 Onwards......2.41 **MISCELLANEOUS SUSPENSION PARTS** Centre Bolts 3.01 **U-BOLTS 4WD CATALOGUE** Ford Ranger - PJ, PK 2007 to 8/2011......4.06 Ford Ranger - PX | & || 2011 to 6/2018......4.07 Ford Ranger – Next Gen 4 Cylinder.......4.09 Ford Ranger – Next Gen 6 Cylinder......4.10

Holden Colorado - RG 5/2012 to 2020	4.26
Holden Colorado 7/Trailblazer - LT & LTZ 11/2012 to 2020	4.27
Holden Jackaroo - UBS 13, 16, 52 LWB Wagon 11/1981 to 10/1986	4.28
Holden Jackaroo - UBS 16, 17, 52, 55 LWB Wagon 11/1986 to 1991	4.29
Holden Jackaroo - UBS 25, 69 SWB & LWB Wagon 4/1992 to 2004 (including Monterey)	4.30
Hyundai Terracan - HP 11/2001 to 12/2007	4.31
Isuzu D-Max - 9/2008 to 5/2012	4.32
Isuzu D-Max - 5/2012 to 5/2020	4.33
Isuzu D-Max - 6/2020 Onwards	4.34
Isuzu MU-X - 2013 to 7/2021	4.35
Isuzu MU-X - 7/2021 Onwards	4.36
Jeep Cherokee - XJ Limited, Classic, Sport 1994 to 2001	4.37
Jeep Cherokee - ZG, ZJ GRAND CHEROKEE 4/1996 to 1999	4.38
Jeep Cherokee - WJ, WG GRAND CHEROKEE 1999 to 6/2005	4.39
Jeep Cherokee - WH, WK1 GRAND CHEROKEE 7/2005 to 2010 (WK Series 1 only)	4.40
Jeep Cherokee - KJ 9/2001 to 1/2008	4.41
Jeep Cherokee - KK 2008 Onwards Limited Edition Only (Sport Model may vary)	4.42
Jeep Wrangler - TJ 10/1996 to 2007	4.43
Jeep Wrangler - JK SWB & LWB 3/2007 Onwards	4.44
Mahindra - Pickup	4.45
Mazda Bravo - B2200, B2500, B2600 Utility 3/1987 to 11/2006	4.46
Mazda BT50 - 2007 to 10/2011	4.47
Mazda BT50 - 10/2011 to 09/2020	4.48
Mazda BT50 - 10/2020 Onwards	4.49
Mitsubishi Triton - ME, MF, MG, MH, MJ, MK 1987 to 2006	4.50
Mitsubishi Triton - ML, MN 5/2006 to 5/2015	4.51
Mitsubishi Triton – MQ MR 5/2015 Onwards	4.52
Mitsubishi Pajero - NA - NL SWB & LWB Leaf Springs Rear 5/1991 to 1996	4.53
Mitsubishi Pajero - NF- NL SWB V6 Wagon 1989 to 2000	4.54
Mitsubishi Pajero - NF, NG, NH, NJ, NK, NL LWB V6 TDI Wagon 1988 to 2000	4.55
Mitsubishi Pajero - NM, NP, NS, NT SWB (3 Door) 2000 to 2014	4.56
Mitsubishi Pajero - NM, NP, NS, NT, NW, NX - LWB 2000 to Current	4.57
Mitsubishi Challenger - Montero Sport PA - Leaf Springs Rear 1998 Onwards	4.58
Mitsubishi Challenger - Montero Sport PA - Coil Springs Rear 1996 to 2008	4.59
Mitsubishi Challenger - PB 2009 to 2013 Onwards	4.60
Mitsubishi Challenger - PC 2013 to 2016	4.61
Mitsubishi Pajero Sport – QE QF 1/2015 Onwards	4.62
Nissan Navara - D21, D22 Pickup, Single / Dual Cab, King Cab 9/1985 to current	4.63
Nissan Navara - D40 2005 to 2015	4.64
Nissan Navara - D40 4/2010 Onwards STX 550 V6 Diesel	4.65
Nissan Navara - NP300 2015 Onwards Coil Springs Rear	4.66
Nissan Navara - NP300 2015 Onwards Leaf Springs Rear	4.67
Nissan Pathfinder - WD21 Terrano 1, Bakkie, Trader 10/1987 to 1995	4.68
Nissan Pathfinder - R51 2005 to 2012	4.69
Nissan Pathfinder - R51 Ti 550 2010 to 2012	4.70
Nissan X-Trail - T30 Wagon 2001 to 9/2007	4.71
Nissan X-Trail - T31 Wagon 10/2007 Onwards	4.72

Nissan Patrol - GQ / Y60 SWB Station Wagon & GR, Safari, KYY60 2/1988 to 1998	4.73
Nissan Patrol - GQ / Y60 LWB Station Wagon & GR, Safari, WYG60 8/1987 to 1997	4.74
Nissan Patrol - GQ / Y60 Cab Chassis & Utility Leaf Sprung 1988 to 5/1999	4.75
Nissan Patrol - GQ / Y60 Cab Chassis & Utility Coil Sprung 1992 to 5/1999	4.76
Nissan Patrol - GU / Y61 Cab Chassis Utility Leaf Springs Rear 1999 Onwards	4.77
Nissan Patrol - GU / Y61 LWB Station Wagon 12/1997 Onwards	4.78
Nissan Patrol - GU / Y61 Cab Chassis & Utility Coil Springs 5/1999 Onwards	4.79
Rover Landrover - Defender 110 & TD5 LWB 110 Wheelbase 1992 to 2001	
& 130 Wheelbase Double Cab 1994 to 1999	4.80
Rover Landrover - Discovery Series I 1991 to 3/1999	4.81
Rover Landrover - Discovery Series II 3/1999 to 2004	4.82
Rover Landrover - Discovery Series III 1/2005 Onwards	
Rover - Range Rover - All Models 1971 to 1998 excluding air suspension	
Ssangyong - Musso & Korando 1995 to 2006	
Subaru Forester - MY99, MY00, MY01 1997 to 6/2002	
*excluding self levelling suspension	4.86
Subaru Forester - MY03, MY04, MY05 7/2002 to 7/2008	
*excluding 2.5L turbo and all self levelling suspension	4.87
Suzuki Jimny - SN413 to JB33 Wagon All Models 1998 Onwards	
Suzuki Jimny – GJ 2018 Onwards	
Suzuki Sierra - SJ & LJ 1981 to 3/1996 (also Holden Drover)	
Suzuki Sierra - SJ80 / SJ413 4/1996 to 12/1998	
Suzuki Vitara - SE416 1.6 Litre & SE420 2 Litre 3 door SWB 1988 to 1997	
Santana, Sidekick, Escudo, Geo Tracker	4.92
Suzuki Vitara - SE416 & SV420 / 620 5 door LWB Sidekick, Escudo 1991 to 1998	
Suzuki Vitara - Grand Vitara SWB, LWB, XL7 4Cyl & V6 1998 to 2005	
Suzuki Vitara - Grand Vitara JB416 4Cyl & JB627 V6 8/2005 Onwards	
Toyota Hilux & 4 Runner - Leaf Spring Front & Rear Pre I.F.S. LN / RN36 / 46 / 105	
LN / YN65 / 67 / 106, SR5 Models 1979 to 11/1997	4.96
Toyota Hilux - I.F.S. Single Cab / Dual Cab LN107 SR5, LN108, RN106 9/1991 to 2005	
Toyota Hilux - I.F.S. LN / KZN / RN165/166/167, LN170 (2.4L Dsl), LN172 (3.0L Dsl), RZN169	
Single Cab / Dual Cab / Extra Cab 10/1997 to 2005	
Toyota Hilux 4 Runner - I.F.S. LN61, YN63, Surf 8/1985 to 1989	
Toyota Hilux 4 Runner - I.F.S. LN / RN / YN / VZN130, Surf 11/1989 to 1997	
Toyota Hilux - KUN 26 4/2005 to 2015	
Toyota Hilux - GUN 126 2015 Onwards Revo	
Toyota Landcruiser - FJ45 / HJ47 LWB 7/1980 Onwards	
Toyota Landcruiser - FJ60 / HJ60 Station Wagon 1980 to 1990	
Toyota Landcruiser - FJ / HJ75 1984 to 1990 FZJ/HZJ75 1990 to 9/1999 Utility & Troop Carrier	
Toyota Landcruiser - VDJ76 Station Wagon 2007 Onwards	
Toyota Landcruiser - FZJ78 / HZJ78 / VDJ78 Troop Carrier 9/1999 Onwards	
Toyota Landcruiser - FZJ79 / HZJ79 / VDJ79 Single Cab Models Utility 9/1999 Onwards	
Toyota Landcruiser - 70 Series Dual Cab 7/2012 Onwards	
Toyota Landcruiser - FJ80, HDJ80, HZJ80 Station Wagon 8/1991 Onwards	
Toyota Landcruiser - HDJ100, HZJ100, UZJ100 I.F.S. Station Wagon 4/1998 to 11/2007	
Toyota Landcruiser - FZJ105R, HZJ105R Station Wagon 4/1998 to 11/2007	

Toyota Landcruiser - 200 Series Station Wagon UZJ, URJ, GRJ, VDJ 11/2007 Onwards	
*excluding air suspension models	4.113
Toyota Landcruiser - 300 Series Station Wagon	4.114
Toyota Landcruiser - FJ Cruiser 2006 Onwards	4.115
Toyota Fortuner – GUN156R	4.116
Toyota Prado 95 Series - VZJ, KZJ, RZJ, KDJ 95 Station Wagon 1996 to 2003	4.117
Toyota Prado 120 Series - VZJ, KZJ, RZJ, KDJ 120 SWB & LWB Station Wagon	
-2003 to 11/2009 * excluding KDSS	4.118
Toyota Prado 150 Series - KDJ150, GRJ150, KDJ155 GX & GXL Station Wagon	
-2010 Onwards * excluding KDSS	4.119
VW Amarok - 2010 Onwards * excludes V6 models	4.120
VW Amarok - 2016 Onwards V6 model	4.121

## WARRANTY INFORMATION

## 2WD/4WD PARTS WARRANTY

At McNaughtan's T/A Suspension Supplies Australia (SSA) discretion, we will replace or repair any SSAproduct which is found to be defective in material and/or workmanship, providing it has been correctly installed, maintained and that any part failure or breakage occurs on a registered vehicle under conditions of normal use.

This is a limited warranty valid for a period after the original invoice date as follows:

- Suspension Components: 3 years or 60,000 Kilometers, whichever comes first.
- Shock Absorbers: Piranha 3 years or 100,000 Kilometers Blue Max & SACHS 3 years or 60,000 Kilometers whichever comes first
- Upper Control Arms: 1 year on Manufacturing faults (excludes ball joints & bushes. Replacement parts available)
- Polyurethane Leaf Spring Bushes: 5 years or 100,000 Kilometers. When used with Greasable Pins & Shackles (When Regularly Greased with a Lithium Based Grease)
- Consumables: 90 days from the date of invoice.

The warranty applies to the defective part only and does not cover any costs associated with the removal or replacement and/or forwarding or return of the part. The Purchaser agrees to indemnify and hold Suspension Supplies Australia harmless from and against any loss, injury or damage, to person or property that extends beyond the warranties set, whether the claims against Suspension Supplies Australia or the damages are incidental or consequential. The warranty covers the original purchase and is not transferable.

#### Warranty exclusions also include the following:

- 1. Fitting a part to a vehicle that is not (i) correctly matched with other suspension components or (ii) intended for the application.
- 2. Any repairs, alterations or modifications to the product or installation.
- 3. Vehicle modifications subsequent to the purchase of SSA parts may void warranty.
- The operation of the subject vehicle loaded outside the manufacturer's recommendations and/or exceeding relevant Government's GVM limits will void the warranty.
- 5. Any product subjected to accident, extreme use or negligence.
- 6. The use and/or reworking of second hand parts.
- 7. Normal wear and tear.

Suspension Supplies Australia is to be notified by the Purchaser of a defect in writing/email as soon as it is noticed. Repair or replacement is preconditioned on the examination of the goods by Suspension Supplies Australia, which may require the goods to be returned to SSA's premises at 219 Toombul Road, Northgate Qld 4013.

Warranty claims made without substantial records will not be considered. Claims are to include a copy of the original invoice showing purchase date, detailing the vehicle owner, vehicle description and odometer reading – the installer's details must also accompany the claim. Vehicle details current at the time of claim will also be required.

### SERVICE WARRANTY

Work performed by our service department is covered for 90 days provided the vehicle is operated under conditions of normal use with the above conditions and exclusions applying.

## **CONDITIONS OF SALE**

The Vendor sells and the Purchaser buys the goods and services as per invoice and on the following conditions.

The Purchaser will pay the price of these goods and services to the Vendor within the time agreed with the Vendor. If there has been no agreement as to time, payment must be paid within 7 days of this invoice.

Title to these goods does not pass to the Purchaser until the Vendor is paid in full for these goods and services and all other goods and services previously supplied by the Vendor.

#### The Purchaser will:

- 1. Store separately goods, which have not been paid for.
- 2. Keep separate records of the proceeds for the sale of any goods which have not been paid for, bank the proceeds into a separate account on behalf of the Vendor and immediately remit the proceeds to the credit of the Vendor; and
- If any goods are used in a manufacturing process, or incorporated into vehicles or other
  machinery, record the value of goods so used in relation to each unit finished product and upon sale
  of any unit of finished product immediately pay the value to the Vendor from the proceeds of the sale.

If the Purchaser does not pay for any goods by the date specified in these conditions the Vendor may enter the Purchasers premises (or any premises under the control of the Purchaser or its agents) and use reasonable force to take possession of the goods without liability for trespass, negligence or the payment of any compensation to the Purchaser.

Risk in the goods passes to the Purchaser upon delivery of the goods to the Purchaser or upon collection of the goods by the Purchaser's agent or courier.

### DELIVERY CONDITIONS FOR DISPATCHED GOODS

Our responsibility ceases on delivery to courier transport company or rail. Before signing for or accepting parcels, examine for loss or damage. When loss or damage occurs claim immediately on the carrier or your Insurance Company.

#### **Return of Goods**

Suspension Supplies Australia is to be notified prior to goods being returned. Any returns are to be within 21 days of invoice date. Invoice Number and date must be quoted before credit will be considered and freight prepaid. Prices are ex-Store Freight, Insurance etc., are owners cost. We reserve the right to charge a 15% handling/restocking fee.

#### **Special Products**

Products that are made to customer's special order, customer's specifications or are non-stock products, are not acceptable for return or credit. Cancellation of orders for special or non-stock products will not be accepted.

**NOTE:** This catalogue has been produced as a guide to select replacement parts. The manufacturer's names, O.E.M. reference numbers and illustrations appearing in this catalogue are used only to aid in identification of Suspension Supplies parts. Care has been exercised in producing this catalogue accurately, but no liability is accepted for errors or omissions that may be present.









www.ssa.com.au

**Note:** The "Bluemax" parts offered are not O.E.M. Parts. Manufacturer's names, part numbers and other references or illustrations are for identification purposes only. The products offered are after market parts suitable for the use or vehicle prescribed.

FORD COURI	ER - 2WD 1985 to 11/2006				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		Liit	itamboi	70111010	
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	_
TORSION BARS					F R
	Increased Rate Torsion Bars Length 898mm		MAZDA009	1 pr	O N
SHOCK MOUNT REINFOR	CEMENT BRACKET				Т
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea	
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS	Raised Height Heavy Duty 6 + 2 Leaf Springs  LBA up to 250kg		MAZDA006	2 ea	
0	Raised Height Extra Heavy Duty 7 + 2 Leaf Springs LBA 300kg to 500kg		MAZDA006M	z ea	
SHACKLE BUSH KITS					
0000	Polyurethane Bush Kit		BU756UK	1 kit	R E
U-BOLTS	Round Form U Bolts - With Nuts  * Check U bolt dimensions before ordering as some later models vary		UB451	4 ea	R
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS					
	Greaseable Pins		P794	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)
NOTE: 4 x 2 Hi-Rider models 2004 to 2006 are exceptions.
Refer 4 x 4 section of catalogue

FORD RANGE	R - 2WD tandard Chassis Underslung Rear Leaf	1/2007	to 8/2011		
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
O pirante O	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea	
TORSION BARS					F R
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr	O N
SHOCK MOUNT REINFOR	CEMENT BRACKET				' Т
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers Confirm Shock Measurements Before Ordering - Can	Be SA3509!	*SA35650GLB* 5GP	2 ea	
LEAF SPRINGS	-				
<i></i>	STD Chassis With Underslung Leaf Springs Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA060M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA060MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 600kg to GVM	30-40mm	MAZDA060GV		
SHACKLE BUSH KITS	•				R E
9999	Polyurethane Bush Kit		BU765UK	1 kit	A
U-BOLTS					
	Round Form U Bolts - With Nuts		UB475	4 ea	
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

\* Contact SSA For More Info\*

FORD RANGE PJ, PK 3L Diesel	ER - 2WD Hi-Rider Overslung Rear Leaf 1/2007	to 8/2011			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		Liit	Number	Vernois	
O piranta O	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea	_
TORSION BARS					F R
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr	O N
SHOCK MOUNT REINFOR	CEMENT BRACKET				Т
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea	
LEAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA		
	Hi-Rider Chassis With Overslung Leaf Springs				
	Raised Height Comfort 4 + 2 Leaf Springs <b>LBA Up to 200kg</b>	30-40mm	MAZDA050		
. Jo	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA up to 300kg	30-40mm	MAZDA050M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA050MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 600kg to GVM	30-40mm	MAZDA050GV		R E
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU765UK	1 kit	A R
U-BOLTS					
0-BOLI3	Round Form U Bolts - With Nuts		UB475	4 ea	
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD RANGE		2011 to 6/2	018		
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		TBA	2 ea	F
COIL SPRINGS	Raised Height Heavy Duty Coils		TBA	1 pr	R
TOP PLATE MOUNT	Strut Top Plate Mount		TPL3080	2 ea	0
TAIL SHAFT SPACER KIT	Driveshaft Centre Bearing Spacer Kit		SP-MAZ-01	1 kit	N T
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers		*SA35650GLB*	2 ea	
	Confirm Shock Measurements Before Ordering - 0	Can Be SA35095	GP		
LEAF SPRINGS	STD Chassis With Underslung Leaf Springs Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm 30-40mm	MAZDA060M MAZDA060MH	_ 2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA060GV		R
SHACKLE BUSH KITS	Polyurethane Bush Kit - Use With MAZDA060, MAZDA060M , MAZDA060MH & MAZDA060GV		BU773UK	1 kit	E A R
U-BOLTS	Round Form U Bolts - With Nuts		UB473	4 ea	
SHACKLES	Greaseable Shackles		S389K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

\* Contact SSA For More Info\*

UPPER CONTROL ARMS	Upper Control Arms - Piranha			
	Upper Control Arms - Piranha			
			UCAFOR01	1 pr
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GP	
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GPA	2 ea
COILS & STRUT ASSEMBLY	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210 COIL-ST-FOR01	-
AGGEMBET	Coils Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210H COIL-ST-FOR03	-
	Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HD COIL-ST-FOR21	
Minus.	Coils Springs For Vehicles With Steel Bullbar & Winch	40mm	FOR-210HHD	1 pr
Will lie	Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles Without Bullbar		COIL-ST-FOR04	
Chinalia.	Raised Height Coil Springs - Tapered Comfort Coil Tapered Coils Springs For Vehicles Without Bullbar	40mm	COIL-ST-FOR05	
•	Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With Steel Bullbar	40mm	COIL-ST-FOR52	-
	or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HDT COIL-ST-FOR06	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL3080	2 ea
TAIL SHAFT SPACER KIT			11 20000	2 00
10000	Driveshaft Centre Bearing Spacer Kit to prolong centre bearing life		SP-MAZ-01	1 kit
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	
O piranha O	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA	2 ea
EAF SPRINGS	Hi-Rider Chassis With Overslung Leaf Springs			
	Raised Height 5 Leaf <b>Parabolic</b> Springs <b>LBA Up to 300kg - Must Use BU770UK</b>	40mm	MAZDA052P5	
-	Raised Height Comfort 4 + 2 Leaf Springs <b>LBA Up to 200kg</b>	40mm	MAZDA050	
0	Raised Height Medium Duty 5 + 2 Leaf Springs  LBA 200kg to 400kg	40mm	MAZDA050M	2 02
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	40mm	MAZDA050MH	- 2 ea
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	MAZDA050GV	
SHACKLE BUSH KITS				
11.2/2	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK	
	Polyurethane Bush Kit - Use With MAZDA050, MAZDA050M , MAZDA050MH & MAZDA050GV		BU773UK	1 kit
U-BOLTS				
	Round Form U Bolts - With Nuts  Round Form U Bolts - With Nuts		UB473 UB473-1	4 ea
SHVCKI ES	use with MAZDA050MH & MAZDA050GV			
SHACKLES			S389K	2 ea

FORD RANGI PX III Standard Ch	ER - 2WD  nassis Underslung Reaf Leaf 07/2018	to Current			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		ТВА	2 ea	·F
COIL SPRINGS	Raised Height Heavy Duty Coils		TBA	1 pr	R
TOP PLATE MOUNT	Strut Top Plate Mount		TPL8099	2 ea	0
TAIL SHAFT SPACER KIT	Driveshaft Centre Bearing Spacer Kit to prolong centre bearing life		SP-MAZ-01	1 kit	N T
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers  Confirm Shock Measurements Before Ordering - Ca	ın Be SA35095	*SA35650GLB*	2 ea	
LEAF SPRINGS	STD Chassis With Underslung Leaf Springs Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves	30-40mm	MAZDA060M	_	
	LBA 400kg to 600kg Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA060GV	2 ea —	R
SHACKLE BUSH KITS	Polyurethane Bush Kit - Use With MAZDA060, MAZDA060M, MAZDA060MH & MAZDA060GV		BU773UK	1 kit	E A R
U-BOLTS	Round Form U Bolts - With Nuts		UB473	4 ea	
SHACKLES	Greaseable Shackles		S389K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

\* Contact SSA For More Info\*

FORD RANGE PX III High Rider C	R - 2WD hassis Overslung Reaf Leaf 07/2018 to	Current			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	Upper Control Arms - Piranha		UCAFOR01	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67093GP	2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Alloy Bullbar	40mm 40mm	FOR-224 COIL-ST-FOR07 FOR-224H	-	
	Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles WithSteel Bullbar or Alloy Bar & Winch	50mm	COIL-ST-FOR08 FOR-224HH	-	F R O
Chinalia.	Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles WithSteel Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	50mm	FOR-224HD COIL-ST-FOR12	1 pr	N T
	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Alloy Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm 40mm	FOR-224T COIL-ST-FOR10 FOR-224HT COIL-ST-FOR11	-	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL8099	2 ea	
TAIL SHAFT SPACER KIT	Struct Top Frace Would		17 20033	Z ea	
TAIL SHAFT SPACER KIT	Driveshaft Centre Bearing Spacer Kit to prolong centre bearing life		SP-MAZ-01	1 kit	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GP SA35095GPA	2 ea	
LEAF SPRINGS	Hi-Rider Chassis With Overslung Leaf Springs Raised Height 5 Leaf Parabolic Springs LBA Up to 300kg - Must Use BU770UK	40mm	MAZDA052P5		
~~	Raised Height Comfort 4 + 2 Leaf Springs <b>LBA Up to 200kg</b>	40mm	MAZDA050		
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	MAZDA050M	0	
0	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	40mm	MAZDA050MH	- 2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	MAZDA050GV	-	R
SHACKLE BUSH KITS					A
11.00	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK	-	R
	Polyurethane Bush Kit - Use With MAZDA050, MAZDA050M, MAZDA050MH & MAZDA050GV		BU773UK		
U-BOLTS	Round Form U Bolts - With Nuts		UB473	_	
	Round Form U Bolts - With Nuts use with MAZDA050MH & MAZDA050GV		UB473-1		
SHACKLES	Greaseable Shackles		S389K		
PINS	Greaseable Pins		P387-2		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD FALCO XE-XF 6 Cyl & V8,	N Wagon - 2WD EA-EL 6 Cyl, EB-EL V8, AU 6 Cyl & \	/8, BA	-BF, BF MK I	II & III	
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		Liit	Number	Verneie	
	Gas Shocks - XE to XF		SAB28160		
	Gas Struts - EA to EL		SAB28240	- - 2 ea	F
	Gas Struts - AU I, II, III		SAB28800	_ Z	R
	Gas Struts BA to BF		SAB36690		O
COIL SPRINGS	Standard Height Plus Heavy Duty Coil Springs	20mm	H/Duty Coil available on request for each model	1 pr	T
SHOCK ABSORBERS					
•	Gas Shock Absorbers - XE to EL		SAB28220	- 2 ea	
	Gas Shock Absorbers - AU to BF		SAB36670	– 2 <del>e</del> a	
LEAF SPRINGS	Raised Height Heavy Duty 6 Leaf Springs  Fixed end eye = 54mm  Must use BlueMax bush kit with these springs  LBA up to 400kg	15-20mm	FORD020	2 ea	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU744UK	1 kit	R E A
U-BOLTS	Early Models up to BA				R
	Round Form U Bolts - With Nuts UB258 = 230mm x 75mm x 7/16" round		UB258		
	UB258L = 260mm x 75mm x 7/16" round		UB258L	4 ea	
	After BA Round Form U Bolts - With Nuts UB458 = 190mm x 75mm x 9/16" round		UB458		
SANDWICH PLATES	U Bolt Sandwich Plates - <b>sold in pairs</b>		SPS-FORD	2 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD FALCO AU, BA-BF, FG Ute	N Utility - 2WD  Not Suitable for RTV Utilities				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		LIII	Number	venicie	
	AU, AU11-A11 V6 & V8, XR6 & XR8 Ute		SAB28800		
	BA to BF - ALL Utes		SAB36690	 2 ea	F
	FG-XR6 & XR8 & XR6 Turbo & R6 Ute		SA673637G		R
COIL SPRINGS	Standard Height Plus Heavy Duty Coil Springs	40mm	H/Duty Coil available on request for each model	1 pr	O N T
SHOCK ABSORBERS	AU-BF - 07/1999 to 09/2006		SAB36660	2 ea	
	FG-XR6 & XR8 & XR6 Turbo Ute - 02/2008 Onwards		SAS314317 SAS314316	1 R 1 L	
	FG-R6 Ute - 02/2008 Onwards		SAS314315	2 ea	
LEAF SPRINGS	NB: Not Suitable For XR Models Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 400kg Raised Height Extra Heavy Duty 5 + 2 Leaf Springs	25-30mm		2 ea	
	LBA 500kg to GVM	25-30mm	FORD021M		R
SHACKLE BUSH KITS	Polyurethane Bush Kit  Fixed end eye = 54mm  Must use BlueMax bush kit with these springs		BU744UK	1 kit	E A R
U-BOLTS					
	Round Form U Bolts - With Nuts  UB458 = 190mm x 75mm x 9/16" round		UB458		
	UB458-1 = 210mm x 75mm x 9/16" round		UB458-1		
	<b>OR</b> UB453-1 = 215mm x 83mm x 9/16" round		UB453-1	4 ea	
SANDWICH PLATES	U Bolt Sandwich Plates - <b>sold in pairs</b> FORD021 2pr FORD021M 4pr		SPS-FORD	2/4pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

SX, SY 2004 to					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Con Spring Sout Shook Absorbore		SA673673G	1 L	F
	Strut/Gas Spring Seat Shock Absorbers		SA673674G	1 R	R
COIL SPRINGS					O N
	Raised Height Heavy Duty Coil Springs  2WD Only	20mm	FOR-212	1 pr	Т
SHOCK ABSORBERS					
	30mm Gas Bulged Shock Absorbers		SAB36680	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  2WD only	20mm	FOR-214	1 pr	A R

FORD TERRI SX, SY, SZ 10/20	TORY - 2WD 007 to 5/2011				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT / SHOCK ABSOR	BERS				
>	Strut/Gas Spring Seat Shock Absorbers		SA673677G	1 L	F
			SA673678G	1 R	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  2WD Only	20mm	FOR-213	1 pr	O N T
SHOCK ABSORBERS					
	30mm Gas Bulged Shock Absorbers		SAB36680	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  2WD only	20mm	FOR-214	1 pr	E A R

Part and Location	to 2003  Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	_	F
	35mm Gas Bulged Shock Absorbers - Piranha V6 Models		SA35649GP	— 2 ea	R
TORSION BARS					N
	Increased Rate Torsion Bars  Length 1000mm		HOLD005A	1 pr	T
SHOCK ABSORBERS	25mm Coo Bulgard Charle Abourbara Diremba		SA35636GP		
o piranha	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA	— 2 ea	
LEAF SPRINGS	Oomin Adjustusie Onook Assorbers - Finanna		CAUCUUCI A		
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 500kg	40mm	HOLD004	2	
0	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA 500kg + Minimum	40mm	HOLD004M	— 2 ea	
SHACKLE BUSH KITS					
1111	Polyurethane Bush Kit		BU728UK	1 kit	R
U-BOLTS					A
	Round Form U Bolts - With Nuts		UB453-1	4 ea	R
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
A M	Check pin size				
	Greaseable Pins Non Teardrop - 14mm		P387-2	— 2 ea	
•	Greaseable Pins Teardrop - 18mm		P792		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN RO					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA67080G	2 ea	F R
COIL SPRINGS					0
<b>illimmo</b>	Raised Height Heavy Duty Coil Springs  Petrol	20-30mm	NLA	4	N T
emmmo	Raised Height Heavy Duty Coil Springs  Diesel	20-30mm	NLA	— 1 pr	
SHOCK ABSORBERS					
O SHIRING STATE OF THE STATE OF	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GP SA35636GPA	— 2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	40mm	HOLD018		
04	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	40mm	HOLD018M	 2 ea	
	Raised Height Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	40mm	HOLD018MH		
SHACKLE BUSH KITS					R
0000	Polyurethane Bush Kit		BU728UK	1 kit	E A
U-BOLTS					R
	Round Form U Bolts - With Nuts		UB453-1	4 ea	
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	003 to 2008  Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		•		10010	
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	F R
TORSION BARS					0
	Increased Rate Torsion Bars  Length 1140mm		HOLD005B	1 pr	N T
SHOCK ABSORBERS					4
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP		
LEAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		•
LEAF SPRINGS	Raised Height Heavy Duty 5 + 3 Leaf Springs <b>LBA up to 250kg</b>	50mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs <b>LBA 250kg to 400kg</b>	50mm	HOLD018M		
0	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs  LBA 500kg to GVM	50mm	HOLD018MH	<del></del> ,	
SHACKLE BUSH KITS	,				
	Polyurethane Bush Kit		BU728UK	1 kit	R E A
U-BOLTS	Check U Bolt part number with rear springs				R
(1)	Round Form U Bolts - With Nuts		UB473		
-	Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH		UB473-1	4 ea	
SHACKLES A					
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN COL RC Standard Chase	_ORADO - 2WD sis 9/2008 to 5/2012				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT		Liit	Humber	Verneie	
	Strut/Gas Spring Seat Shock Absorbers		SA67080G	2 ea	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs Petrol	20-30mm	NLA	1 pr	O N T
	Raised Height Heavy Duty Coil Springs  Diesel	20-30mm	NLA	— 1 pr	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	— 2 ea	
O Principal Diranta	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA	Z Ca	
LEAF SPRINGS	Raised Height Heavy Duty 5 + 3 Leaf Springs  LBA up to 250kg	40mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs  LBA 250kg to 400kg	40mm	HOLD018M	2 ea	
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs  LBA 500kg to GVM	40mm	HOLD018MH		
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU728UK	1 kit	R E
U-BOLTS	Round Form U Bolts - With Nuts		UB453-1	4 ea	A R
SHACKLES	Greaseable Shackles		S386K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	ORADO - 2WD 08 to 5/2012				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		Liit	Number	Vernoie	
piranha ) 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	F R
TORSION BARS					O N
	Increased Rate Torsion Bars Length 1140mm		HOLD005B	1 pr	T
SHOCK ABSORBERS					
O piranha	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GP SA35636GPA	<u>—</u>	
LEAF SPRINGS	committee encourage encour				
	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	50mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	50mm	HOLD018M		
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	50mm	HOLD018MH		
SHACKLE BUSH KITS					R
	Polyurethane Bush Kit		BU728UK	1 kit	E A
U-BOLTS	Round Form U Bolts - With Nuts		UB473		R
	Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH		UB473-1	4 ea	
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	LORADO - 2WD 012 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	
COILS & STRUT	NOTE: 04/2013 to 06/2016 must purchase SSA strut to	p plates mo	ount TPL1002		
ASSEMBLY	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210 COIL-ST-HOL01	_	
ماند. ماند	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	HOL-210H		F R
Marco	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-HOL11	1 nr	
Dinklik	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar	40mm	HOL-210T	ı pr	N
1110	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-HOL51	-	Т
Nie Contraction of the Contracti	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	HOL-210HT		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-HOL53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP		
O piranha O	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA	2 ea	
LEAF SPRINGS	•				
LEAT OF KINGS	Raised Height 4 Leaf Parabolic Springs  LBA up to 200kg	40mm	HOLD022P4		R O
	Raised Height Heavy Duty 4 + 2 Leaf Springs <b>LBA up to 200kg</b>	40mm	HOLD022	-	
	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA 200kg to 400kg</b>	40mm	HOLD022M	2 ea	
	Raised Height Heavy Duty 6 + 2 Leaf Springs <b>LBA 400kg to 600kg</b>	40mm	HOLD022MH		
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	HOLD022GV		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		BU786UK	1 kit	
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2		
	Square Form U Bolts - With Nuts			4 ea	
I MAN	use with HOLD022MH & HOLD022GV		UB437		
SHACKLES	Greaseable Shackles		S390K	2 ea  OL01 1 pr OL51 2 ea  2 ea  1 kit	
PINS	Greaseable Pin		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	LORADO 7 / TRAILBLAZER - 2 Onwards  Description	Approx	Part	Qty Per	
OTDIT.		Lift	Number	Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	-
COILS & STRUT ASSEMBLY	NOTE: 04/2013 to 06/2016 must purchase SSA strut to Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	p plates mo 40mm	HOL-210 COIL-ST-HOL01	_	
	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	HOL-210H		F R
William .	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-HOL11		
Cindus:	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar	40mm	HOL-210T	1 pr	O N
0	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-HOL51	_	Т
11 8	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	HOL-210HT		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-HOL53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		SA35100GP	2 ea	R
COIL SPRINGS					E
	Raised Height Coil Springs	40mm	HOL-211	1 pr	A R
	Raised Height Heavy Duty Coil Springs  LBA 100kg to 300kg - constant load	40mm	HOL-211HD	- 1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HYUNDAI iLC 2.4, 2.5 CRDI	DAD - 2WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strutt/Coo Spring Soot Shook Aboorboro		SA674893	1 R	F
COIL SPRINGS	Strut/Gas Spring Seat Shock Absorbers		SA674892	1 L	R O
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	20mm	NLA	1 pr	N T
SHOCK ABSORBERS	30mm Gas Shock Absorbers		SAS314891	2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA up to 400kg  Raised Height Extra Heavy Duty 4 + 2 Leaf Springs  with all 10mm leaves - constant loads		HYUN006 HYUN006MH	2 ea	R E
SHACKLE BUSH KITS	LBA 500kg to GVM				A R
1 1 1 1	Polyurethane Bush Kit  Must use BlueMax bush kit with these springs		BU791UK	1 kit	
U-BOLTS	Round Form U Bolts - With Nuts		UB258-3	4 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

9/2008 to 5/2012		Approx	Part	Qty Per	
Part and Location	Description	Lift	Number	Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67080G	2 ea	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs Petrol	20-30mm	NLA	1 pr	O N T
(O) 1 (VVV)	Raised Height Heavy Duty Coil Springs  Diesel	20-30mm	NLA		
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	— 2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS	Raised Height Heavy Duty 5 + 3 Leaf Springs <b>LBA up to 250kg</b>	40mm	HOLD018	— 2 ea	
	Raised Height Heavy Duty 6 + 3 Leaf Springs <b>LBA 250kg to 400kg</b>	40mm	HOLD018M	— 2 ea	
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs <b>LBA 500kg to GVM</b>	40mm	HOLD018MH	_	R
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU728UK	1 kit	E A R
U-BOLTS	Round Form U Bolts - With Nuts		UB453-1	4 ea	
SHACKLES	Greaseable Shackles		S386K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ISUZU D-MAX TFS85 Standard G					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67080G	2 ea	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs Petrol	20-30mm	NLA	1 pr	O N T
	Raised Height Heavy Duty Coil Springs  Diesel	20-30mm	NLA	— 1 pr	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GP SA35636GPA	— 2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA up to 200kg	40mm	HOLD024		
	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA 200kg to 400kg</b>	40mm	HOLD024M	 2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 500kg to GVM	40mm	HOLD024MH		·R
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU728UK	1 kit	E A
U-BOLTS	Round Form U Bolts - With Nuts - Check Dimensions 1/2" Material		UB475	— 4 ea	R
	Round Form U Bolts - With Nuts - Check Dimensions 9/16" Material		UB473-1		
SHACKLES	Greaseable Shackles		S386K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ISUZU D-MAX TFS85 Hi-Rider	<b>( - 2WD</b> 5/2012 to 5/2020				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	
COILS & STRUT	Coils Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL12	-	
ASSEMBLY	Coils Springs For Vehicles With 50kg Plus Bullar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR02		F R
The state of the s	Coils Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL52	1 pr	O N
China	Coils Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	TPR-204T	-	Т
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	- 2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA	Z ea	ı
LEAF SPRINGS	Raised Height 4 Leaf Parabolic Springs  LBA up to 200kg  Raised Height Heavy Duty 4 + 2 Leaf Springs	40mm	HOLD022P4	- _ 2 ea - 1 kit	
	LBA up to 200kg Raised Height Heavy Duty 5 + 2 Leaf Springs	40mm 40mm	HOLD022 HOLD022M		
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 400kg to 600kg	40mm	HOLD022MH		
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	HOLD022GV		R E
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU786UK		A R
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2		
	Square Form U Bolts - With Nuts Use with HOLD022P4, HOLD022MH & HOLD022GV		UB437	4 ea	
SHACKLES	Greaseable Shackles		S390K	2 ea	
PINS	Greaseable Pin		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
JPPER CONTROL ARMS	Upper Control Arms - Piranha		UCAISU02	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP		-
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA	2 ea	
COILS & STRUT	Coil Springs For Vehicles With Up To 50kg of Accessories  Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR03		
ASSEMBLY	Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR17	-	
Con line	Coil Springs For Vehicles With 100kg + of Accessories	40mm	TPR-204HD	- 1 pr	
Cindle	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR60	_	
	Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories  Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HT  COIL-ST-TPR61	_	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	-
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35096GP SA35096GPA	2 ea	
LEAF SPRINGS	Commit Adjustable Check / Beerbore   Filamia		C/1000000.71		-
	Raised Height 3 Leaf Parabolic Springs  No Load	30-40mm	HOLD022P3		
~~	Raised Height 4 Leaf Parabolic Springs  LBA 100kg to 300kg	30-40mm	HOLD022P4	_	
0	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA Up to 300kg	40mm	HOLD022	- 2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA 300kg to 500kg	40mm	HOLD022M	-	
	Raised Height Heavy Duty 6 + 2 Leaf Springs  LBA 500kg to GVM	40mm	HOLD022MH	_	
SHACKLE BUSH KITS	<u> </u>				
7711	Polyurethane Bush Kit		BU792UK	1 kit	
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2	_	1
1 Mills	Square Form U Bolts - With Nuts use with HOLD022MH & HOLD022GV		UB437	4 ea	
SHACKLES	Greaseable Shackles		S392K	2 ea	
PINS	Greaseable Pin		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ISUZU MU-X - 2013 to 7/2021	· 2WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	
COILS & STRUT	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL12	_	
ASSEMBLY	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	TPR-204		F
Miles.	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR02	_	R
Ministrice.	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar	40mm	HOL-210HT	1 pr	0
Marie Committee	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-HOL52	_	N
White .	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	TPR-204T		Т
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS					
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35100GP	2 ea	R
COIL SPRINGS					E
	Raised Height Coil Springs	40mm	ISU-201	1 nr	A R
	Raised Height Heavy Duty Coil Springs  LBA 100kg to 300kg - constant load	40mm	ISU-201HD	- 1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP	2 ea
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA	
COILS & STRUT	Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR03	_
ASSEMBLY	Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204H	_
Mary.	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR17	
Mindle	Coil Springs For Vehicles With 100kg + of Accessories	40mm TPR-204HD COIL-ST-TPR27	1 pr	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR27	_
	Tapered Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204T	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR60	
	Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories	<b>TPR-204HT</b> 40mm	=	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR61	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35100GP	2 ea
COIL SPRINGS				
	Raised Height Coil Springs	40mm	KIRS-02	4
	Raised Height Heavy Duty Coil Springs	40mm	ISU-201	- 1 pr

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MAZDA BRAV 1985 to 11/2006	/O - 2WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers Urethane boot optional extra	STD	SA12087GL		F
o piranta	35mm Gas Bulged Shock Absorbers	RSD	SA35649GP	2 ea	R
	Optional Urethane Shock Protection Boot		SC641U		0
TORSION BARS	Increased Rate Torsion Bars Length 898mm		MAZDA009	1 pr	N T
SHOCK ABSORBERS	35mm Gas Shock Absorbers - Piranha		SA35636GP	2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA up to 250kg		MAZDA006	— 2 ea	
	Raised Height Extra Heavy Duty 7 + 2 Leaf Springs LBA 300kg to 500kg		MAZDA006M	2 ea	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU756UK	1 kit	R E
U-BOLTS	Round Form U Bolts - With Nuts  * Check U bolt dimensions before ordering as some later models vary		UB451	4 ea	R
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS	Greaseable Pins		P794	2 ea	

\* LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc) NOTE: 4 x 2 Hi-Rider models 2004 to 2006 are exceptions. Refer 4 x 4 section of catalogue

MAZDA BT50 2.5L Diesel Standard					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		LIπ	Number	venicie	
one on Alberta					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea	F
TORSION BARS					R
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr	O N T
SHOCK MOUNT REINFOR	CEMENT BRACKET				
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea	
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers  Confirm Shock Measurements Before Ordering - Can	Ba SA25005	*SA35650GLB*	2 ea	
LEAF SPRINGS	STD Chassis With Underslung Leaf Springs	De SASSUS	og P		
	Raised Height Heavy Duty 5 + 2 Leaf Springs	30-40mm	MAZDA060M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs				
	with 10mm main & wrap leaves	30-40mm	MAZDA060MH	2 00	
	LBA 400kg to 600kg			2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 600kg to GVM	30-40mm	MAZDA060GV		
SHACKLE BUSH KITS					R
1111	Polyurethane Bush Kit		BU765UK	1 kit	E A
U-BOLTS					R
(III)					
	Round Form U Bolts - With Nuts		UB475	4 ea	
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

\* Contact SSA For More Info\*

MAZDA BT50 3L Diesel Hi-Rider	- <b>2WD</b> 1/2007 to 8/2011				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea	F R O
TORSION BARS					N
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr	Т
SHOCK ABSORBERS	25 Can Dulmad Charle Abasehara Diramba		C425005CD		
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha		SA35095GP SA35095GPA	— 2 ea	
LEAF SPRINGS	Hi-Rider Chassis With Overslung Leaf Springs				
	Raised Height Heavy Duty 4 + 2 Leaf Springs <b>LBA up to 200kg</b>	30-40mm	MAZDA050		
	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA 200kg to 300kg</b>	30-40mm	MAZDA050M	<u>—</u>	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA050MH	 2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA050GV	_	R
SHACKLE BUSH KITS					E
1/11/1	Polyurethane Bush Kit		BU765UK	1 kit	A R
U-BOLTS					
	Round Form U Bolts - With Nuts		UB475	4 ea	
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MAZDA BT50 2.2L Standard Cha					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		TBA	2 ea	F
COIL SPRINGS	Raised Height Heavy Duty Coils		TBA	1 pr	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL3080	_ 2 ea	R
TAIL SHAFT SPACER KIT	Driveshaft Centre Bearing Spacer Kit		SP-MAZ-01	1 kit	O N T
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers  Confirm Shock Measurements Before Ordering - Can	Be SA35095	*SA35650GLB*	2 ea	
LEAF SPRINGS	STD Chassis With Underslung Leaf Springs Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 300kg	30-40mm	MAZDA060M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA060MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA060GV		_
SHACKLE BUSH KITS	Polyurethane Bush Kit - Use With MAZDA060, MAZDA060M, MAZDA060MH & MAZDA060GV		BU773UK	1 kit	R E A R
U-BOLTS	Round Form U Bolts - With Nuts		UB473	4 ea	
SHACKLES	Greaseable Shackles		S389K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

\* Contact SSA For More Info\*

Part and Location	Description	Approx	Part	Qty Per	
	Description	Lift	Number	Vehicle	
IPPER CONTROL ARMS					
1 3	Upper Control Arms - Piranha		UCAFOR01	1 pr	
3 0					
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GP		•
	Adjustable Dampening Strut/Gas Spring Seat Shock		0.4.07004.004	2 ea	
	Absorbers - Piranha		SA67091GPA		
COILS & STRUT	Coils Springs For Vehicles Without Bullbar	40mm	FOR-210		
ASSEMBLY	Preassembled Strut/Coil With Top Plate Mount Coils Springs For Vehicles With Alloy Bull Bar		COIL-ST-FOR01 FOR-210H	=	
	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-FOR03		
	Coils Springs For Vehicles With Steel Bullbar or Alloy			-	
	Bar & Winch	40mm	FOR-210HD		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-FOR21	-	
Continue .	Coils Springs For Vehicles With Steel Bullbar & Winch	40mm	FOR-210HHD		ı
Wille.	Preassembled Strut/Coil With Top Plate Mount	40111111	COIL-ST-FOR04	1 pr	
Mary Min	Tapered Coils Springs For Vehicles Without Bullbar	40	FOR-210T	=	
1110	Raised Height Coil Springs - Tapered Comfort Coil	40mm	COIL-ST-FOR05		
W.C.	Tapered Coils Springs For Vehicles Without Bullbar	40mm	FOR-210HT	=	
•	Preassembled Strut/Coil With Top Plate Mount	40111111	COIL-ST-FOR52	=	
	Tapered Coils Springs For Vehicles With Steel Bullbar		FOR-210HDT		
	or Alloy Bar & Winch	40mm			
FOR BUATE MOUNT	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-FOR06		
<u>FOP PLATE MOUNT</u> FAIL SHAFT SPACER KIT	Strut Top Plate Mount		TPL3080	2 ea	-
O O O O O					
100001	Driveshaft Centre Bearing Spacer Kit		SP-MAZ-01	1 kit	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP		-
O piranha O	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA	2 ea	
EAF SPRINGS	Hi-Rider Chassis With Overslung Leaf Springs				
	Raised Height 5 Leaf <b>Parabolic</b> Springs	30-40mm	MAZDA052P5		
	LBA Up to 300kg - Must Use BU770UK	30-4011111	WAZDAU52P5	-	
	Raised Height Comfort 4 + 2 Leaf Springs	30-40mm	MAZDA050		
	LBA Up to 200kg Raised Height Medium Duty 5 + 2 Leaf Springs			-	
0.	LBA 200kg to 400kg	30-40mm	MAZDA050M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs			2 ea	
0	with 10mm main & wrap leaves	30-40mm	MAZDA050MH		
	LBA 400kg to 600kg			<b>=</b>	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load	30-40mm	MAZDA050GV		
	LBA 600kg to GVM	30 <del>-4</del> 011111	WAZDAUSUGV		ı
SHACKLE BUSH KITS					1
3 2 4 4	Polyurethane Bush Kit - Suits OE Springs &				
<b>6.9.6</b>	MAZDA052P5 With 54mm Front Spring Eye		BU770UK	4 1.54	
	Polyurethane Bush Kit - Use With MAZDA050,			1 kit	
	MAZDA050M, MAZDA050MH & MAZDA050GV		BU773UK		
J-BOLTS	Round Form U Bolts - With Nuts		UB473		•
	Round Form U Bolts - With Nuts		LID 472 4	4 ea	
(In)	use with MAZDA050MH & MAZDA050GV		UB473-1		
SHACKLES					
40	Crassable Sheekles		C200V	0	
13	Greaseable Shackles		S389K	2 ea	
OINIC					1
PINS 👞					

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
IPPER CONTROL ARMS	Upper Control Arms - Piranha	Liit	UCAISU02	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP		
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA	2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR03	_	
	Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR17	-	
China Contraction of the Contrac	Coil Springs For Vehicles With 100kg + of Accessories  Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HD COIL-ST-TPR27	1 pr	
	Tapered Coil Springs For Vehicles With Up To 50kg of Accessories  Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR60	_	
	Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HT COIL-ST-TPR61	-	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35096GP SA35096GPA	_ 2 ea	
LEAF SPRINGS	Raised Height 3 Leaf Parabolic Springs  No Load  Raised Height 4 Leaf Parabolic Springs		HOLD022P3	-	
	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA Up to 300kg	40mm	HOLD022	- 2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA 300kg to 500kg	40mm	HOLD022M	-	
	Raised Height Heavy Duty 6 + 2 Leaf Springs  LBA 500kg to GVM	40mm	HOLD022MH		
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU792UK	1 kit	
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2	- 4.00	
	Square Form U Bolts - With Nuts use with HOLD022MH & HOLD022GV		UB437	4 ea	
SHACKLES	Greaseable Shackles		S392K	2 ea	
PINS	Greaseable Pin		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI ME, MF, MG, MH, N	TRITON - 2WD  1J, MK 1987 to 9/2006				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		LIII	Number	verncie	
(II)	30mm Gas Shock Absorbers		SA30700G	2 ea	F R
COIL SPRINGS					0
ammo	ME - MJ '87 to '96 Raised Height Medium Duty Coils		NLA	4	N T
<i>community</i>	MK '96 to '06 Raised Height Medium Duty Coils		NLA	— 1 pr	
SHOCK ABSORBERS					
O piranha O	35mm Gas Shock Absorbers - Piranha		SA35636GP	— 2 ea	
	35mm <b>Adjustable</b> Absorbers - Piranha		SA35636GPA	2 00	
LEAF SPRINGS	Raised Height Medium Duty 4 + 2 Leaf Springs  LBA up to 250kg	50mm	MITS018		
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	50mm	MITS018M	2 ea	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM	50mm	MITS018MH		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit Suits SSA Springs Only		BU774UK	1 kit	R E A
U-BOLTS					R
	Round Form U Bolts - With Nuts		UB451	4 ea	
SHACKLES					
	Greaseable Shackles		S795K	2 ea	
PINS	Charle win size				
A B	Creeceble Dine Non Toordrap		D207 2 4 4		
	Greaseable Pins Non Teardrop		<b>P387-2</b> 14mm	— 2 ea	
•	Greaseable Pins Teardrop		<b>P796</b> 18mm		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI 7					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Alloy Bull Bar	40mm	MIT-207 COIL-ST-MIT01 MIT-207H	-	
Wille.	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-MIT11	_	
Million William	Tapered Coil Springs For Vehicles With Steel Bullbar & Winch	40mm	MIT-207HD	1 pr	F
1100	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-MIT21		R
ASSEMBLY	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207T COIL-ST-MIT51	_	0
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea	N
TAIL SHAFT SPACER KIT	Use this kit with raised suspensions to correctly align the to centre bearing on 2 piece tailshafts.  Contains: 1 x spacer - 2 x wedges - 4 x bolts, nuts, washer		SPKITTRIT	- 1 kit	
	Use this kit with <b>Bluemax Springs</b> . As Bluemax springs at a wedge fitted to bottom of the spring pack	lready have	SPKITTRIT-BM		
SHOCK ABSORBERS					
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35634GP	2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 250kg	50mm	MITS028		
	Raised Height Heavy Duty 6 + 2 Leaf Springs <b>LBA 300kg to 400kg</b>	50mm	MITS028M	2 ea	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 500kg to GVM	50mm	MITS028GV	-	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU772UK	1 kit	R E A
U-BOLTS					R
1/17/19	Square Form U Bolts - With Nuts - ML  1/2" material		UB454	- 4 ea	
	Square Form U Bolts - With Nuts - MN 9/16" material		UB464	- <del>4</del> Ca	
SHACKLES					
	Greaseable Shackles		S795K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI 1	TRITON - 2WD				
MQ MR 5/2015 On	wards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207 COIL-ST-MIT01	_	
ASSEMBLI	Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207H COIL-ST-MIT11	_	
ASSEMBLY	Coil Springs For Vehicles With Steel Bullbar & Winch	40mm	MIT-207HD	1 pr	
D. O	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-MIT21	_	
	Taoered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207T COIL-ST-MIT51		F R
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea	0
SHORTENED FRONT BUMP STOP	Shortened Bump Stop For Front Upper Control Arm		BSMC0960-15	2 ea	N T
TAIL SHAFT SPACER	Use to correctly align the tailshaft centre bearing on 2 piece tailshafts. <b>Contains:</b> 1 x spacer - 2 x wedges - 4 x bolts, nuts, washers		SPKITTRIT	_ 1 kit	
G-10	Use this kit with <b>Bluemax Springs</b> . As Bluemax springs al a wedge fitted to bottom of the spring pack	ready have	SPKITTRIT-BM		
SHOCK ABSORBERS					
Piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea	
LEAF SPRINGS	Raised Height Heavy Duty Leaf Springs  LBA up to 250kg  Raised Height Heavy Duty Leaf Springs  LBA 300kg to 500kg	40-50mm 40-50mm	MITS040 MITS040M	- 2 ea	
	Raised Height Extra Heavy Duty Leaf Springs  LBA 600kg to GVM	40-50mm	MITS040GV	-	
SHACKLE BUSH KITS			-		R
11.00	Polyurethane Bush Kit		BU782UK	1 kit	E A
U-BOLTS					R
alali	Square Form U Bolts With Nuts		UB453-2		
I ME	Square Form U Bolts With Nuts use with MITS040M & MITS040GV		UB437	4 ea	
SHACKLES	Greaseable Shackles		S393K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NISSAN NAV					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		Liit	Humber	Vernoie	
	35mm Gas Shock Absorbers Urethane boot optional extra *Bulged cannister too big for control arms		SA12087GL	2 ea	F R
TORSION BARS					O N
	Increased Rate Torsion Bars				T
	D21 1985 to 1996 - Length 1203mm		NISS013	— 1 pr	
SHOCK ABSORBERS	D22 1997 to current - Length 890mm		NISS013A		
Piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35074GP	2 ea	
LEAF SPRINGS	Raised Height Medium Duty 3 + 2 Leaf Springs <b>LBA up to 200kg</b>	40mm	NISS022		
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 250kg to 400kg	40mm	NISS022M	 2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs LBA 450kg to GVM	40mm	NISS022MH		
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU704UK	1 kit	R E A
U-BOLTS	Round Form U Bolts - With Nuts 190mm x 77mm x 1/2"		UB451		R
	Round Form U Bolts - With Nuts 215mm x 83mm x 9/16"		UB453-1	─ 4 ea	
SHACKLES	Greaseable Shackles		S797K	2 ea	
PINS	Greaseable Pins		P798	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NISSAN NAVA					
D40 11/2005 to 12/2	2011				
Part and Location	Description	Approx	Part	Qty Per	
		Lift	Number SA67089GP	Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha Coil Springs For Vehicles With Up To 50kg Bullar		NIS-226	2 ea	-
COILS & STRUT	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-NIS01		
ASSEMBLY	Coil Springs For Vehicles With 50kg Plus Bullar /			=	
Chinalia .	Winch	40mm	NIS-226HD		F
William	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS21	-	R
Mary William	Tapered Coil Springs For Vehicles With Up To 50kg Bullar	40,,,,,,	NIS-226T	1 pr	0
Will have	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-NIS52		N
	Tapered Coil Springs For Vehicles With 50kg Plus		COIL-31-141332	=	Т
	Bullar / Winch	40mm	NIS-226HDT		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS51		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL2040	2 ea	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35651GP		
O piranha	41mm Foam Cell Shock Absorbers (for NISS024GV use	e only)	SA41094FCA	- 2 ea	
LEAF SPRINGS		, c,			-
LLAI OI KINOO	Raised Height Medium Duty 4 + 2 Leaf Springs				
	LBA up to 250kg	40mm	NISS024		
	Raised Height Heavy Duty 5 + 2 Leaf Springs			_	
	LBA 300kg to 500kg	40mm	NISS024M		
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs				
	with 10mm main & wrap leaves - constant loads	40mm	NISS024GV		
<del>****</del>	LBA 500kg to GVM				
-10	Note: When using NISS024GV use Braided Extended	Brake Hoses	s BH1010BR		R
SHACKLE BUSH KITS					E
11.2/2	- · · · · - · · · · · · · · · · · · · ·				Α
	Polyurethane Bush Kit		BU767UK	1 kit	R
U-BOLTS					-
O-DOLIO	Square Form U Bolts - With Nuts		UB453-2		
1911111	Square Form U Bolts - With Nuts		UB437	4 ea	
1100	use with NISS024GV		05437		
SHACKLES					
40			0=0= 414	0	
	Greaseable Shackles		S797-1K	2 ea	
PINS					
1/1					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NISSAN NAV					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226 COIL-ST-NIS01		
ASSEMBLY	Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HD		F
Mary	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS21	_	R
Chinalis	Tapered Coil Springs For Vehicles With Up To 50kg Bullar	40mm	NIS-226T	1 pr	O N
1111	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS52	_	
N. C.	Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HDT		Т
•	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS51		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL2040	2 ea	
SHOCK ABSORBERS					
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha		SA35651GP	2 ea	
LEAF SPRINGS					
	Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 250kg	40mm	NISS034		
	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA 300kg to 500kg</b>	40mm	NISS034M	2 ea	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 500kg to GVM	40mm	NISS034MH		R
SHACKLE BUSH KITS					Ε
11.44	Polyurethane Bush Kit		BU767UK	1 kit	A R
U-BOLTS					
[IMI]	Square Form U Bolts - With Nuts		UB453-3	4 ea	
SHACKLES A					
	Greaseable Shackles		S797-1K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

<b>TOYOTA HILU</b> 8/1988 to 2005	JX - 2WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		LIIL	Number	Verificie	
W STATE OF THE STA					F
	30mm Gas Shock Absorbers		SA30700G	2 ea	R
TODOLOU DADO					0
TORSION BARS					N
	Increased Rate Torsion Bars		TOY033	1 pr	Т
SHOCK ABSORBERS					
ninanha A	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	- 2 ea	
LEAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
LLAI SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs				
	Main Leaf 530mm - 670mm	40mm	TOY085M		
	LBA up to 250kg			_	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs  LBA 300kg to 500kg	40mm	TOY085MH		
	Raised Height Heavy Duty 4 + 2 Leaf Springs			_ 2 ea	
	Main leaf 560mm - 740mm	40mm	TOY040		
	Must check main leaf length - LBA up to 200kg			_	
	Raised Height Extra Heavy Duty 4 + 2 Leaf Springs  Main leaf 560mm - 740mm	40mm	TOY040M		
	Must check main leaf length - LBA 300kg to 500kg	4011111	101040111		
SHACKLE BUSH KITS					
	Polyurethane Bush Kit for <b>TOY085M / MH</b>		BU733UKT		R
-1/-	use with parallel shackle Polyurethane Bush Kit for TOY085M / MH			_	E
33333	use with non parallel shackle		BU758UK	1 kit	A R
3333	Polyurethane Bush Kit for TOY040 / TOY040M		BU747UK	_	K
II DOLTO	use with non parallel shackle		20141 OK		
U-BOLTS					
	Round Form U Bolts - With Nuts for TOY085M/MH		UB451	- 4.00	
	Round Form U Bolts - With Nuts for TOY040/M		UB455	4 ea	
SHACKLES					
OHACKLLO	Greaseable Shackles Parallel		S386K		
4				_ 2 ea	
	Greaseable Shackles Non Parallel		S386-1K		
PINS					
A Pro	Check pin size				
	Greaseable Pins Non Teardrop		P387-2	- 2 ea	
W.	Greaseable Pins Teardrop		P385		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

<b>TOYOTA HILU</b> 2005 to 10/2015	JX - 2WD				
Part and Location	Description Approx Lift		Part Number	Qty Per Vehicle	
STRUT / SHOCK ABSORB	BERS				
	Strut/Cas Spring Soat Shock Absorbare		SA67711G	1 L	F
•	Strut/Gas Spring Seat Shock Absorbers		SA67712G	1 R	R
COIL SPRINGS					0
	Raised Height Heavy Duty Coil Springs		TPR-213	1 pr	N T
SHOCK ABSORBERS			0.4.0		
O piranta O	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35650GP SA35650GPA		
LEAF SPRINGS	,				
	Raised Height Medium Duty 4 + 2 Leaf Springs  LBA up to 200kg	40mm	TOY145		
2	Raised Height Heavy Duty 5 + 2 Leaf Springs Constant loads - LBA 250kg to 400kg	40mm	TOY145M	2 ea	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Constant loads - LBA 500kg to GVM	40mm	TOY145MH		
SHACKLE BUSH KITS	Polyurethane Bush Kit - Suits Tear Drop Style Pin &		BU776UK		
1,1,1,1	SSA Springs Polyurethane Bush Kit - Suits 14mm Bolt Style Pin &				Ь
	SSA Springs		BU766UK	1 kit	R E
	Special Note: Replacement Bushes For 35mm Front Spring Eye Use BU777UK For Teardrop Pins & BU794UK For 14mm Bolt Style Pin				Α
U-BOLTS	·				R
	Round Form U Bolts - With Nuts		UB453-3	4 ea	
SHACKLES					
	Greaseable Shackles		S387K	2 ea	
PINS					
(check pin type)	Greaseable Pins non-teardrop		P387-2	•	
	Greaseable Pins teardrop		N/A	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA HILU 10/2015 Onwards	JX - 2WD Standard Chassis Underslung Reaf Leaf	r			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT / SHOCK ABSORE	BERS		Tullio.	70010	
	Strut/Gas Spring Seat Shock Absorbers		SA67711G	1 L	F
*****	Cital Cas Opining Coat Chock / Issorbers		SA67712G	1 R	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs		TPR-213	1 pr	O N T
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35650GP SA35650GPA	- 2 ea	
LEAF SPRINGS	Raised Height Medium Duty 4 + 2 Leaf Springs  LBA up to 200kg	40mm	TOY052		
	Raised Height Heavy Duty 5 + 2 Leaf Springs  Constant loads - LBA 200kg - 500kg	40mm	TOY052M	-	
0	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Constant loads - LBA 500kg to GVM	40mm	TOY052MH	2 ea	
	Special Note: From Factory Single Cab Models Should Eye & Extra/Dual Cabs Should Have a 40mm Front Sp Where SSA Springs Have 35mm Spring Eye . We Use	ring Eye	-		
SHACKLE BUSH KITS	Polyurethane Bush Kit - Suits Tear Drop Style Pin & SSA Springs  Polyurethane Bush Kit - Suits 14mm Bolt Style Pin &		виттик	-	R E
	SSA Springs		BU794UK	1 kit	A
	Special Note: Replacement Bushes For 40mm Front S BU776UK For Teardrop Pins & BU766UK For 14mm Bo				R
U-BOLTS	2000	one Otylo i iii			
	Round Form U Bolts - With Nuts		UB453-3	4 ea	
SHACKLES					
	Greaseable Shackles		ТВА	2 ea	
PINS (check pin type)	Greaseable Pins non-teardrop		P387-2	2 ea	
	Greaseable Pins teardrop		N/A	-	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

2015 Onwards F	ligh Rider Chassis Overslung Reaf Leaf  Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	S	LIIC	Number	Vernoie	
an and	Upper Control Arms - Piranha		UCATOY01	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR01		F
ASSEMBLY	Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR11	-	R
Wille	Coil Springs For Vehicles With Bullbar & Winch	40mm	TPR-204HD	- 1 pr	N T
CHANNE	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar	40mm	COIL-ST-TPR21 TPR-204T	=	•
Chinalisia.	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-TPR52 TPR-204HT COIL-ST-TPR51	_	
TOP PLATE MOUNT	Strut / Coil Assembly Top Plate Mount		TPL1083	2 ea	•
SHOCK ABSORBERS	onar, commercially roper and means				
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35098GP SA35098GPA	- 2 ea	
LEAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		5A35098GPA		4
LLAI SPRINGS	Raised Height Comfort 3 + 2 Leaf Springs <b>LBA up to 200kg</b>	50mm	TOY056		
	Raised Height Heavy Duty 3 + 2 Leaf Springs <b>LBA 200kg to 400kg</b>	50mm	TOY056M	0	
	Raised Height Heavy Duty 4 + 2 Leaf Springs <b>LBA 400kg to 600kg</b>	50mm	TOY056GV	- 2 ea	
	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA 600kg to GVM	50mm	TOY056GVH	_	R E
SHACKLE BUSH KITS					Δ
1 2 2 2	Polyurethane Bush Kit		BU766UK	1 kit	R
U-BOLTS					
CIMI)	Square Form U Bolts - With Nuts		UB453-2		
11/19/10	Square Form U Bolts - With Nuts use with TOY056M & TOY056GV		UB437	- 4 ea	
SHACKLES	Greaseable Shackles		S391K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA HI-A 100 Series 1989 to					
Part and Location	Description	Part Number	Qty Per Vehicle		
SHOCK ABSORBERS					
01- 01-	30mm Gas Shock Absorbers		SAS290152	2 ea	F R
TORSION BARS					O N
	Increased Rate Torsion Bars		TOY027	1 pr	Т
SHOCK ABSORBERS					
	30mm Gas Shock Absorbers - eye/pin	SAS312804	2 ea		
	30mm Gas Shock Absorbers - eye/eye Confirm shock end types	SAS230023	2 ea		
LEAF SPRINGS					
0	Raised Height Medium Duty 5 + 2 Leaf Springs LBA up to 300kg	40mm	TOY029		
	Raised Height Extra Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves - constant loads LBA 600kg to GVM	40mm	TOY029GV	2 ea	R E A
SHACKLE BUSH KITS					R
0000	Polyurethane Bush Kit		BU754UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB453-3	4 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA HI-A 200 Series 3/2005	CE - 2WD to 4/2019				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	30mm Gas Shock Absorbers		SAS315350	2 ea	F R
TORSION BARS					O N
	Increased Rate Torsion Bars		TOY027	1 pr	Т
SHOCK ABSORBERS	30mm Gas Shock Absorbers				
6	OE Replacement	SAS315351	_ 2 ea		
O piranha	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA-H		
LEAF SPRINGS					
0	Raised Height Medium Duty 5 + 2 Leaf Springs LBA up to 300kg	40mm	TOY029	– 2 ea	
	Raised Height Extra Heavy Duty 5 + 1 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	TOY029GV	— 2 <del>C</del> a	R E A
SHACKLE BUSH KITS					R
	Polyurethane Bush Kit does not include chassis bushes		BU784UK	1 kit	
U-BOLTS	Round Form U Bolts - With Nuts		UB453-3	4 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA HI-A 300 Series 4/201	ACE - 2WD 9 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	30mm Gas Shock Absorbers		ТВА	2 ea	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	nt Heavy Duty Coil Springs TBA			O N T
SHOCK ABSORBERS					
O pranha	35mm <b>Adjustable</b> Shock Absorbers - Piranha SA35650GPA				
LEAF SPRINGS					
	OE Replacement 3 Leaf Parabolic Springs	20mm	TOY030P		
	Heavy Duty 4 Leaf Parabolic Springs LBA 300kg to 500kg	20mm	TOY030MP		R E
SHACKLE BUSH KITS					Α
11111	Polyurethane Bush Kit - Until a Polyurethane Kit can be developed. Reuse bushes out of factory springs		ТВА	1 kit	R
U-BOLTS	0 5 110 11 11/11 11 1				
111119	Square Form U Bolts - With Nuts use with TOY030P		UB480	— 4 ea	
I liste	Square Form U Bolts - With Nuts use with TOY030MP		UB481	4 Ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)





If your vehicle is sagging because it can't carry the load or if the comfort has gone in your ride, then it sounds like you need a lift. Allow SSA to "get it right for you…the first time". You will be turning heads when you get that BLUE **MAX** suspension look...**Don't be fooled by** 

**shonky advertising.** You know exactly what you want from your vehicle, so come to the experts in suspension who deliver sound advice, quality products and service, along with great

PH: 1800 630 411








www.ssa.com.au

SUSPENSION BUILT TO LAST info@ssa.com.au









#### **CENTRE BOLTS**



STANDARD HI	STANDARD HEAD CENTREBOLTS						
BlueMaxPart No.	Shank Diameter	Shank Length	Head Diameter	Head Length			
CB516-3	5/16"	3"	12mm	10mm			
CB516-4	5/16"	4"	12mm	10mm			
CB516-6	5/16"	6"	12mm	10mm			
CB38-2	3/8"	2"	14mm	10mm			
CB38-3	3/8"	3"	14mm	10mm			
CB38-4	3/8"	4"	14mm	10mm			
CB38-6	3/8"	6"	14mm	10mm			
CB38-8	3/8"	8"	14mm	10mm			
CB38-10	3/8"	10"	14mm	10mm			
CB716-6	7/16"	6"	16mm	12mm			



SPECIAL HEAD CENTREBOLTS						
BlueMaxPart No.	Shank Diameter	Shank Length	Head Diameter	Head Length		
CBS516-3	5/16"	3"	13mm	16mm		
CBS516-4	5/16"	4"	13mm	16mm		
CBS38-4.5A	3/8"	4.5"	16mm	14mm		
CBS38-4.5B	3/8"	4.5"	14mm	16mm		

#### **Miscellaneous LEAF SPRINGS**



750-750

700-850

800-800

800-800

800-800

800-800

Note: 1. Punched centre bolt hole 2. All plates have 200mm camber

70 x 11 x 1500

70 x 12 x 1550

75 x 13 x 1600

80 x 10 x 1600

80 x 11 x 1600

80 x 12 x 1600

RP70111500P RP70121550P

RP75131600P RP80101600P

RP80111600P

RP80121600P

PRE CUT LEAVES							
BlueMax Part No.	Fitment	Material Width x Thickness	Dimensions Front-Rear	Camber	C/Bolt		
		(mm)	(mm)	(mm)			
RP14PC	Falcon Rear Wagon / Ute	65 x 8	550-865	120	5/16"		
RP15PC	Falcon AU Rear	65 x 9	550-870	130	11mm		

Note: All Pre Cut leaves have speared ends and pad holes cut to size

PARABOLIC REPAIR LEAVES					
BlueMaxPart No.	Material Width x Thickness (mm)	Dimensions Front-Rear (mm)			
RPP70161350	70 x 16 (Centre) x 1350	675-675			
RPP75131800	70 x 13 (Centre) x 1800	900-900			
RPP75161800	70 x 16 (Centre) x 1800	900-900			
RPP80201600	80 x 20 (Centre) x 1600	800-800			
RPP80241600	80 x 24 (Centre) x 1600	800-800			










www.ssa.com.au

**Note:** The "Bluemax" parts offered are not O.E.M. Parts. Manufacturer's names, part numbers and other references or illustrations are for identification purposes only. The products offered are after market parts suitable for the use or vehicle prescribed.

## **U BOLT MANUFACTURE FORM**



"U" Bolts can be made to order given the specifications listed. Specify the vehicle make/model to assist in shape determination All manufactured "U" Bolts are UNF thread. Any "U" Bolt made to order is Non-Returnable

ORDER No.:	V	EHICLE MAKE/MODEL:		QTY:	
( ) =	(	) = Form of "U" Bolt i.e.	(A), (B), (C) or (D)		
W =	V	V = Inside Width			
M =		<b>♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦</b>			
L =	L	= Inside Length			
T =	Т	= Thread Length			
Date:	Order No.:				
Company:	•	Contact	t:		
Adress: _					
Transport	t Company:				


\*Manufactured U Bolts are only available through Brisbane



**Email:** info@ssa.com.au **Phone:** 1800 630 411




#### **ROUND TOP (RD)**




BlueMax	Form	Specifications					
Part No.		L	W	M	M	т	
UB652	ROUND	150	60	10	7/16	61	
UB512	ROUND	160	70	11	7/16	65	
UB258-3	ROUND	200	71	11	7/16	100	
UB655	ROUND	145	72	11	7/16	60	
UB258-1	ROUND	190	75	11	7/16	80	
UB258	ROUND	230	75	11	7/16	100	
UB258L	ROUND	265	75	11	7/16	100	
UB654	ROUND	165	82	11	7/16	75	
UB451	ROUND	195	75	12	1/2	75	
UB451-2	ROUND	220	75	12	1/2	80	
UB475	ROUND	205	88	12	1/2	80	
UB455	ROUND	150	72	14	9/16	70	
UB478	ROUND	195	72	14	9/16		
UB458	ROUND	190	75	14	9/16	75	
UB458-1	ROUND	220	75	14	9/16	65	
UB453-3	ROUND	200	85	14	9/16	100	
UB453-1	ROUND	215	83	14	9/16	100	
UB416	ROUND	235	83	14	9/16	100	
UB418	ROUND	260	83	14	9/16		
UB473	ROUND	200	88	14	9/16	102	
UB473-1	ROUND	215	88	14	9/16	100	
UB453	ROUND	220	97	14	9/16	102	
UB671	ROUND	260	112	14	9/16	80	
UB472	ROUND	285	90	16	5/8	102	
UB472-1	ROUND	300	90	16	5/8	120	

### **ROUND TOP (RD)**




BlueMax	Application	Form		Specifications			
Part No.			L	w	M	М	Т
UB473	MISCELLANEOUS	ROUND	200	88	14	9/16	100
UB473-1	RODEO RA REAR	ROUND	215	88	14	9/16	100
UB670	NISSAN	ROUND	230	95	14	9/16	100
UB453S	NISSAN	ROUND	210	97	14	9/16	100
UB453	NISSAN	ROUND	220	97	14	9/16	100
UB671	NISSAN	ROUND	265	112	14	9/16	100
UB472	FORD F250 REAR	ROUND	280	90	16	5/8	
UB472-1	FORD F250 REAR	ROUND	295	90	16	5/8	
UB569	MISCELLANEOUS	ROUND	460	72	19	3/4	
UB925	FRUEHAUF , MCGRATH	ROUND	343	75	19	3/4	
UB924	MISCELLANEOUS	ROUND	420	75	19	3/4	
UB266	MACK	ROUND	280	92	19	3/4	100
UB589	MISCELLANEOUS	ROUND	264	102	19	3/4	
UB586	3/4" X 5" X 11.5"	ROUND	292	127	19	3/4	
UB34-5-12.5RD	3/4" X 5" X 12.5" RD	ROUND	317	127	19	3/4	
UB588	FREIGHTER	ROUND	343	127	19	3/4	
UB34-5-14.5RD	3/4" X 5" X 14.5" RD	ROUND	370	127	19	3/4	
UB34-5-15.5RD	3/4" X 5" X 15.5" RD	ROUND	394	127	19	3/4	

#### **SQUARE TOP (SQ)**



BlueMax	Form	Form			Specifications		
Part No.		L	W	М	М	Т	
UD 4500	00114.55	100	20	4.0	1 10	•	
UB452S	SQUARE	100	62	12	1/2	60	
UB452	SQUARE	120	62	12	1/2	65	
UB788	SQUARE	195	63	12	1/2	78	
UB454	SQUARE	185	72	12	1/2	77	
UB453-2	SQUARE	180	62	14	9/16	75	
UB437	SQUARE	210	62	14	9/16	100	
UB464	SQUARE	185	72	14	9/16	73	
UB436	SQUARE	220	73	14	9/16	121	
UB471	SQUARE	235	77	14	9/16	102	
UB471-1	SQUARE	250	77	14	9/16	102	
UB449	SQUARE	235	84	14	9/16	101	

### **SQUARE FORGED (SQF)**



BlueMax	Form	· ,	W '	Specification	s	
Part No.		L	W	M	M	Т
UB669F	SQUARE FORGED	220	73	14	9/16	76
UB678	SQUARE FORGED	210	63	14	9/16	100









www.ssa.com.au

**Note:** The "Bluemax" parts offered are not O.E.M. Parts. Manufacturer's names, part numbers and other references or illustrations are for identification purposes only. The products offered are after market parts suitable for the use or vehicle prescribed.

FORD EVERE					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	Upper Control Arms - Piranha		UCAFOR01	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GP SA67091GPA	2 ea	
COILS & STRUT ASSEMBLY	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210 COIL-ST-FOR01		F R
	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	FOR-210H		O
William .	Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With Up To 50kg		COIL-ST-FOR03	1 pr	Т
Contraction	Bullbar  Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210T COIL-ST-FOR51	·	
Ministra .	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	FOR-210HT		
TOP PLATE MOUNT	Preassembled Strut/Coil With Top Plate Mount Strut Top Plate Mount		COIL-ST-FOR52 TPL3080	2 ea	-
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		SA35112GP	2 ea	R
COIL SPRINGS					E
	Raised Height Coil Springs	– 40mm	KFRR-106	1 pr	A R
	Raised Height Heavy Duty Coil Springs  LBA 100kg to 300kg - constant load	70111111	KFRR-106HD	ιρι	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD EVEREST - 4WD  UA 06/2018 to Mid 05/2022								
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle				
UPPER CONTROL ARMS	Upper Control Arms - Piranha		UCAFOR01	1 pr				
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67093GP SA67093GPA	2 ea				
COILS & STRUT ASSEMBLY	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-224 COIL-ST-FOR07		F R			
	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-224H COIL-ST-FOR08		O N			
	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar	40mm	FOR-224T	1 pr	Т			
	Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	FOR-224HT					
TOP PLATE MOUNT	Preassembled Strut/Coil With Top Plate Mount Strut Top Plate Mount		COIL-ST-FOR11 TPL8099	2 ea				
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		SA35112GP	2 ea	R			
COIL SPRINGS	Raised Height Coil Springs		KFRR-106		E			
<b>Ö</b>	Raised Height Heavy Duty Coil Springs  LBA 100kg to 300kg - constant load	– 40mm	KFRR-106HD	1 pr	R			

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD EVERE Next Gen MY22 4  Part and Location	Cylinder Diesel 08/2022 Onwards  Description	Approx	Part	Qty Per	
	Boompton	Lift	Number	Vehicle	
UPPER CONTROL ARM	Upper Control Arms - Piranha Suits XL/XLS MODELS - with STEEL Knuckle Between Upper & Lower Control Arms		UCAFOR02		
	Upper Control Arms - Piranha Suits XLT, WILDTRACK/ SPORT/PLATINUM ONLY - with ALLOY Knuckle Between Upper & Lower Control Arms		UCAFOR03	1 pr	ļ
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67097GP	2 ea	- F
COILS & STRUT	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	30mm - 35mm	KFFR-122SP COIL-ST-FOR13		1
ASSEMBLY	Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount	40mm	KFFR-122 COIL-ST-FOR14	1 pr	•
William .	Tapered Coil Springs For Vehicles LBA 50kg to 100kg	40mm	KFFR-122T		
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-FOR54		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL8100	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		SA35111GP	2 ea	
COIL SPRINGS					ı
(M) VVO	Standard + Coil Springs	20-25mm	KFRR-106	1 pr	
	Raised Height Coil Springs	20.25	KFRR-125		ı
	Raised Height Heavy Duty Coil Springs  LBA 100kg to 300kg - constant load	- 30-35mm	KFRR-125HD	_	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD EVERE Next Gen MY22 6	ST - 4WD Cylinder Diesel 08/2022 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARM	Upper Control Arms - Piranha Suits XL/XLS MODELS - with STEEL Knuckle Between Upper & Lower Control Arms	_	UCAFOR02		
	Upper Control Arms - Piranha Suits XLT, WILDTRACK/ SPORT/PLATINUM ONLY - with ALLOY Knuckle Between Upper & Lower Control Arms		UCAFOR03	1 pr	_
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67097GP	2 ea	• F
COILS & STRUT	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	30mm - 35mm	KFFR-122 COIL-ST-FOR14		R O
ASSEMBLY	Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount	40mm	KFFR-122H COIL-ST-FOR15	-	N T
	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	30mm - 35mm	KFFR-122T COIL-ST-FOR54	1 pr	
W. C.	Tapered Coil Springs For Vehicles With LBA 50kg to 100kg	40mm	KFFR-122HT	-	
•	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-FOR55		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL8100	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		SA35111GP	2 ea	
COIL SPRINGS	Standard + Coil Springs	20-25mm	KFRR-106	1 pr	REA
	Raised Height Coil Springs	20.25	KFRR-125		R
	Raised Height Heavy Duty Coil Springs  LBA 100kg to 300kg - constant load	– 30-35mm	KFRR-125HD	-	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD COURIER / RAIDER - 4WD 1987 to 11/2006								
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle				
SHOCK ABSORBERS		Liit	rumboi	Vollidio				
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea				
TORSION BARS					F			
	Increased Rate Torsion Bars Length 924mm		MAZDA005	1 pr	R O N			
SHOCK MOUNT REINFOR	CEMENT BRACKET				Т			
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea				
SHOCK ABSORBERS								
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GP SA35095GPA	2 ea				
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs Overslung - LBA up to 400kg	50mm	MAZDA016	2				
8	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs Overslung - 400kg to GVM	50mm	MAZDA016M	2 ea				
SHACKLE BUSH KITS								
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Polyurethane Bush Kit		BU756UK	1 kit	R E			
U-BOLTS					Α			
	Round Form U Bolts - With Nuts		UB453-1	4 ea	R			
SHACKLES								
	Greaseable Shackles		S386-1K	2 ea				
PINS								
	Greaseable Pins		P794	2 ea				

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD RANGE					
Part and Location	Description	Approx	Part	Qty Per	
SHOCK ABSORBERS		Lift	Number	Vehicle	
OHOOK ABOOKBERO					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea	
TORSION BARS					F
	Increased Rate Torsion Bars  Length 1025mm		MAZDA051	1 pr	R O N
SHOCK MOUNT REINFOR	CEMENT BRACKET				Т
	Shock Absorber Top Mount Reinforcement Bracket		SHOCKBRKT-MAZ1	1 ea	
SHOCK ABSORBERS					
o piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	2 ea	
LEAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA		
LEAF SPRINGS	Overslung Leaf Springs Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 150kg	30-40mm	MAZDA050		
0	Overslung Leaf Springs Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	30-40mm	MAZDA050M	2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA050MH	2 Ca	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA050GV		R
SHACKLE BUSH KITS					E
	Polyurethane Bush Kit		BU765UK	1 kit	A R
U-BOLTS	Round Form U Bolts - With Nuts		UB475	4 ea	
SHACKLES	Greaseable Shackles		S386-1K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)




# 4WD SHOCK ABSORBERS

#### **ADJUSTABLE SHOCK ABSORBER**

Piranha 4 Way Adjustable Gas Charged Shock Absorbers come with an alloy adjustable knob at the lower end of the body that allows you to configure your ride depending on your needs, so if your vehicles weight varies from day to day or you are after more refined dampening flexibility than an off the shelf shock absorber this is the shock absorber for you.

- 1. 18mm Hardened Chrome Shaft
- 2. Multi-Lip Seal
- 3. Teflon Wear Band
- 4. Sintered Piston

- 5. 57mm Outer Body
- 35mm Bore-Twin Tube Nitrogen Charged
- 7. Alloy Adjuster Dial



- 1. 18mm Hardened Chrome Shaft
- 2. Teflon Wear Band
- 3. Multi-Lip Seal
- 4. 57mm Outer Body
- 5. 35mm Bore-Twin Tube Nitrogen Charged
- 6. Sintered Piston



- 1. 18mm Shaft
- 2. Protective Boot
- 3. Multi-Lip Seal
- 4. 35mm Bore-Twin Tube Nitrogen Charged
- 5. 57mm Outer Body
- 6. Sintered Piston
- 7. Polypropylene Spring Seat
- 8. Height Adjustable Spring Seat







www.ssa.com.au

FORD RANGER - 4WD PX   &    2011 to 6/2018							
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle			
UPPER CONTROL ARMS	Upper Control Arms - Piranha		UCAFOR01	1 pr			
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GP				
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GPA	2 ea			
COILS & STRUT	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210 COIL-ST-FOR01				
ASSEMBLY	Coils Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210H COIL-ST-FOR03	=			
× 100 c	Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch	40mm	FOR-210HD		F R		
China de la constantina della	Preassembled Strut/Coil With Top Plate Mount  Coils Springs For Vehicles With Steel Bullbar & Winch	40mm	FOR-210HHD	- 1 nr	0		
William .	Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles Without Bullbar	40mm	COIL-ST-FOR04	1 pr -	N T		
	Raised Height Coil Springs - Tapered Comfort Coil Tapered Coils Springs For Vehicles Without Bullbar	40mm	COIL-ST-FOR05	=			
	Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With Steel Bullbar	40mm	COIL-ST-FOR52	-			
	or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HDT COIL-ST-FOR06				
TOP PLATE MOUNT	Strut Top Plate Mount		TPL3080	2 ea			
TAIL SHAFT SPACER KIT	onat reprinate mount			2 00			
I O O O O O O O O O O O O O O O O O O O	Driveshaft Centre Bearing Spacer Kit - Required		SP-MAZ-01	1 kit			
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	- 2 ea			
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA				
LEAF SPRINGS	Raised Height 5 Leaf <b>Parabolic</b> Springs <b>LBA Up to 300kg - Must Use BU770UK</b>	40mm	MAZDA052P5	-			
	Raised Height Comfort 4 + 2 Leaf Springs  LBA Up to 200kg	40mm	MAZDA050	-			
	Raised Height Medium Duty 5 + 2 Leaf Springs  LBA 200kg to 400kg  Raised Height Extra Heavy Duty 5 + 2 Leaf Springs	40mm	MAZDA050M	2 ea			
0	with 10mm main & wrap leaves - constant load  LBA 400kg to 600KG	40mm	MAZDA050MH				
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	MAZDA050GV	-	R E		
SHACKLE BUSH KITS	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK	1 kit	A R		
8866	Polyurethane Bush Kit - Use With MAZDA050, MAZDA050M , MAZDA050MH & MAZDA050GV		BU773UK	-			
U-BOLTS	Round Form U Bolts - With Nuts		UB473				
	Round Form U Bolts - With Nuts use with MAZDA050MH & MAZDA050GV		UB473-1	4 ea			
SHACKLES	Greaseable Shackles		S389K	2 ea			
PINS	Greaseable Pins		P387-2	2 ea			

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
IPPER CONTROL ARMS	Upper Control Arms - Piranha		UCAFOR01	1 pr
TRUT	Strut/Gas Spring Seat Shock Absorbers  Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67093GP SA67093GPA	2 ea
COILS & STRUT	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-224 COIL-ST-FOR07	
SSEMBLY	Coil Springs For Vehicles With Alloy Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-224H COIL-ST-FOR08	-
When .	Coil Springs For Vehicles WithSteel Bullbar or Alloy Bar & Winch Preassembled Strut/Coil With Top Plate Mount	50mm	FOR-224HH COIL-ST-FOR09	1 pr
Cindle Constitution of the	Coil Springs For Vehicles WithSteel Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	50mm	KFFR-24HD COIL-ST-FOR12	- I PI -
Willia	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Alloy Bullbar	40mm	FOR-224T COIL-ST-FOR10 FOR-224HT	-
	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-FOR11	
OP PLATE MOUNT	Strut Top Plate Mount		TPL8099	2 ea
AIL SHAFT SPACER KIT	Driveshaft Centre Bearing Spacer Kit - Required		SP-MAZ-01	1 kit
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	- 2 ea
9 1100000	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA	
EAF SPRINGS	Raised Height 5 Leaf <b>Parabolic</b> Springs <b>LBA Up to 300kg - Must Use BU770UK</b>	40mm	MAZDA052P5	_
	Raised Height Comfort 4 + 2 Leaf Springs  LBA Up to 200kg	40mm	MAZDA050	_
	Raised Height Medium Duty 5 + 2 Leaf Springs  LBA 200kg to 400kg	40mm	MAZDA050M	2 ea
0	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 400kg to 600KG	40mm	MAZDA050MH	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	MAZDA050GV	
SHACKLE BUSH KITS	Polyurethane Bush Kit - Suits OE Springs & MAZDA052P5 With 54mm Front Spring Eye		BU770UK	1 kit
	Polyurethane Bush Kit - Use With MAZDA050, MAZDA050M , MAZDA050MH & MAZDA050GV		BU773UK	
J-BOLTS	Round Form U Bolts - With Nuts		UB473	_
	Round Form U Bolts - With Nuts use with MAZDA050MH & MAZDA050GV		UB473-1	4 ea
HACKLES	Greaseable Shackles		S389K	2 ea
INS	Greaseable Pins			

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD RANGE	ER - 4WD er Diesel 08/2022 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARM		LIII	Number	venicie	
	Upper Control Arms - Piranha Suits XL/XLS MODELS - with STEEL Knuckle Between Upper & Lower Control Arms		UCAFOR02	_	
	Upper Control Arms - Piranha Suits XLT, WILDTRACK/ SPORT/PLATINUM ONLY - with ALLOY Knuckle Between Upper & Lower Control Arms		UCAFOR03	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67097GP	2 ea	F
COILS & STRUT	Coil Springs For Vehicles Without Bullbar	30mm - 35mm	KFFR-122SP		R
ASSEMBLY	Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-FOR13 KFFR-122 COIL-ST-FOR14	1 pr	O N T
William .	Tapered Coil Springs For Vehicles LBA 50kg to 100kg	40mm	KFFR-122T		'
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-FOR54		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL8100	2 ea	
SWAY BAR LINKS					
	Front Adjustable Sway Bar Links  Must Be Supplied With Our Lift Kit		ACCSWBR- FOR01	1 pr	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35109GP	2 ea	
LEAF SPRINGS	Raised Height Comfort 4 + 2 Leaf Springs  LBA Up to 200kg	40mm	FORD040		
	Raised Height Medium Duty 5 + 2 Leaf Springs  LBA 200kg to 400kg	40mm	FORD040M	-	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	40mm	FORD040MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	FORD040GV	-	R
SHACKLE BUSH KITS					E
0000	Polyurethane Bush Kit -		BU770UK	1 kit	A
U-BOLTS	Square Form U Bolts - With Nuts		UB437	4 ea	
SHACKLES					
	Greaseable Shackles		S389K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

<b>FORD RANGE</b>	ER - 4WD				
T6.2 MY22 6 Cylind	er Diesel 08/2022 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARM	Upper Control Arms - Piranha Suits XL/XLS MODELS - with STEEL Knuckle Between Upper & Lower Control Arms  Upper Control Arms - Piranha Suits XLT, WILDTRACK/ SPORT/PLATINUM ONLY - with		UCAFOR02 UCAFOR03	- 1 pr	
CTDUT	ALLOY Knuckle Between Upper & Lower Control Arms		SA67097GP	2.00	
STRUT COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With LBA 50kg to 100kg	30mm - 35mm 40mm 30mm - 35mm	KFFR-122 COIL-ST-FOR14 KFFR-122H COIL-ST-FOR15 KFFR-122T COIL-ST-FOR54	2 ea	F R O N T
TOP PLATE MOUNT	Preassembled Strut/Coil With Top Plate Mount Strut Top Plate Mount		COIL-ST-FOR55 TPL8100	2 ea	
SWAY BAR LINKS	Front Adjustable Sway Bar Links  Must Be Supplied With Our Lift Kit		ACCSWBR- FOR01	1 pr	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35109GP	2 ea	
LEAF SPRINGS	Raised Height Comfort 4 + 2 Leaf Springs  LBA Up to 200kg	40mm	FORD040	-	
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	40mm	FORD040M	_	
0	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	40mm	FORD040MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	FORD040GV		R
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU770UK	1 kit	E A R
U-BOLTS	Square Form U Bolts - With Nuts		UB437	4 ea	
SHACKLES	Greaseable Shackles		S389K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)





Go to the Max

2024

## **UPPER CONTROL ARMS**

- · Built in caster & camber correction for raised vehicles
- Fixed position heavy duty greaseable ball joint
- Powdercoated steel construction
- Built in provisions for relocating OEM ABS lines (where required)
- Available for Hilux, PX Ranger 2011 - 2020, Next Gen Ranger, Triton, Pajero Sport, Navara, DMAX 20+, Mazda BT50 2011-2020, Mazda BT50 2020+, Landcruiser 200 Series, Landcruiser 300 Series







www.ssa.com.au

FORD RANG PY 3R V6 PETROL	ER RAPTOR- 4WD MY22 05/2022 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm - 45mm	KFFR-123		F R O N T
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	20mm - 25mm	KFRR-124		R E A R

NOTE: We recommend to re-use Factory Struts/Shocks As they are an Electronically Adjustable Bypass Shocks.

FORD MAVEI	RICK - 4WD 1988 to 1994				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP		
	41mm Foam Cell Shock Absorbers		SA41091FCN		
STEERING DAMPER					
	Steering Damper - Pre 9/1989	Eye/Eye	SD14034G	— 1 only	F
	Expanded Body Steering Damper - 9/1989 Onwards	Pin/Pin	SD35036	1 Omy	R
COIL SPRINGS					0
ammin	Raised Height Heavy Duty Coil Springs  No bar / winch	50mm	NIS-200	— 1 pr	N T
ammo	Raised Height Heavy Duty Coil Springs With bar / winch	50mm	NIS-201	— трі	
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP		
OBJERNANDA	41mm Foam Cell Shock Absorbers		SA41094FC		R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  LBA up to 100KG	50mm	NIS-213		E A R
	Raised Height Heavy Duty Coil Springs  LBA 200kg to GVM	50mm	NIS-214	— 1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD MAVER					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	– 2 ea	
O CHILLIAN CONTRACTOR	41mm Foam Cell Shock Absorbers		SA41091FCN	z ca	
STEERING DAMPER	01 : 5 - 5 - 04000	- /-	00440040		
-104	Steering Damper - Pre 9/1989	Eye/Eye	SD14034G	- 1 only	
COIL SPRINGS	Expanded Body Steering Damper - 9/1989 Onwards	Pin/Pin	SD35036		F
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD	NIS-204		R O
	Raised Height Heavy Duty Coil Springs  LBA up to 45kg	50mm	NIS-201		N T
	Raised Height Heavy Duty Coil Springs LBA 50kg to 80kg	50mm	NIS-201HD	1 pr	•
	Raised Height Heavy Duty Coil Springs LBA 50kg to 80kg	65mm	NIS-201HHD		
CASTER BUSH KIT					
	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS					
piranta 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP	– 2 ea	
	41mm Foam Cell Shock Absorbers		SA41094FC	2 04	
COIL SPRINGS		0			R
	Standard Height Heavy Duty	STD	NIS-220	<u> </u>	E
0.1  M	Raised Height Heavy Duty Coil Springs <b>LBA up to 150kg</b>	50mm	NIS-214		Α
	Raised Height Heavy Duty Coil Springs LBA 200kg to 350kg GVM	50mm	NIS-214HD	 1 pr	R
	Raised Height Heavy Duty Coil Springs LBA 400kg to GVM - constant load when fitting NIS-214EHD it is recommended to fit coil tower brace bracket	50mm	NIS-214EHD		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD MAVER					
Y60 Cab Chassis &	Utility 1988 to 1994	Approx	Part	Qty Per	
Part and Location	Description	Lift	Number	Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		SA35661G	– 2 ea	
CTEEDING DAMPED	41mm Foam Cell Shock Absorbers		SA41661FC		
STEERING DAMPER	Steering Damper - Pre 9/1989	Eye/Eye	SD14034G		
-104)	Expanded Body Steering Damper - 9/1989 Onwards	Pin/Pin	SD35036	- 1 only	
LEAF SPRINGS					
	Raised Height Heavy Duty 7 Leaf Springs Heavy duty	50mm	NISS011	2 ea	F
SHACKLE BUSH KITS					R O
	Polyurethane Bush Kit		BU718UK	1 kit	N T
U-BOLTS	Square Form U Bolts - With Nuts		UB436	3 N/S	
I MILE	Square Forged U Bolts - With Nuts		UB669F	1 D/S	
SHACKLES	Greaseable Shackles Anti-Inversion Shackles Also Available		S353K	2 ea	
PINS	Greaseable Pins		P667	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35648GP		
	41mm Foam Cell Shock Absorbers Urethane boot optional extra		SA41648FC	_ 2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 7 + 2 Leaf Springs  LBA up to 300kg	50mm	NISS012D-S NISS012N-S	1 D/S 1 N/S	
	Raised Height Extra Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg	50mm	NISS012MH	_	
	Raised Height Extra Heavy Duty 7 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	50mm	NISS012GV	2 ea	R
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU719UK	1 kit	E A R
U-BOLTS	Round Form U Bolts - With Nuts		UB453	4 ea	
SHACKLES	Greaseable Shackles Anti-Inversion Shackles Also Available		S353K	2 ea	
PINS	Greaseable Pins		P667	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD TERRIT					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA673671G	1 L	F
COIL SPRINGS			SA673672G	1 R	R
	Raised Height Heavy Duty Coil Springs <b>AWD Only</b>	20mm	FOR-213	1 pr	N T
SHOCK ABSORBERS					
	30mm Gas Bulged Shock Absorbers		SAB36680	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  AWD Only	20mm	FOR-214	1 pr	E A R

FORD TERRIT	TORY - 4WD to 5/2011				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA673675G	1 L	F
			SA673676G	1 R	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs <b>AWD Only</b>	15-20mm	FOR-211	1 pr	N T
SHOCK ABSORBERS					
	30mm Gas Bulged Shock Absorbers		SAB36680	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  AWD Only	25mm	FOR-214	1 pr	E A R

FORD F250 - 4 2000 Onwards	4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35101GP	2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty Parabolic Springs  3 Leaf - LBA up to 100kg	50mm to 75mm	FORD033P3	2 ea	
SHACKLE BUSHES	Silent Block Bush - Front Spring Eye		BU150	2 ea	F
1111 99	Silent Block Bush - Rear Spring Eye		BU149	2 ea	R
	Polyurethane Bush Kit - Does Not Include Chassis/Shackle Bushes.		BU740UK	1 kit	O N T
PINS					•
	Greaseable Pins - Front Eye Only Greaseable Pins - Rear Eye Only. Will not fit Shackle		P1136 P1134	2 ea 2 ea	
U-BOLTS	Greaseasie i ins - Near Eye Only. Will not it Grackie		11104	2 00	
	Square Form U Bolts - With Nuts		UB471	4 ea	
PANHARD RODS					
<b>*</b>	Adjustable Panhard Rod		PRF250	1 ea	
SHOCK ABSORBERS					
o piranha o	Quad Suspension 35mm Gas Bulged Shock Absorbers - Piranha		SA35102GP	4 ea	
LEAF SPRINGS	John Gas Bulged Glock Absolbers - Filanna		3A33102GF	4 Ca	
0	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 500kg	50mm	FORD031	- 2 ea	
0	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 500kg to 800kg	50mm	FORD031M	2	
SHACKLE BUSHES					
2222 00	Silent Block Bush - Front Spring Eye		BU150	2 ea	
	Silent Block Bush - Rear Spring Eye		BU149	2 ea	
8886	Polyurethane Bush Kit - <b>Does Not Include Chassis/Shackle Bushes.</b>		BU740UK	1 kit	R E
PINS					A
A CONTRACTOR OF THE PARTY OF TH	Greaseable Pins - Front Eye Only		P1136	2 ea	R
U-BOLTS	Greaseable Pins - Rear Eye Only. Will not fit Shackle		P1134	2 ea	
	Round Form U Bolts - With Nuts		UB472		
	Round Form U Bolts - With Nuts use with FORD031M		UB472-1	4 ea	
POLYAIR SPRINGS					
	Polyair Bellows Kit F250, F350 2000 onwards 4 shock rear	RSD	PA85301	1 kit	
ā0ā	Spacer Bracket use with RSD suspension		SP-F250	4 ea	
	Square Form U Bolts - With Nuts to suit spacer bracket		UB381	4 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FORD F350 - 4 2000 Onwards	4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS			3.20.00		
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35101GP	2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty Parabolic Springs  3 Leaf - LBA up to 100kg	50mm to 75mm	FORD033P3	2 ea	
SHACKLE BUSHES					
2222 22	Silent Block Bush - Front Spring Eye		BU150	2 ea	F
-11-	Silent Block Bush - Rear Spring Eye		BU149	2 ea	R
0000	Polyurethane Bush Kit - <b>Does Not Include Chassis/Shackle Bushes.</b>		BU740UK	1 kit	N T
PINS	Creasable Ring Front Fue Only		D4420	2	
The state of the s	Greaseable Pins - Front Eye Only Greaseable Pins - Rear Eye Only. Will not fit Shackle		P1136 P1134	2 ea 2 ea	
U-BOLTS	Square Form U Bolts - With Nuts		UB471	4 ea	
PANHARD RODS	Adjustable Panhard Rod		PRF250	1 ea	
SHOCK ABSORBERS	35mm Shock Absorbers		SA35102GP	2 ea	
LEAF SPRINGS	Raised Height Heavy Duty Leaf Springs *** Made to order ***	50mm	FORD038	2 ea	
SHACKLE BUSHES					R
8888 88	Silent Block Bush - Front Spring Eye		BU150	2 ea	E
0000 00	Silent Block Bush - Rear Spring Eye		BU149	2 ea	A R
0000	Polyurethane Bush Kit - Does Not Include Chassis/Shackle Bushes.		BU740UK	1 kit	K
PINS	Greaseable Pins - Front Eye Only		P1136	2 ea	
A	Greaseable Pins - Rear Eye Only. Will not fit Shackle		P1136	2 ea 2 ea	
U-BOLTS	Round Form U Bolts - With Nuts		ТВА	4 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

FOTON TUNL					
P201 2012 Onward  Part and Location	S Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha	Liit	SA67087GP	2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR01		
	Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR11	_	F R
and the	Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles Without Bullbar	40mm 40mm	TPR-204HD COIL-ST-TPR21 TPR-204T	1 pr -	O N
Onne on the second	Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With Bull Bar	40mm	COIL-ST-TPR52	-	Т
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR51		
TOP PLATE MOUNT	Strut / Coil Assembly Top Plate Mount		TPL1083	2 ea	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35650GP	2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35650GPA		
LEAF SPRINGS	Raised Height Medium Duty 4 + 2 Leaf Springs LBA up to 150kg * do not use TOY146 on style side utilities	40mm	TOY146	- 2 ea	
0	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA 250kg to 400kg	40mm	TOY146M		
	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA 500kg to GVM	40mm	TOY146GV		_
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU766UK	1 kit	R E A
U-BOLTS					R
	Square Form U Bolts - With Nuts		UB453-2	_	
	Square Form U Bolts - With Nuts use with TOY146P5, TOY146M, TOY146MH & TOY146GV		UB437	4 ea	
SHACKLES	Greaseable Shackles		S387K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

GREAT WALL V200 Diesel, V240	4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
O pinanha O	35mm Gas Bulged Shock Absorbers - Piranha	RSD	SA35649GP		F R
TORSION BARS					O N
	Increased Rate Torsion Bars  Length 1140mm		HOLD005B	1 pr	T
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers		SA35636GP	— 2 ea	
L FAE ORDINGO	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS	Raised Height Heavy Duty 5 + 3 Leaf Springs <b>LBA up to 250kg</b>	50mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	50mm	HOLD018M		
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs <b>LBA 500kg to GVM</b>	50mm	HOLD018MH		
SHACKLE BUSH KITS					R
8886	Polyurethane Bush Kit		BU728UK	1 kit	E
U-BOLTS					R
	Round Form U Bolts - With Nuts		UB473	4	
	Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH		UB473-1	— 4 ea	
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

GREAT WALL	4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					_
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha	RSD	SA35649GP		F R
TORSION BARS					O N
	Increased Rate Torsion Bars Length 1140mm		HOLD005B	1 pr	T
SHOCK ABSORBERS					
o piranha o	35mm Gas Bulged Shock Absorbers		SA35636GP	— 2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS	Raised Height Heavy Duty 5 + 3 Leaf Springs  LBA up to 250kg	50mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	50mm	HOLD018M		
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs  LBA 500kg to GVM	50mm	HOLD018MH		
SHACKLE BUSH KITS					R
8866	Polyurethane Bush Kit		BU728UK	1 kit	E
U-BOLTS					R
	Round Form U Bolts - With Nuts		UB473		
	Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH		UB473-1	— 4 ea	
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

GREAT WALL X200 - X240	L - 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers Urethane boot optional extra		SA35643G	2 ea	F R
	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP		0
TORSION BARS	Increased Rate Torsion Bars		HOLD005B	1 pr	N T
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers  DO NOT use this shock with STD suspension		SA35661G	2 ea	R
COIL SPRINGS	Raised Height Medium Duty Coil Springs	30mm	HOL-202	1 pr	E A R

HOLDEN ROI					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP		F R
TORSION BARS	Increased Rate Torsion Bars Length 1000mm		HOLD005A	1 pr	O N T
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GP SA35636GPA	— 2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA up to 300kg	40mm	HOLD004M		
0	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 400kg	40mm	HOLD004MH	2 ea	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU728UK	1 kit	R E
U-BOLTS	Round Form U Bolts - With Nuts		UB453-1	4 ea	A R
SHACKLES	Greaseable Shackles		S386K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN ROI					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	F R
TORSION BARS	Increased Rate Torsion Bars  Length 1140mm		HOLD005B	1 pr	O N T
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GP SA35636GPA	— 2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 5 + 3 Leaf Springs  LBA up to 250kg	50mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	50mm	HOLD018M	2 ea	
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	50mm	HOLD018MH		
SHACKLE BUSH KITS U-BOLTS	Polyurethane Bush Kit		BU728UK	1 kit	R E A R
0-BOLIS	Round Form U Bolts - With Nuts		UB473		
	Round Form U Bolts - With Nuts Use with HOLD018M & HOLD018MH		UB473-1	4 ea	
SHACKLES	Greaseable Shackles		S386K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					,
O piranta	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	F
TORSION BARS					
	Increased Rate Torsion Bars  Length 1140mm		HOLD005B	1 pr	7
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS	Raised Height Heavy Duty 5 + 3 Leaf Springs	50mm	HOLD018		
~	LBA up to 200kg  Raised Height Heavy Duty 6 + 3 Leaf Springs			 2 ea	
	LBA 250kg to 400kg	50mm	HOLD018M		
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs  LBA 500kg to GVM	50mm	HOLD018MH		
SHACKLE BUSH KITS					F
9996	Polyurethane Bush Kit		BU728UK	1 kit	E
U-BOLTS					F
(III)	Round Form U Bolts - With Nuts		UB473		
	Round Form U Bolts - With Nuts use with HOLD018M & HOLD018MH		UB473-1	4 ea	
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
111	Greaseable Pins		P387-2	2 ea	
P. Co.	Greaseable Fills		F301-2	∠ <del>e</del> a	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN COI	LORADO - 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	
COILS & STRUT ASSEMBLY	NOTE: 04/2013 to 06/2016 must purchase SSA strut to Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	p plates mo	ount TPL1002 HOL-210 COIL-ST-HOL01	_	
×***	Winch	40mm	HOL-210H		F R
Cindle .	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210T COIL-ST-HOL51	1 pr	O N T
	Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GP SA35636GPA	- 2 ea	
LEAF SPRINGS	Raised Height 4 Leaf Parabolic Springs  LBA up to 200kg  Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA 200kg to 400kg  Raised Height Heavy Duty 6 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 6 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to GVM	40mm 40mm 40mm 40mm	HOLD022P4  HOLD022  HOLD022M  HOLD022MH  HOLD022GV	- - _ 2 ea -	RE
0000	Polyurethane Bush Kit		BU786UK	1 kit	A R
U-BOLTS	Peassembled Strut/Coil With Top Plate Mount Coils Springs For Vehicles With 50kg Plus Builbar / Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With 10 Plate Mount Tapered Coils Springs For Vehicles With 50kg Plus Builbar / Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With 50kg Plus Builbar / Winch Preassembled Strut/Coil With Top Plate Mount Toolt-ST-HOL51 PPLATE MOUNT Strut Top Plate Mount Toolt-ST-HOL53  PPLATE MOUNT Strut Top Plate Mount Toolt-ST-HOL53  PPLATE MOUNT Strut Top Plate Mount Toolt-ST-HOL53  35mm Gas Bulged Shock Absorbers - Piranha 35mm Adjustable Shock Absorbers - Piranha SA35636GP  35mm Adjustable Shock Absorbers - Piranha SA35636GPA  FSPRINGS  Raised Height 4 Leaf Parabolic Springs LBA up to 200kg Raised Height Heavy Duty 4 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 5 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA up to 200kg Raised Height Heavy Duty 6 + 2 Leaf Springs LBA up to 200kg Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 40mm HOLD022M  Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf Springs Raised Height Extra Heavy Duty 6 + 2 Leaf				
			UB437	4 ea	
SHACKLES	Greaseable Shackles		S390K	2 ea	
PINS	Greaseable Pin		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	LORADO 7 / TRAILBLAZER -	4WD			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	
COILS & STRUT ASSEMBLY	NOTE: 04/2013 to 06/2016 must purchase SSA strut to Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm 40mm 40mm 40mm	HOL-210 COIL-ST-HOL01 HOL-210H COIL-ST-HOL11 HOL-210T COIL-ST-HOL51	- 1 pr	F R O N T
TOP PLATE MOUNT	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch Preassembled Strut/Coil With Top Plate Mount Strut Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL53 TPL1002	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		SA35100GP	2 ea	R
COIL SPRINGS	Raised Height Coil Springs Raised Height Heavy Duty Coil Springs LBA 100kg to 300kg - constant load	40mm 40mm	HOL-211 HOL-211HD	- 1 pr	E A R

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN JAC UBS 13, 16, 52 LWE	CKAROO - 4WD 3 Wagon 11/1981 to 10/1986				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	2 ea	F R
TORSION BARS					O N
	Increased Rate Torsion Bars Length 1000mm		HOLD005A	1 pr	T
SHOCK ABSORBERS					
piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	— 2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA	2 00	
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 250kg to 400kg	50mm	HOLD004M	2 ea	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU728UK	1 kit	R E
U-BOLTS					A R
	Round Form U Bolts - With Nuts		UB451	4 ea	K
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P792	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN JAC UBS 16, 17, 52, 55 L	CKAROO - 4WD  WB Wagon 11/1986 to 1991				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	0	F
<b>○</b>	41mm Foam Cell Shock Absorbers Urethane boot optional extra		SA41087FC	— 2 ea	R O
TORSION BARS					N
	Increased Rate Torsion Bars  Length 997mm		HOLD007	1 pr	Т
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		SA35758G	2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty 5 + 2 Leaf Springs LBA 250kg to 400kg	50mm	HOLD004M	2 ea	
SHACKLE BUSH KITS					
1111	Polyurethane Bush Kit		BU728UK	1 kit	R E
U-BOLTS					A
	Round Form U Bolts - With Nuts		UB451	4 ea	R
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

HOLDEN JAC UBS 25, 69 SWB &	CKAROO - 4WD LWB Wagon 4/1992 to 2004 (including	Montere	y)		
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		ТВА	2 ea	F R
TORSION BARS					O N
	Increased Rate Torsion Bars  Length 1220mm		HOLD009	1 pr	Т
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS					E
	Raised Height Medium Duty Coil Springs	40mm	HOL-201	· 1 ea	R
	Raised Height Heavy Duty Coil Spring	40mm	HOL-201HD	. геа	

HYUNDAI TE HP 11/2001 - 12/20	RRACAN - 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		ТВА	2 ea	F R
TORSION BARS	Increased Rate Torsion Bars Length 1275mm		HYUN004	1 pr	O N T
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		ТВА	2 ea	R E
COIL SPRINGS	Raised Height Medium Duty Coil Springs	40mm	MIT-201	1 pr	A R

ISUZU D-MAX 9/2008 to 5/2012	( - 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					_
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35649GP	2 ea	F R
TORSION BARS					0
	Increased Rate Torsion Bars Length 1140mm		HOLD005B	1 pr	N T
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	— 2 ea	
LEAF ORDINGO	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS	Raised Height Heavy Duty 5 + 3 Leaf Springs LBA up to 250kg	50mm	HOLD018		
	Raised Height Heavy Duty 6 + 3 Leaf Springs LBA 250kg to 400kg	50mm	HOLD018M	2 ea	
	Raised Height Extra Heavy Duty 7 + 3 Leaf Springs LBA 500kg to GVM	50mm	HOLD018MH	_	
SHACKLE BUSH KITS					R
9996	Polyurethane Bush Kit		BU728UK	1 kit	E A
U-BOLTS					R
	Round Form U Bolts - With Nuts		UB473	_ ,	
	Round Form U Bolts - With Nuts use with HOLD018M & HOLD018MH		UB473-1	4 ea	
SHACKLES					
	Greaseable Shackles		S386K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ISUZU D-MAX 5/2012 to 5/2020	( - 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	
COILS & STRUT	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL12	_	
ASSEMBLY	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	TPR-204		F
Charles	Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With Up To 50kg Bullbar	40mm	COIL-ST-TPR02 HOL-210HT	1 pr	R O
William	Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles With 50kg Plus	40111111	COIL-ST-HOL52	_	N T
0	Bullbar / Winch  Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS	Charles France Medine			2 04	
© Piranta ©	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	- 2 ea	
	35mm Adjustable Shock Absorbers - Piranha		SA35636GPA	∠ ಆಡ	
LEAF SPRINGS	Raised Height 4 Leaf Parabolic Springs  LBA up to 200kg	40mm	HOLD022P4		
	Raised Height Heavy Duty 4 + 2 Leaf Springs <b>LBA up to 200kg</b>	40mm	HOLD022	_	
	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA 200kg to 400kg	40mm	HOLD022M	2 ea	
	Raised Height Heavy Duty 6 + 2 Leaf Springs  LBA 400kg to 600kg	40mm	HOLD022MH	_	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	HOLD022GV		R
SHACKLE BUSH KITS					A
0000	Polyurethane Bush Kit		BU786UK	1 kit	R
U-BOLTS					
MARIE	Square Form U Bolts - With Nuts		UB453-2	- 4 ea	
	Square Form U Bolts - With Nuts use with HOLD022MH & HOLD022GV		UB437	4 Ca	
SHACKLES					
	Greaseable Shackles		S390K	2 ea	
PINS	Greaseable Pin		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
PPER CONTROL ARMS				
	Upper Control Arms - Piranha		UCAISU02	1 pr
TRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP	
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA	2 ea
COILS & STRUT	Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204	
ASSEMBLY	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR03	_
	Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204H	
Willian.	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR17	_
Chinalis	Coil Springs For Vehicles With 100kg + of Accessories	40mm	TPR-204HD	1 pr
110. 0	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR27	
	Tapered Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204T	
•	Preassembled Strut/Coil With Top Plate Mount	4011111	COIL-ST-TPR60	
	Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204HT	-
	Preassembled Strut/Coil With Top Plate Mount	4011111	COIL-ST-TPR61	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea
SHOCK ABSORBERS				
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35096GP	– 2 ea
O GILLIAM DI PITATRIA	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35096GPA	
LEAF SPRINGS				
	Raised Height 3 Leaf Parabolic Springs  No Load		HOLD022P3	
	Raised Height 4 Leaf Parabolic Springs		HOLD022P4	=
	LBA 100kg to 300kg Raised Height Heavy Duty 4 + 2 Leaf Springs	40	1101 0000	=
	LBA Up to 300kg Raised Height Heavy Duty 5 + 2 Leaf Springs	40mm	HOLD022	2 ea
	LBA 300kg to 500kg	40mm	HOLD022M	
	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA 500kg to 700kg</b>	40mm	HOLD022MH	-
	Raised Height Heavy Duty 6 + 2 Leaf Springs  LBA 700kg to GVM	40mm	HOLD022GV	=
SHACKLE BUSH KITS				
	Polyurethane Bush Kit		BU792UK	1 kit
U-BOLTS				
alala	Square Form U Bolts - With Nuts		UB453-2	
	Square Form U Bolts - With Nuts		11D427	4 ea
	use with HOLD022MH & HOLD022GV		UB437	
SHACKLES				
<b>***</b>	Greaseable Shackles		S392K	2 ea
PINS				
100	Greaseable Pin		P387-2	2 ea

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)



## **DO YOUR CUSTOMERS CARRY HEAVY LOADS?**

At SSA we have been able to solve the heavy load requirements of Mazda BT50/Ford Ranger customers with our spring made to our unique design. This has given the over slung spring added strength in its low camber design.

NOTE: Loads are to be kept within the vehicle's legal limits. See how this was achieved in this featured video.

VISIT WEBSITE: www.ssa.com.au/solutions/improved-suspension-mazda-bt50

## **EXTRA HEAVY SPRING PACKS**

SSA has now expanded its range of heavy duty springs to other makes incorporating this same design. These include:

- Isuzu Dmax/Holden Colorado 2012 HOLDO22GV
- Mazda BT50/Ford Ranger '06-'11 MAZDA050GV
- Mazda BT50/Ford Ranger '12 on MAZDA052GV
- Mitsubishi Triton MO MITSO4GV
- Nissan Navara D23 NISSO36GV
- **CONTACT US:**

PHONE: 1800 630 411 EMAIL: info@ssa.com.au

- Nissan Navara D40 NISSO24GV
- Toyota Hilux '05-15 TOY146GV
- Toyota Hilux '15 on TOY056GV





ISUZU MU-X - 2013 to 7/2021	- 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67092GP	2 ea	
COILS & STRUT	Coils Springs For Vehicles With Up To 50kg Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210H COIL-ST-HOL12		
ASSEMBLY	Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	TPR-204		F
Mary.	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR02		R
Mining .	Tapered Coils Springs For Vehicles With Up To 50kg Bullbar	40mm	HOL-210HT	1 pr	0
Malan	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-HOL52	-	N
William	Tapered Coils Springs For Vehicles With 50kg Plus Bullbar / Winch	40mm	TPR-204T		Т
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR53		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35100GP	2 ea	R
COIL SPRINGS					Е
	Raised Height Coil Springs	40mm	ISU-201	4	A R
	Raised Height Heavy Duty Coil Springs  LBA 100kg to 300kg - constant load	40mm	ISU-201HD	- 1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ISUZU MU-X - 7/2021 Onwards	4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	Upper Control Arms - Piranha		UCAISU02	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP		
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA	2 ea	
COILS & STRUT	Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR03		F
ASSEMBLY	Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR17	-	R O N
Constitution.	Coil Springs For Vehicles With 100kg + of Accessories  Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HD COIL-ST-TPR27	1 pr	T
Mission	Tapered Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204T	-	
•	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR60		
	Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	TPR-204HT	-	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR61		
<b>TOP PLATE MOUNT</b>	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35100GP	2 ea	R
COIL SPRINGS					Е
	Raised Height Coil Springs	40mm	KIRS-02	1	A R
<b>OYYYI</b>	Raised Height Heavy Duty Coil Springs	40mm	ISU-201	- 1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

JEEP CHERO XJ Limited, Classic,					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
ф <u>во</u> 1000000000000000000000000000000000000	46mm Gas Mono Tube Shock Absorbers	STD	SA46665GM	2 ea	
STEERING DAMPER					F R
₫———₫	Steering Damper		SD14040G	1 only	O N
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	40mm	JEEP-200	1 pr	Т
SHOCK ABSORBERS					
	46mm Gas Mono Tube Shock Absorbers	STD	SA4666GM	- 2 ea	
LEAF SPRINGS	36mm Gas Bulged Shock Absorbers	RSD	SA36766G		
ELAI SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA up to 500kg	50mm	JEEP004	2 ea	R E
SHACKLE BUSH KITS					A R
	Polyurethane Bush Kit		BU761UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB512	4 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

JEEP CHERO ZG, ZJ GRAND CHE					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	Shock Absorbers		ТВА	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	JEEP-200	1 pr	F R O N T
STEERING DAMPER					
	Steering Damper		SD14040G	1 only	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	JEEP-203	1 pr	E A R

JEEP CHERO	OKEE - 4WD HEROKEE 1999 to 6/2005				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
ф. <b>#32 -}}}}}</b>	Gas Shock Absorbers		ТВА	2 04	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	JEEP-202		O N T
SHOCK ABSORBERS				$\overline{}$	
	36mm Gas Bulged Shock Absorbers		SA36659G		R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	JEEP-206		E A R

JEEP CHERO WH, WK1 GRAND (	KEE - 4WD CHEROKEE 7/2005 to 2010 (WK Se	eries 1 only)			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
•	Strut/Gas Spring Seat Shock Absorbers		ТВА	2 ea	F R
COIL SPRINGS					0
	Raised Height Heavy Duty Coil Springs  No bar / winch	30mm	JEEP-215	— 1 pr	N T
euumo	Raised Height Heavy Duty Coil Springs With bar / winch	30mm	JEEP-215HD	ТРІ	
SHOCK ABSORBERS					
	Gas Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS					E A
	Raised Height Medium Duty Coil Springs	30mm	JEEP-216	— 1 pr	R
	Raised Height Heavy Duty Coils Springs	30mm	JEEP-216HD	— ı pı	

JEEP CHERO KJ 9/2001 to 1/20					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		ТВА	2 ea	F
COIL SPRINGS					R O
ammin	Raised Height Medium Duty Coil Springs Petrol Engine	40mm	JEEP-207	— 1 pr	N T
dimmin	Raised Height Heavy Duty Coil Springs  Diesel Engine	50mm	JEEP-207HD	ı pı	
SHOCK ABSORBERS					
	Gas Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	50mm	JEEP-208	1 pr	E A R

JEEP CHERO KK 2008 Onwards	KEE - 4WD  Limited Edition Only (Sport Model may vary)				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		ТВА	2 ea	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30-35mm	JEEP-217	1 pr	O N T
SHOCK ABSORBERS					
	Gas Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	JEEP-218	1 pr	E A R

JEEP WRAN TJ 10/1996 to 200					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	Gas Shock Absorbers		ТВА	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30mm	JEEP-201	1 pr	F R O N T
STEERING DAMPER	Steering Damper		SD14040G	1 only	
SHOCK ABSORBERS					
	Gas Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30mm	JEEP-204	1 pr	E A R

JEEP WRAN JK SWB & LWB	GLER - 4WD 3/2007 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		ТВА	2 ea	
COIL SPRINGS					F
ommonia.	Raised Height Heavy Duty Coil Springs  SWB Petrol	25-30mm	JEEP-209		R O
	Raised Height Heavy Duty Coil Springs  SWB Diesel	25-30mm	JEEP-210	— 1 pr	N T
	Raised Height Heavy Duty Coil Springs  LWB Petrol	25-30mm	JEEP-211	— τρι	
	Raised Height Heavy Duty Coil Springs  LWB Diesel	25-30mm	JEEP-212	_	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		ТВА	2 ea	R
COIL SPRINGS					E
	Raised Height Heavy Duty Coil Springs SWB	25-30mm	JEEP-213	1 nr	A R
<b>ÖVVÜ</b>	Raised Height Heavy Duty Coil Springs LWB	25-30mm	JEEP-214	1 pr	

MAHINDRA - Pickup	4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	35mm Gas Shock Absorbers Urethene boot extra		SA12087GL	2 ea	F R
TORSION BARS					O N
	Increased Rate Torsion Bars  Must Confirm Torsion Bar Length As Later Models  May Vary		MAHIN002	1 pr	T
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea	
LEAF SPRINGS					
	Raised Height Heavy Duty 5 + 2 Leaf Springs	40mm	MAHIN001	2 ea	
SHACKLE BUSH KITS					
	Polyurethane Bush Kit		BU719UK	1 kit	R E
U-BOLTS					A R
	Round Form U Bolts - With Nuts		UB478	4 ea	K
SHACKLES					
	Greaseable Shackles		S353K	2 ea	
PINS					
	Greaseable Pins		ТВА	2 ea	

MAZDA BRAN B2200, B2500, B260					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP		F R
TORSION BARS					O N
	Increased Rate Torsion Bars  Length 928mm		MAZDA005	1 pr	T
SHOCK ABSORBERS					
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	— 2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA		
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs  Overslung - LBA up to 400kg	50mm	MAZDA016	— 2 ea	
0	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs  Overslung - 400kg to GVM	50mm	MAZDA016M	_ 2 Ga	
SHACKLE BUSH KITS					
0000	Polyurethane Bush Kit		BU756UK	1 kit	R E
U-BOLTS					A R
	Round Form U Bolts - With Nuts		UB453-1	4 ea	
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS					
	Greaseable Pins		P794	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MAZDA BT50 2007 to 10/2011	- 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS				romoro	
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP	2 ea	F R
TORSION BARS					0
	Increased Rate Torsion Bars Length 1025mm		MAZDA051	1 pr	N T
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	_ 2 ea	
LEAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35095GPA		
LEAF SPRINGS	Raised Height Comfort 4 + 2 Leaf Springs <b>LBA up to 150kg</b>	30-40mm	MAZDA050		
	Raised Height Medium Duty 5 + 2 Leaf Springs LBA 200kg to 400kg	30-40mm	MAZDA050M	_	
	Raised Height Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 400kg to 600kg	30-40mm	MAZDA050MH	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	30-40mm	MAZDA050GV		R
SHACKLE BUSH KITS					E A
1/1/1/2	Polyurethane Bush Kit		BU765UK	1 kit	R
U-BOLTS					
	Round Form U Bolts - With Nuts		UB475	4 ea	
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	Upper Control Arms - Piranha		UCAFOR01	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GP		•
	<b>Adjustable</b> Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67091GPA	2 ea	
COILS & STRUT	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210 COIL-ST-FOR01	_	
-COLMIDE I	Coils Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210H COIL-ST-FOR03		
× 100	Coils Springs For Vehicles With Steel Bullbar or Allov	40mm	FOR-210HD	-	I
William .	Preassembled Strut/Coil With Top Plate Mount  Coils Springs For Vehicles With Steel Bullbar & Winch	40	FOR-210HHD	-	(
Cindle .	Preassembled Strut/Coil With Top Plate Mount Tapered Coils Springs For Vehicles Without Bullbar Raised Height Coil Springs - Tapered Comfort Coil	40mm 40mm	COIL-ST-FOR04 FOR-210T COIL-ST-FOR05	1 pr -	7
•	Tapered Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	FOR-210HT COIL-ST-FOR52	-	
	Tapered Coils Springs For Vehicles With Steel Bullbar or Alloy Bar & Winch	40mm	FOR-210HDT	-	
TOD DI ATE MOUNT	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-FOR06	0	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL3080	2 ea	
TAIL SHAFT SPACER KIT	Driveshaft Centre Bearing Spacer Kit - Required		SP-MAZ-01	1 kit	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35095GP	- 2 ea	
O Sinanta Sinanta O	35mm Adjustable Shock Absorbers - Piranha		SA35095GPA		
LEAF SPRINGS	Raised Height 5 Leaf <b>Parabolic</b> Springs  LBA Up to 300kg - Must Use BU770UK	40mm	MAZDA052P5	-	
	Raised Height Comfort 4 + 2 Leaf Springs <b>LBA Up to 200kg</b>	40mm	MAZDA050	=	
	Raised Height Medium Duty 5 + 2 Leaf Springs  LBA 200kg to 400kg	40mm	MAZDA050M	2 ea	
0-3	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 400kg to 600KG	40mm	MAZDA050MH		
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40mm	MAZDA050GV		F
SHACKLE BUSH KITS	Polyurethane Bush Kit - Suits OE Springs &  MAZDA052P5 With 54mm Front Spring Eye		BU770UK	4 1.4	F
0006	Polyurethane Bush Kit - Use With MAZDA050, MAZDA050M , MAZDA050MH & MAZDA050GV		BU773UK	1 kit	
J-BOLTS	Round Form U Bolts - With Nuts		UB473		1
	Round Form U Bolts - With Nuts use with MAZDA050MH & MAZDA050GV		UB473-1	4 ea	
SHACKLES	Greaseable Shackles		S389K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MAZDA BT50 10/2020 Onwards	- 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	Upper Control Arms - Piranha	LIII	UCAISU02	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GP		
	Adjustable Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67096GPA	2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles With Up To 50kg of Accessories Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR03	-	F
	Coil Springs For Vehicles With 50 - 100kg of Accessories Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR17	-	R O N
Orn Vic	Coil Springs For Vehicles With 100kg + of Accessories  Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HD COIL-ST-TPR27	1 pr	Т
Continue .	Tapered Coil Springs For Vehicles With Up To 50kg of Accessories	40mm	TPR-204T	-	
	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With 50 - 100kg of Accessories	40mm	COIL-ST-TPR60 TPR-204HT	-	
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR61		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1002	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35096GP	- 2 ea	
of Hilling piranha	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35096GPA	- 2 <del>c</del> a	
LEAF SPRINGS	Raised Height 3 Leaf Parabolic Springs  No Load		HOLD022P3	_	
مور	Raised Height 4 Leaf Parabolic Springs  LBA 100kg to 300kg		HOLD022P4		
	Raised Height Heavy Duty 4 + 2 Leaf Springs <b>LBA Up to 300kg</b>	40mm	HOLD022	- - 2 ea	
	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA 300kg to 500kg</b>	40mm	HOLD022M	2 00	
	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA 500kg to 700kg	40mm	HOLD022MH	_	R
	Raised Height Heavy Duty 6 + 2 Leaf Springs  LBA 700kg to GVM	40mm	HOLD022GV	_	Е
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU792UK	1 kit	A R
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2		•
	Square Form U Bolts - With Nuts use with HOLD022P4, HOLD022MH & HOLD022GV		UB437	4 ea	
SHACKLES	Greaseable Shackles		S392K	2 ea	
PINS	Greaseable Pin		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)





Go to the Max

2024

## **UPPER CONTROL ARMS**

- · Built in caster & camber correction for raised vehicles
- Fixed position heavy duty greaseable ball joint
- Powdercoated steel construction
- Built in provisions for relocating OEM ABS lines (where required)
- Available for Hilux, PX Ranger 2011 - 2020, Next Gen Ranger, Triton, Pajero Sport, Navara, DMAX 20+, Mazda BT50 2011-2020, Mazda BT50 2020+, Landcruiser 200 Series, Landcruiser 300 Series







www.ssa.com.au

MITSUBISHI ME, MF, MG, MH, MG	TRITON - 4WD J, MK 1987 to 9/2006				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	1987 - 11/1996 35mm Gas Bulged Shock Absorbers Urethane boot optional extra	Liit	SA35082GL	2 ea	
Dirante Dirante	11/1996 Onwards 35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	2 ea	
STEERING DAMPER	Steering Damper - 10/1987 - 5/1992		SD14022G	1 only	F R O N
TORSION BARS	Increased Rate Torsion Bars				Т
	1987 - 6/1991 <b>Length 1277.5mm</b>		MITS013	— 1 pr	
	7/1991 Onwards Length 1366mm		MITS015	— ι μι	
SHOCK ABSORBERS					
o piranhe	35mm Gas Bulged Shock Absorbers - Piranha		SA35075GP	2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs <b>LBA up to 250kg</b>	50mm	MITS018	0	
2	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs LBA 300kg to 500kg	50mm	MITS018M	— 2 ea	
SHACKLE BUSH KITS					
0000	Polyurethane Bush Kit Suits SSA Springs Only		BU774UK	1 kit	R E A
U-BOLTS	Round Form U Bolts - With Nuts		UB451	4 ea	R
SHACKLES	Greaseable Shackles		S795K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx	Part	Qty Per	
JPPER CONTROL ARMS	2000.1910.1	Lift	Number	Vehicle	
UPPER CONTROL ARMS					
	Upper Control Arms - Piranha		UCAMIT01	1 pr	
OTDUT					-
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha Coil Springs For Vehicles Without Bullbar		SA67330GP MIT-207	2 ea	-
COILS & STRUT	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-MIT01		
ASSEMBLY	Coil Springs For Vehicles With Alloy Bull Bar	40	MIT-207H	_	
Willes.	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-MIT11		
ASSEMBLY	Tapered Coil Springs For Vehicles With Steel Bullbar &		MIT-207HD	1 pr	
WIN TO BE	Winch	40mm			I
	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar		COIL-ST-MIT21 MIT-207T	=	F
0	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-MIT51		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea	- 1
SHORTENED FRONT	·				
BUMP STOP					
ALL SED	Shortened Bump Stop For Front Upper Control Arm		BSMC0960-15	2 ea	
	Use to correctly align the tailshaft centre bearing on 2				•
TAIL SHAFT SPACER KIT	piece tailshafts. <b>Contains:</b> 1 x spacer - 2 x wedges - 4 x		SPKITTRIT	1 kit	
. (0)	bolts, nuts, washers			-	
	Use this kit with <b>Bluemax Springs</b> . As Bluemax springs		SPKITTRIT-BM		
	already have a wedge fitted to bottom of the spring pack		01 141 1141 D.III		
SHOCK ABSORBERS					
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35634GP	2 ea	
1 5 4 5 0 D D D D D D	Raised Height Heavy Duty 5 + 2 Leaf Springs				-
LEAF SPRINGS	LBA up to 250kg	50mm	MITS028	_	
	Raised Height Heavy Duty 6 + 2 Leaf Springs	50mm	MITS028M	0	
	LBA 300kg to 400kg			2 ea -	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs with 10mm main & wrap leaves - constant load	50mm	MITS028GV		
	LBA 600kg to GVM				
SHACKLE BUSH KITS					F
11111	Polyurethane Bush Kit		BU772UK	1 kit	E
5555					- /
U-BOLTS	5 US # WELL N				F
Mills	Square Form U Bolts With Nuts - ML  1/2" material		UB454		
111111	Square Form U Bolts With Nuts - MN			- 4 ea	
	9/16" material		UB464		
SHACKLES					
	Greaseable Shackles		S795K	2 ea	
<b>—</b>					
PINS				_	
The same of the sa	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS		LIIC	Number	Vernoie	
	Upper Control Arms - Piranha		UCAMIT01	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207 COIL-ST-MIT01	_	
ASSEMBLY	Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207H COIL-ST-MIT11	_	
Min Vic	Coil Springs For Vehicles With Steel Bullbar & Winch	40mm	MIT-207HD	1 pr	F
O CONTRACTOR	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-MIT21	=	R
	Taoered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207T COIL-ST-MIT51		O . N
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea	. T
SHORTENED FRONT BUMP STOP	Shortened Bump Stop For Front Upper Control Arm		BSMC0960-15	2 ea	
TAIL SHAFT SPACER KIT	Use to correctly align the tailshaft centre bearing on 2 piece tailshafts. <b>Contains:</b> 1 x spacer - 2 x wedges - 4 x bolts, nuts, washers		SPKITTRIT	1 kit	
	Use this kit with <b>Bluemax Springs</b> . As Bluemax springs already have a wedge fitted to bottom of the spring pack		SPKITTRIT-BM		
SHOCK ABSORBERS					
• piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs with 10mm main & wrap leaves - Low Camber	40-50mm	MITS040		
	LBA up to 250kg Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40-50mm	MITS040M	2 ea	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	40-50mm	MITS040GV	-	R
SHACKLE BUSH KITS					E
0000	Polyurethane Bush Kit		BU782UK	1 kit	A
U-BOLTS	Outron Francis II Dalla Wille Next		UD 450 0		
111119	Square Form U Bolts With Nuts Square Form U Bolts With Nuts		UB453-2	_ 4 ea	
1/1900	use with MITS040M & MITS040GV		UB437		
SHACKLES	Greaseable Shackles		S393K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI P	PAJERO - 4WD  B Leaf Springs Rear 5/1991 to 1996				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		LIIC	Number	Venicie	
O phanha O	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	2 ea	F
STEERING DAMPER					R
Ĭ, đ	Steering Damper		SD14017G	1 only	O N
TORSION BARS					Т
	Increased Rate Torsion Bars Length 1277.5mm		MITS013	1 pr	
SHOCK ABSORBERS					
o piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	— 2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs <b>LBA up to 250kg</b>	50mm	MITS018		
0	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA 300kg to 500kg</b>	50mm	MITS018M	— 2 ea	
SHACKLE BUSH KITS					
0000	Polyurethane Bush Kit  Must confirm pin sizing - Suits 18mm Pin		BU764UK	1 kit	R E
U-BOLTS					A R
	Round Form U Bolts - With Nuts		UB451	4 ea	
SHACKLES					
	Greaseable Shackles		S795K	2 ea	
PINS	Greaseable Pins		P796	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI NF - NL SWB V6 W	PAJERO - 4WD agon 1989 to 2000				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
M 3 0	36mm Gas Bulged Shock Absorbers 8/1988 to 5/1991 - Urethane boot optional extra		SA36082G	— 2 ea	
	36mm Gas Bulged Shock Absorbers - Piranha 5/1991 Onwards		SA35087GP	2 <del>c</del> a	F
STEERING DAMPER					R
(right angle pin)	Steering Damper  * Fitted to NF & NG models only to 4/1991		SD14017G	1 only	O N T
TORSION BARS					
	Increased Rate Torsion Bars  Length 1366mm		MITS015	1 pr	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers - Piranha 8/1988 to 5/1991		SA35645GP	— 2 ea	
	36mm Gas Bulged Shock Absorbers 5/1991 Onwards		SA35646GL	2 ea	R E
COIL SPRINGS					Α
	Raised Height Heavy Duty Progressive Rate Coils LBA up to 200kg	40mm	MIT-202	1 pr	R

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	PAJERO - 4WD , NL LWB V6 TDI Wagon 1988 to 200	0			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers 8/1988 to 5/1991 - Urethane boot optional extra		SA36082G		
	36mm Gas Bulged Shock Absorbers -Piranha 5/1991 Onwards		SA35087GP	2 ea	
	*check some late 1999 models may use a strut option	on			F
STEERING DAMPER					R
#*** · · · · · · ·	Steering Damper		SD14017G	1 only	N
ţ.	* Fitted to NF & NG models only to 4/1991				Т
TORSION BARS					
	Increased Rate Torsion Bars  Length 1277.5mm		MITS013	— 1 pr	
	Increased Rate Torsion Bars Length 1307mm		MITS014	ιρι	
SHOCK ABSORBERS					
•	36mm Gas Bulged Shock Absorbers - Piranha 8/1988 to 5/1991		SA35645GP	— 2 ea	
	36mm Gas Bulged Shock Absorbers 5/1991 Onwards		SA35646GL	Z Ca	R E
COIL SPRINGS					Α
	Raised Height Heavy Duty Progressive Rate Coils LBA up to 200kg	50mm	MIT-201	— 1 pr	R
	Raised Height Heavy Duty Progressive Rate Coils LBA 200kg plus - constant load	50mm	MIT-201HD	ı pı	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI F	PAJERO - 4WD /B (3 Door) 2000 to 2014				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers - Piranha This shock does not come with top bush. Use O.E. bush or supply top plate mount which includes a new bush in the assembly.		SA67105GP	2 ea	
COIL SPRINGS					
0114400000	Raised Height Heavy Duty Coil Springs Petrol LBA up to 25kg	40mm	MIT-200		F
	Raised Height Heavy Duty Coil Springs Petrol LBA 50kg to 80kg	40mm	MIT-200H	 1 pr	R O
	Raised Height Heavy Duty Coil Springs  Diesel LBA up to 25kg	40mm	MIT-200HD		N
TOP PLATE MOUNT					Т
	Strut Top Plate Mount		TPL4038	2 ea	
STRUT BUMP STOP					
	Front Strut Bump Stop & Boot		BSMC5911	2 ea	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35647GP	2 ea	R
COIL SPRINGS					E A
	Raised Height Heavy Duty Coil Springs	40mm	MIT-206	1 pr	R

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

\* Extra half hour labour to be charged to remove airbox and battery

MITSUBISHI F	PAJERO - 4WD /, NX - LWB 2000 to Current				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers - Piranha This shock does not come with top bush. Use O.E. bush or supply top plate mount which includes a new bush in the assembly.		SA67105GP	2 ea	
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs Petrol LBA up to 25kg	40mm	MIT-200		
	Raised Height Heavy Duty Coil Springs Petrol LBA 50kg to 80kg	40mm	MIT-200H	1 pr	F
	Raised Height Heavy Duty Coil Springs Diesel LBA up to 25kg	40mm	MIT-200HD	_	R O
	Raised Height Heavy Duty Coil Springs Diesel With Bull Bar / Winch	40mm	MIT-200HHD	_	N T
TOP PLATE MOUNT					
	Strut Top Plate Mount		TPL4038	2 ea	
STRUT BUMP STOP	Front Strut Bump Stop		BSMC5911	2 ea	
SHOCK ABSORBERS					
Dirantia 💥	35mm Gas Bulged Shock Absorbers - Piranha		SA35647GP	2 ea	
COIL SPRINGS					R
(III) AND	Raised Height Heavy Duty Progressive Rate Coils LBA up to 100kg	40mm	MIT-203		E A
<b>OYVUID</b>	Raised Height Heavy Duty Progressive Rate Coils LBA 100kg to 300kg - constant load	40mm	MIT-203HD	1 pr	R
	Raised Height Heavy Duty Progressive Rate Coils  LBA 300kg to 500kg - constant load	40mm	KCRR-35EHD		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)
\* Extra half hour labour to be charged to remove airbox and battery

MITSUBISHI ( Montero Sport PA	CHALLENGER - 4WD  Leaf Springs Rear 1998 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	2 00	F
O pirante	41mm Foam Cell Shock Absorbers Urethane boot optional extra		SA41087FC	— 2 ea	R O
TORSION BARS					N T
	Increased Rate Torsion Bars Length 1308mm		MITS014	1 pr	•
SHOCK ABSORBERS					
o piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	— 2 ea	
LEAF SPRINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA		
LEAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA up to 250kg	50mm	MITS018	2 ea	В
SHACKLE BUSH KITS					R E
8866	Polyurethane Bush Kit Must confirm pin size - bush kit may not be in stock		ТВА	1 kit	A R
U-BOLTS					
	Round Form U Bolts - With Nuts		UB451	4 ea	
SHACKLES					
	Greaseable Shackles		S795K	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI Montero Sport PA	CHALLENGER - 4WD  Coil Springs Rear 1996 to 2008				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35087GP	2 ea	F R
TORSION BARS					O N
	Increased Rate Torsion Bars Length 1308mm		MITS014	1 pr	Т
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	MIT-205	1 pr	E A R

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207 COIL-ST-MIT01		
Mille.	Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207H COIL-ST-MIT11	_	
Cindles.	Coil Springs For Vehicles With Steel Bullbar & Winch	40mm	MIT-207HD	1 pr	F
0	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-MIT21	_	(
	Tapered Coil Springs For Vehicles Without Bullbar	40mm	MIT-207T		1
	Preassembled Strut/Coil With Top Plate Mount	40111111	COIL-ST-MIT51		•
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea	
SHORTENED FRONT BU	MP STOP				
	Shortened Bump Stop For Front Upper Control Arm		BSMC0960-15	2 ea	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea	F
COIL SPRINGS					- I
	Raised Height Heavy Coil Springs	40-50mm	MIT-204	1 pr	F

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207 COIL-ST-MIT01	_
ASSEMBLY	Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207H COIL-ST-MIT11	
Will lie	Coil Springs For Vehicles With Steel Bullbar & Winch	40mm	MIT-207HD	1 pr
William .	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar Raised Height Coil Springs - Tapered Comfort Coil	40mm	COIL-ST-MIT21 MIT-207T COIL-ST-MIT51	-
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea
SHORTENED FRONT BUMP STOP	Shortened Bump Stop For Front Upper Control Arm		BSMC0960-15	2 ea
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35645GP	2 ea
COIL SPRINGS				
	Raised Height Heavy Duty Progressive Rate Coils LBA up to 200kg	40-50mm	MIT-201	4
	Raised Height Heavy Duty Progressive Rate Coils  LBA 200kg plus - constant load	40-50mm	MIT-201HD	- 1 pr

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

MITSUBISHI F QE QF 01/2015 ONV	PAJERO SPORT - 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	Upper Control Arms - Piranha	Liit	UCAMIT01	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67330GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207H COIL-ST-MIT11		F
ASSEMBLY	Coil Springs For Vehicles With Alloy Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	MIT-207HDT COIL-ST-MIT	1 pr	R
Cinne .	Coil Springs For Vehicles With Extreme Loads 110kg +	40mm	MIT-207HD	=	O N
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-MIT21		Т
TOP PLATE MOUNT	Strut Top Plate Mount		TPL4075	2 ea	
SHORTENED FRONT BUMP STOP	Shortened Bump Stop For Front Upper Control Arm		BSMC0960-15	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35110GP	2 ea	R
COIL SPRINGS					E
	Raised Height Heavy Duty Progressive Rate Coils LBA up to 200kg	40-50mm	MIT-201	1 pr	A R
	Raised Height Heavy Duty Progressive Rate Coils  LBA 200kg plus - constant load	40-50mm	MIT-201HD	- 1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)





If your vehicle is sagging because it can't carry the load or if the comfort has gone in your ride, then it sounds like you need a lift. Allow SSA to "get it right for you…the first time". You will be turning heads when you get that BLUE **MAX** suspension look...**Don't be fooled by** 

**shonky advertising.** You know exactly what you want from your vehicle, so come to the experts in suspension who deliver sound advice, quality products and service, along with great

PH: 1800 630 411







www.ssa.com.au

SUSPENSION BUILT TO LAST info@ssa.com.au

NISSAN NAV D21, D22, Single / D					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		Liit	Humber	Verneie	
No pipunka	35mm Gas Bulged Shock Absorbers - Piranha 9/1985 - 2/1997		SA35087GP	— 2 ea	
	35mm Gas Bulged Shock Absorbers - Piranha 3/1997 onwards		SA35335GP	_ 0.5	
STEERING DAMPER					_
ŧ d	Steering Damper 9/1985 - 1997		SD14035G		F R
7	Expanded Body Steering Damper		SD35035G	<del></del>	0
TORSION BARS					N T
•	Increased Rate Torsion Bars				•
	D21 1985 to 1996 - Length 1203mm		NISS013	— 1 pr	
	D22 1997 to current - Length 890mm		NISS013A	— трі	
	O.E. torsion bars have 40mm of spline each end. The above bars have 30mm. Centralise torsion bar so 15mm of spline is in each end of the cup length.				
SHOCK ABSORBERS	co remine of epinione in Guerra en and eup renigan.				
O piranta O	35mm Gas Bulged Shock Absorbers - Piranha		SA35074GP	2 ea	
LEAF SPRINGS					
	Raised Height Medium Duty 4 + 1 Leaf Springs  Med duty spring with tapered leaves & slipper pads  LBA up to 200kg	40mm	NISS016T		
	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA up to 250kg</b>	40mm	NISS016	2 ea	
	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs  LBA 300kg to GVM - constant load	40mm	NISS016M		
SHACKLE BUSH KITS					R
	Polyurethane Bush Kit		BU704UK	1 kit	E A R
U-BOLTS					
	Square Form U Bolts - With Nuts		UB788	4 ea	
SHACKLES					
	Greaseable Shackles		S797K	2 ea	
PINS					
	Greaseable Pins		P798	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

<b>NISSAN NAV</b>	ARA - 4WD				
D40 2005 to 2015					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	Upper Control Arms - Piranha		UCANIS01	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea	
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With 50kg Plus Bullar /	40mm	NIS-226 COIL-ST-NIS01	_	F R
	Winch Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226HD COIL-ST-NIS21	_	0 N
Con line	Tapered Coil Springs For Vehicles With Up To 50kg  Bullar  Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226T COIL-ST-NIS52	1 pr	T
Cindle Control of the	Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HDT	-	
TOD DI ATE MOUNT	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS51	0	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL2040	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35651GP	_	
O piranha	41mm Foam Cell Shock Absorbers		SA41651FC	2 ea	
	41mm Foam Cell Shock Absorbers (for NISS024GV use only)		SA41094FCA		
LEAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA up to 250kg	40-50mm	NISS024		
	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA 300kg to 500kg	40-50mm	NISS024M	-	
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 600kg to GVM - constant load	40-50mm	NISS024GV		
***	When using NISS024GV use Braided Extended Brake Hoses		BH1010BR	-	R E
SHACKLE BUSH KITS					A
	Polyurethane Bush Kit		BU767UK	1 kit	R
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2		
I Miles	Square Form U Bolts - With Nuts use with NISS024GV		UB437	4 ea	
SHACKLES	Greaseable Shackles		S797-1K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NISSAN NAVA D40 4/2010 to 2015	ARA - 4WD STX 550 V6 Diesel				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	Upper Control Arms - Piranha		UCANIS01	1 pr	F R
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea	0
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HDSP		N T
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS31		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL2040	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35651GP		
pinanha 0	41mm Foam Cell Shock Absorbers		SA41651FC	- 2 ea	
	41mm Foam Cell Shock Absorbers (for NISS024GV use only)		SA41094FCA	Z Ga	
LEAF SPRINGS	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA up to 250kg  Raised Height Heavy Duty 5 + 2 Leaf Springs	40-50mm 40-50mm	NISS024	-	
	LBA 300kg to 500kg  Raised Height Extra Heavy Duty 5 + 2 Leaf Springs with 10mm main & wrap leaves LBA 600kg to GVM - constant load		NISS024GV	-	R
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU767UK	1 kit	E A R
U-BOLTS	Square Form U Bolts - With Nuts Square Form U Bolts - With Nuts use with NISS024GV		UB453-2 UB437	- 4 ea	
SHACKLES	Greaseable Shackles		S797-1K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NISSAN NAVA					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	Upper Control Arms - Piranha		UCANIS01	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	25-30mm	NIS-232 COIL-ST-NIS02	_	F
ASSEMBLY	Coil Springs For Vehicles With 50kg Plus Bullar / Winch	25-30mm	NIS-232HD		R O
Chinalia .	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS22	1	N
	Tapered Coil Springs For Vehicles With Up To 50kg Bullar	25-30mm 25-30mm	NIS-232T	1 pr	T
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS53		
White o	Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch		NIS-232HDT	-	
-	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS54		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL2040	2 ea	
SHOCK ABSORBERS					
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35084GP	2 ea	
COIL SPRINGS					R
mi AM	Raised Height Meduim Duty Coil Springs  LBA Up to 100kg	25-30mm	NIS-233	1 pr	E
	Raised Height Meduim Duty Higher Coil Springs LBA 100kg to 250kg	25-30mm	KDRR-73H	-	A R
TO A 10	Raised Height Heavy Duty Coil Springs  LBA 100kg to 300kg	25-30mm	NIS-233HD	_	
	Raised Height Extra Heavy Duty Coil Springs  LBA 300kg to 500kg	25-30mm	NIS-233EHD		

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	Upper Control Arms - Piranha		UCANIS01	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea	•
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount Coil Springs For Vehicles With 50kg Plus Bullar /	40mm	NIS-226 COIL-ST-NIS01	-	-    -
ASSEMBLY	Winch Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226HD COIL-ST-NIS21	_	(
Chinalities.	Tapered Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226T COIL-ST-NIS52	1 pr	-
	Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HDT	-	
TOP PLATE MOUNT	Preassembled Strut/Coil With Top Plate Mount Strut Top Plate Mount		COIL-ST-NIS51 TPL2040	2 ea	=
SHOCK ABSORBERS	Ottat Top Flate Would		11 22040	Z Ca	-
O piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35075GP	2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 3+1 Leaf Springs  LBA up to 250kg	40mm	NISS036		•
	Raised Height Heavy Duty 4+1 Leaf Springs LBA 300kg to 500kg	40mm	NISS036M	2 ea	
	Raised Height Extra Heavy Duty 4+1 Leaf Springs with 10mm main & wrap leaves LBA 500kg to GVM	40mm	NISS036GV		
SHACKLE BUSH KITS				4.1.4	F
8888	Polyurethane Bush Kit		BU787UK	1 kit	-
U-BOLTS					F
	Round Form U Bolts - With Nuts		UB453-3	4 ea	
SHACKLES					
	Greaseable Shackles		S395K	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NISSAN PATI WD21 Terrano 1, Ba	HFINDER - 4WD akkie, Trader 10/1987 to 1995				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha		SA35643GP		
TORSION BARS					F R
	Increased Rate Torsion Bars  Length 1232mm	NISS017		1 pr	0 N
STEERING DAMPER (right angle pin)	Steering Damper		SD14035G	1 only	Т
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	— 2 ea	
	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35636GPA	2 00	R
COIL SPRINGS					A
	Standard Height Heavy Duty Coil Springs	STD+	NIS-217		R
	Raised Height Heavy Duty Coil Springs	40mm	NIS-212	1 pr	

NISSAN PATH R51 2005 to 2012	HFINDER - 4WD				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles With Up To 50kg Bullar Preassembled Strut/Coil With Top Plate Mount	40mm	NIS-226 COIL-ST-NIS01	-	-
ASSEMBLY	Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HD		F
William .	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles With Up To 50kg Bullar	40mm	COIL-ST-NIS21 NIS-226T	1 pr	R O
Cindle .	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS52	_	N
	Tapered Coil Springs For Vehicles With 50kg Plus Bullar / Winch	40mm	NIS-226HDT		Т
	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-NIS51		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL2040	2 ea	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		SA35442G	2 ea	R
COIL SPRINGS					E
	Raised Height Heavy Duty Coil Springs <b>LBA up to 200kg</b>	40mm	NIS-227	- 1 nr	A R
	Raised Height Heavy Duty Coil Springs  LBA 200kg plus - constant load	40mm	NIS-227HD	- 1 pr	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	HFINDER - 4WD 010 to 2012				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67089GP	1 pr	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	NIS-226HDSP	1 pr	O N T
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		SA35442G	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  LBA up to 200kg	40mm	NIS-227	— 1 pr	E A R
	Raised Height Heavy Duty Coil Springs  LBA 200kg plus - constant load	40mm	NIS-227HD	ιρι	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NISSAN X-TF T30 Wagon 2001	<b>RAIL - 4WD</b> to 9/2007				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA673227G	1 L	F
			SA673226G	1 R	R
COIL SPRINGS					N
	Raised Height Heavy Duty Coil Springs	40mm	NIS-222	1 pr	Т
SHOCK ABSORBERS					
	Church/Coo Churing Coot Chook Abourbour		SA673229G	1 L	
	Strut/Gas Spring Seat Shock Absorbers		SA673228G	1 R	R E
COIL SPRINGS					A R
	Raised Height Heavy Duty Coil Springs	40mm	NIS-224	1 pr	

NISSAN X-TF T31 Wagon 10/2	RAIL - 4WD 2007 Onwards	Amprov	Part	Oty Por	
Part and Location	Description	Approx Lift	Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA67043G	1 L	
	Gray Cas opining Seat Glock Absorbers		SA67042G	1 R	F R
COIL SPRINGS					0
	Raised Height Heavy Duty Coil Springs Petrol - No Bar / Winch	25-30mm	NIS-228		N T
	Raised Height Heavy Duty Coil Springs Petrol - With Bar / Winch Diesel - all applications	25-30mm	NIS-228HD	1 pr	
SHOCK ABSORBERS					
	30mm Gas Shock Absorbers		SAS314044	2 ea	R E
COIL SPRINGS					A
	Raised Height Heavy Duty Coil Springs	25-30mm	NIS-229	1 pr	R

NISSAN PAT		38 to 1998			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41091FCN	2 <del>c</del> a	
STEERING DAMPER (check end type)	Steering Damper - Pre 9/1989	Eye/Eye	SD14034G	— 1 only	F
	Expanded Body Steering Damper - 9/1989 Onwards	Pin/Pin	SD35036	— I Offiny	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs No LBA  Raised Height Heavy Duty Coil Springs With LBA to 45kg - steel bar and/or winch	50mm 50mm	NIS-200 NIS-201	— 1 pr	O N T
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41094FC	2 <del>c</del> a	R
COIL SPRINGS					E
	Raised Height Heavy Duty Coil Springs  LBA 100kg to GVM	50mm	NIS-213	— 1 pr	R
	Raised Height Heavy Duty Coil Springs  LBA 150kg to GVM	50mm	NIS-214	ıρι	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NISSAN PATR GQ / Y60 - LWB Stat		987 to 199°	7		
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		Liit	Number	70111010	
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41091FCN	2 ea	
STEERING DAMPER (Check end type)	Steering Damper - Pre 9/1989	Eye/Eye	SD14034G	1 only	
	Expanded Body Steering Damper - 9/1989 Onwards	Pin/Pin	SD35036	— 1 only	_
COIL SPRINGS					F R
	Standard Height Heavy Duty Coil Springs	STD	NIS-204		0
	Raised Height Heavy Duty Coil Springs  LBA up to 45kg	50mm	NIS-201		N T
	Raised Height Heavy Duty Coil Springs  LBA 50kg to 80kg	50mm	NIS-201HD	1 pr	•
2 A 18 18 18 18	Raised Height Heavy Duty Coil Springs  LBA 80kg plus	50mm	NIS-201HHD		
CASTER BUSH KIT					
	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP	— 2 ea	
Short and a second	41mm Foam Cell Shock Absorbers		SA41094FC	2 64	
COIL SPRINGS					
	Standard Height Heavy Duty Coil Springs	STD	NIS-220		R
$\infty$	Raised Height Heavy Duty Coil Springs  LBA up to 150kg - constant load	50mm	NIS-214		E A
	Raised Height Heavy Duty Coil Springs  LBA 200kg to 350kg - constant load	50mm	NIS-214HD	1 pr	R
	Raised Height Heavy Duty Coil Springs 450kg plus - constant load when fitting NIS-214EHD it is recommended to fit co tower brace bracket	oil 50mm	NIS-214EHD	_	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

<b>NISSAN PAT</b>	ROL - 4WD				
GQ / Y60 Cab Ch	assis & Utility Leaf Sprung 1988 to 5	/1999			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
-10	35mm Gas Bulged Shock Absorbers		SA35661G	— 2 ea	
-80	41mm Foam Cell Shock Absorbers		SA41661FC	2 ea	
STEERING DAMPER					
(Check end type)	Steering Damper - Pre 9/1989	ES17-EB1	SD14034G		
₿	Insufficient clearance for 35mm expanded body	EB1-EB1	SD14022G	1 only	
	<u>cannister</u> Expanded Body Steering Damper - 9/1989 Onwards	PIN - PIN	SD35036	<u> </u>	
LEAF SPRINGS					
Q 3				_	_
	Raised Height Heavy Duty 7 Leaf Springs	50mm	NISS011	2 ea	F R
SHACKLE BUSH KITS					0
11.44	D. 1. (1. D. 1.16)		D11=401114	4.1.1	N
8886	Polyurethane Bush Kit		BU718UK	1 kit	Т
U-BOLTS					
	Square Form U Bolts With Nuts		UB436	3 N/S	
	Square Forged U Bolts With Nuts		UB669F	1 D/S	
SHACKLES				_	
40 CM	Heavy Duty Greaseable Shackle  Anti - Inversion Shackle L/H optional	Must fit	S353K S353KLH	2 ea 1 L/H	
	Anti - Inversion Shackle L/H optional  Anti - Inversion Shackle R/H optional	in pairs	S353KRH	1 L/H 1 R/H	
PINS	7 titi - inversion endone 17/11 optional	pac	COCOLATA	1 1 (11	
	Greaseable Pins		P667	2 ea	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35648GP		
	41mm Foam Cell Shock Absorbers Urethane boot optional extra		SA41648FC	2 ea	
LEAF SPRINGS	Orethalie Boot Optional extra				
LLAI OFININOS	Raised Height Heavy Duty 7 + 2 Leaf Springs		NISS012D-S	1 D/S	
APP.	LBA up to 300kg	50mm	NISS012N-S	1 N/S	
	Raised Height Extra Heavy Duty 9 + 2 Leaf Springs LBA 400kg to 600kg	50mm	NISS012MH		
	Raised Height Extra Heavy Duty 7 + 2 Leaf Springs	F0		2 ea	
	with 10mm main & wrap leaves - constant load LBA 600kg to GVM	50mm	NISS012GV		R
SHACKLE BUSH KITS					Ε
8 8 8 8	Polyurethane Bush Kit		BU719UK	1 kit	Α
<u> </u>	i diyuletilane busii Kit		B07190K	i Kit	R
U-BOLTS					
	Round Form U Bolts - With Nuts		UB453	4 ea	
0114 01/1 50					
SHACKLES	Heavy Duty Greaseable Shackle		S353K	2 ea	
1	Anti - Inversion Shackle L/H optional	Must fit	S353KLH	2 ea 1 L/H	
30	Anti - Inversion Shackle R/H optional	in pairs	S353KRH	1 R/H	
PINS	·				
	Greaseable Pins		P667	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
SHOCK ABSORBERS				
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	— 2 ea
	41mm Foam Cell Shock Absorbers		SA41091FCN	Z Ca
STEERING DAMPER				
	Expanded Body Steering Damper	Pin/Pin	SD35036	1 only
COIL SPRINGS				
	Standard Height Heavy Duty Coil Springs	STD +	NIS-204	
	Raised Height Heavy Duty Coil Springs  LBA up to 45kg	50mm	NIS-201	1 pr
(00 1 1 V	Raised Height Heavy Duty Coil Springs  LBA 50kg to 80kg	50mm	NIS-201HD	
CASTER BUSH KIT				
	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit
SHOCK ABSORBERS				
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP	— 2 ea
O CALLESTON	41mm Foam Cell Shock Absorbers		SA41094FC	2 00
COIL SPRINGS				
	Standard Height Heavy Duty Coil Springs	STD	NIS-210LP	
ammo	Raised Height Heavy Duty Coil Springs  LBA up to 150kg	50mm	NIS-214	
omus	Raised Height Heavy Duty Coil Springs  Progressive Rate LBA 200kg to 400kg - constant load	50mm	NIS-209HD	1 pr
	Raised Height Heavy Duty Coil Springs  Progressive Rate Constant 500kg to GVM	50mm	NIS-211SP	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

NISSAN PATE GU / Y61 Cab Chas	ROL - 4WD ssis Utility Leaf Springs Rear 1999 Onv	vards			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	— 2 ea	
OTESTING DAMPED	41mm Foam Cell Shock Absorbers		SA41091FCN		•
STEERING DAMPER	Expanded Body Steering Damper - Piranha	Pin-Pin	SD35011GP		F
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD	NIS-204		RO
NI I MANOON	Raised Height Heavy Duty Coils LBA up to 40kg	50mm	NIS-201	1 pr	N T
COUNTION)	Raised Height Heavy Duty Coils <b>LBA 50kg to 80kg</b>	50mm	NIS-201HD	<del></del>	•
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS					
O M	35mm Gas Bulged Shock Absorbers - Piranha		SA35648GP	 2 ea	
Of M-	41mm Foam Cell Shock Absorbers  Urethane boot optional extra		SA41648FC	2 04	
LEAF SPRINGS					
	Raised Height Heavy Duty 7 + 2 Leaf Springs LBA up to 300kg	50mm	NISS012D-S NISS012N-S	1 D/S 1 N/S	
	Raised Height Extra Heavy Duty 9 + 2 Leaf Springs <b>LBA 400kg to 600kg</b>	50mm	NISS012MH		
	Raised Height Extra Heavy Duty 7 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to GVM	50mm	NISS012GV	2 ea	. R
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU719UK	1 kit	E A R
U-BOLTS	Round Form U Bolts - With Nuts		UB671	4 ea	
SHACKLES	Heavy Duty Greaseable Shackle		S353K	2 ea	
<b>***</b>	Anti - Inversion Shackle L/H optional	Must fit	S353KLH	2 ea 1 L/H	
	Anti - Inversion Shackle R/H optional	in pairs	S353KRH	1 R/H	
PINS	Greaseable Pins		P667	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

\*\* While Stocks Last\*\*

NISSAN PATE GU / Y61 LWB Sta	ROL - 4WD Ition Wagon 12/1997 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		•		70	
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41091FCN	_ 2 Ga	
STEERING DAMPER					
Ĭ	Expanded Body Steering Damper - <b>Pre 2000 -</b> Piranha	PIN/PIN	SD35011GP	<u></u>	
4 4	Expanded Body Steering Damper - 4/2000 Onwards	R.A.P	SD35501GP		·F
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD+	NIS-204		R
	Raised Height Heavy Duty Coil Springs  LBA up to 45kg	50mm	NIS-201		O N
dimmin and the second	Raised Height Heavy Duty Coil Springs LBA 50kg to 80kg	50mm	NIS-201HD	1 pr	Т
	Raised Height Heavy Duty Coil Springs  LBA 80kg plus	50mm	NIS-201HHD		
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP		
o piranha	41mm Foam Cell Shock Absorbers		SA41094FC	2 ea	
COIL SPRINGS					
	Standard + Height Heavy Duty Coil Springs	STD	NIS-220		
	Raised Height Heavy Duty Coils - Progressive Rate  NIS-209LP* has 30mm split L&R for GU Wag	40mm	NIS-209LP*		R E
CO X NYNO	Raised Height Heavy Duty Coil Springs LBA up to 150kg	50mm	NIS-215		A R
MANIA.	Raised Height Heavy Duty Coil Springs  LBA 200kg to 350kg	50mm	NIS-214HD	1 pr	• •
	Raised Height Heavy Duty Coil Springs  LBA 450kg to GVM - Constant load  when fitting NIS-214EHD it is recommended to fit coil tower brace bracket	50mm	NIS-214EHD		
	Raised Height Heavy Duty Coils - Progressive Rate NIS-211* has 30mm split L&R for GU Wag	50mm	NIS-211*		

	nassis & Utility Coil Springs 5/1999 Onw	Approx	Part	Qty Per	
Part and Location	Description	Lift	Number	Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35091GP		
O Diranha O	41mm Foam Cell Shock Absorbers		SA41091FCN	— 2 ea	
STEERING DAMPER	4 min Foan Gen Glock Absorbers		OATIONI OIL		
	Steering Damper ** <b>WSL</b> **	Pin-Pin	SD14011	4	
	Expanded Body Steering Damper - Piranha		SD35011GP	— 1 only	F
COIL SPRINGS					F
0114400000	Standard Height Heavy Duty Coil Springs	STD+	NIS-204		N
ettimmo	Raised Height Heavy Duty Coil Springs  LBA up to 45kg	50mm	NIS-201	1 pr	1
	Raised Height Heavy Duty Coil Springs LBA 50kg to 80kg	50mm	NIS-201HD	_	
CASTER BUSH KIT					
38	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35094GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41094FC	2 <del>C</del> a	
COIL SPRINGS					
	Raised Height Heavy Duty Coil Springs  LBA up to 100kg	50mm	NIS-214		R
CO Y VVVV	Raised Height Heavy Duty Coil Springs  LBA up to 250kg - Progressive Rate	50mm	NIS-209HD		A
MANATO.	Raised Height Heavy Duty Coil Springs  LBA 200kg to 350kg - constant load	50mm	NIS-214HD	1 pr	-
	Raised Height Heavy Duty Coil Springs 450kg to GVM - constant load when fitting NIS-214EHD it is recommended to fit coil tower brace bracket	50mm	NIS-214EHD		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	IDROVER - 4WD  LWB 110 Wheelbase 1992 to 2001 & 130	Wheelbase Dou	uble Cab 1994	to 1999	
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	41mm Foam Cell Shock Absorbers		SA41689FC	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs 110, TD5 & 130	50mm	LAN-207	— 1 pr	F R O
STEERING DAMPER	Raised Height Heavy Duty Coil Springs 110, TD5 (only)	50mm	LAN-207HD	1 μ	N T
TEERING DAMPER	Expanded Body Steering Damper		SD14032G	1 only	
SHOCK ABSORBERS	41mm Foam Cell Shock Absorbers		SA41690FC	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs 110, TD5 & 130	50mm	LAN-202	— 1 pr	E A R
OIYW	Raised Height Heavy Duty Coil Springs 110, TD5 (only)	50mm	LAN-202HD	ı pı	

ROVER - LAN Discovery Series I	NDROVER - 4WD 1991 to 3/1999				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	41mm Foam Cell Shock Absorbers		SA41689FC	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs LBA up to 30kg	50mm	LAN-206	1 pr	F R O N T
STEERING DAMPER	Steering Damper		SD14011		
i i	Expanded Body Steering Damper		SD35011G	— 1 only	
SHOCK ABSORBERS	41mm Foam Cell Shock Absorbers special raised - check coil entrapment		SA41690FC	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  LBA up to 200kg	50mm	LAN-213	1 pr	E A R
	Raised Height Heavy Duty Coil Springs  LBA 250kg plus - constant load	50mm	LAN-213HD	ı pı	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ROVER - LAN Discovery Series II	IDROVER - 4WD 3/1999 to 2004				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	41mm Foam Cell Shock Absorbers		SA41776FC	2 ea	
COIL SPRINGS					F
uuwmo	Raised Height Heavy Duty Coil Springs	50mm	LAN-208	1 nr	R O
ammi	LBA up to 30kg	30111111	LAN-200	1 pr	N T
STEERING DAMPER					
(right angle pin)	Steering Damper		SD14502G	1 only	
SHOCK ABSORBERS					
	41mm Foam Cell Shock Absorbers		SA41777FC	2 ea	R
COIL SPRINGS					E
<u>annino</u>	Raised Height Heavy Duty Coil Springs  LBA up to 200kg	50mm	LAN-213	_ 4	A R
<b>O</b> WW	Raised Height Heavy Duty Coil Springs  LBA 250kg plus - constant load	50mm	LAN-213HD	1 pr	

LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

ROVER - LAN Discovery Series III	DROVER - 4WD 1/2005 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		NLA	2 ea	F R
COIL SPRINGS					0
ammu	Raised Height Heavy Duty Coil Springs <b>LBA up to 30kg</b>	50mm	LAN-216	_ 1 nr	N T
ammo	Raised Height Heavy Duty Coil Springs  LBA up to 50kg	50mm	LAN-216HD	– 1 pr	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA67779G	2 ea	<b>D</b>
COIL SPRINGS					R E
c0 1 0000	Raised Height Heavy Duty Coil Springs <b>LBA up to 200kg</b>	50mm	LAN-217		Α
	Raised Height Heavy Duty Coil Springs LBA 250kg to 400kg	50mm	LAN-217HD	1 pr	R
	Raised Height Extra Heavy Duty Coil Springs LBA 450kg plus - constant Load	50mm	LAN-217EHD		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	NGEROVER - 4WD to 1998 excluding air suspension				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	41mm Foam Cell Shock Absorbers		NLA	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs LBA up to 30kg	50mm	LAN-206	1 pr	F R O N T
STEERING DAMPER (right angle pin)	Steering Damper		SD35011G	1 only	
SHOCK ABSORBERS	41mm Foam Cell Shock Absorbers		NLA	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs LBA up to 150kg	50mm	LAN-212	1 pr	E A R

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

SSANGYONO Musso & Korando					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		SA35667GL	2 ea	F R
TORSION BARS					O N
	Increased Rate Torsion Bars		MUSS001	1 pr	T
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		SA35758G	2 ea	R
COIL SPRINGS		0.75			E A
WWYIW	Standard Height Heavy Duty Coil Springs	STD	MUS-201	— 1 pr	R
OI WILL	Raised Height Heavy Duty Coil Springs	40mm	MUS-200	, μ	

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT			SA67074G	1 L
	Strut/Gas Spring Seat Shock Absorbers		SA67075G	1 R
COIL SPRINGS  WWW	Raised Height Heavy Duty Coil Springs	30mm	SUB-201	1 pr
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67076G SA67077G	1 L 1 R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs LBA up to 100kg - constant load	30mm	SUB-203	1 pr

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

SUBARU FOR MY03, MY04, MY05	RESTER - 4WD 7/2002 to 7/2008 excluding 2.5L turbo at	nd all self lev	elling suspensi	on	
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
-	Strut/Gas Spring Seat Shock Absorbers		SA67071G	1 L	F
			SA67070G	1 R	R O
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30mm	SUB-201SP	1 pr	N T
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67073G	1 L	
			SA67072G	1 R	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30mm	SUB-204	1 pr	A R

SUZUKI JIMN SN413 to JB33 Wa					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
	36mm Gas Bulged Shock Absorbers		SA36631G	2 ea	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40-50mm	SUZ-206	1 pr	O N T
SHOCK ABSORBERS	36mm Gas Bulged Shock Absorbers		SA36640G	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40-50mm	SUZ-212	1 pr	E A R

SUZUKI JIMN GJ Wagon 2018 C	Y - 4WD Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35113GP	2 ea	F R
COIL SPRINGS					0
	STD Height + Heavy Duty Coil Springs	15mm	KSFR-63	– 1 pr	N T
60000000	Raised Height Heavy Duty Coil Springs	40-50mm	ТВА	1 1	
SHOCK ABSORBERS					
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha		SA35114GP	2 ea	R
COIL SPRINGS					E
<b>WWW</b>	STD Height + Heavy Duty Coil Springs	15mm	KSRR-64	_ 1 nr	A R
WYYO	Raised Height Heavy Duty Coil Springs	40-50mm	ТВА	– 1 pr	

SUZUKI SIER					
SJ & LJ 1981 to	3/1996 (also HOLDEN DROVER)  Description	Approx	Part	Qty Per	
SHOCK ABSORBERS		Lift	Number	Vehicle	
O pirants	35mm Gas Shock Absorbers		SA12649GP	2 ea	
STEERING DAMPER					
₫——-₫	Steering Damper		SD14030G	1 only	
LEAF SPRINGS	Raised Height Heavy Duty 4 Leaf Springs	50mm	SUZ001	2 ea	F R
SHACKLE BUSH KITS					0
0000	Polyurethane Bush Kit		BU734UK	1 kit	N T
U-BOLTS	Round Form U Bolts - With Nuts  Does not suit Pre 81 Models		UB654 UB655	2 D/S 2 N/S	
SHACKLES	Non-Greaseable Shackles		S656RK	2 ea	
PINS	Non-Greaseable Pins		P657	2 ea	
SHOCK ABSORBERS					
piranha	35mm Gas Shock Absorbers		SA12635GP	2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 3 + 2 Leaf Springs  LBA up to 300kg	50mm	SUZ002	2 ea	
0	Raised Height Heavy Duty 3 + 2 Leaf Springs use SUZ002D/S with spare tyre on rear door	50mm	SUZ002D/S SUZ002	1 D/S 1 N/S	
0	Raised Height Extra Heavy Duty 4 + 2 Leaf Springs LBA 300kg to GVM	50mm	SUZ002M	2 ea	
	Special Note: SUZ002M suits SJ41T Trayback & LJ 80 S	Stockman			R
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU734UK	1 kit	E A R
U-BOLTS	Round Form U Bolts - With Nuts  Does not suit Pre 81 Models		UB655	4 ea	
SHACKLES					
	Non-Greaseable Shackles		S656RK	2 ea	
PINS	Non-Greaseable Pins		P657	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

SUZUKI SIER SJ80 / SJ413 4/	RRA - 4WD 11996 to 12/1998				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers		SA67104G	2 ea	F R
COIL SPRINGS					0
	Raised Height Heavy Duty Coil Springs	30mm	NLA	1 pr	N T
SHOCK ABSORBERS					
	30mm Gas Shock Absorbers		SAS310922	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30mm	SUZ-210	1 pr	E A R

SUZUKI VITA SE416 1.6 Litre & SE	<b>ARA - 4WD</b> E420 2 Litre 3 door SWB 1988 to 1997 Santar	na, Sidekick,	Escudo, Geo	Tracker	
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
-	Strut/Gas Spring Seat Shock Absorbers		SA67140G	1 L	F
	. 3		SA67139G	1 R	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  1.6 Litre Engine	30mm	SUZ-201	4	O N T
<b>community</b>	Raised Height Heavy Duty Coil Springs  2 Litre Engine	30mm	SUZ-202	— 1 pr	
SHOCK ABSORBERS					
M M O	35mm Gas Bulged Shock Absorbers		SA35639GL	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	30mm	SUZ-208	1 pr	A R

SUZUKI VITA SE416 & SV420 / 62		1991 to 1998			
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
-	Strut/Gas Spring Seat Shock Absorbers		SA67140G	1 L	F
	· ·		SA67139G	1 R	R O
COIL SPRINGS					N
ammin	Raised Height Heavy Duty Coil Springs  4 Cylinder Engine	30mm	SUZ-202	— 1 pr	T
ammin	Raised Height Heavy Duty Coil Springs V6 Engine	30mm	NLA	— ιρι	
SHOCK ABSORBERS					
	35mm Gas Bulged Shock Absorbers		SA35639GL	2 ea	R
COIL SPRINGS					Ε
	Raised Height Heavy Duty Coil Springs	30mm	SUZ-209	1 pr	A R

SUZUKI VITA Grand Vitara SWB, L					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67144G SA67143G	1 L 1 R	F
COIL SPRINGS	Raised Height Heavy Duty Coil Springs 4 Cylinder Engine SWB & LWB	30mm	NLA		R O N
diximmin and the second	Raised Height Heavy Duty Coil Springs V6 Engine	30mm	SUZ-205	1 pr	Т
	Raised Height Heavy Duty Coil Springs <b>XL-7</b>	30mm	SUZ-205H		
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers 4 Cylinder Engine & V6 SWB & LWB Models		SA35639GL	2 ea	
	35mm Gas Bulged Shock Absorbers XL7 Models		SA35632G	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs 4 Cylinder Engine SWB	30mm	NLA		R E A
	Raised Height Heavy Duty Coil Springs 4 Cylinder LWB	30mm	SUZ-211	4	R
	Raised Height Heavy Duty Coil Springs V6 Engine	30mm	SUZ-211	— 1 pr	
	Raised Height Heavy Duty Coil Springs XL-7	30mm	SUZ-213		

SUZUKI VITA Grand Vitara JE	ARA - 4WD 3416 4Cyl & JB627 V6 8/2005 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRIIT	Strut/Gas Spring Seat Shock Absorbers		SA67142G SA67141G	1 L 1 R	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  4 Cylinder Engine	30mm	SUZ-215 SP		O N T
dimmin	Raised Height Heavy Duty Coil Springs V6 Engine / 4 Cylinder Diesel	30mm	SUZ-215	1 pr	
SHOCK ABSORBERS	36mm Gas Bulged Shock Absorbers 4 Cylinder & V6 SWB & LWB Models		ТВА	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs 4 Cylinder & V6 Engine	30mm	SUZ-216	1 pr	E A R

	JX & 4 RUNNER - 4WD leaf spring / 46 / 105 & LN / YN65 / 67 / 106 1979 to				
Part and Location	Description	Approx	Part	Qty Per	
SHOCK ABSORBERS		Lift	Number	Vehicle	
O piranta	35mm Gas Bulged Shock Absorbers - Piranha		SA35639GP	2 ea	
STEERING DAMPER (right angle pin on one end)	Expanded Body Steering Damper		SD35021G	1 only	
LEAF SPRINGS	Raised Height Heavy Duty 5 Leaf Springs Petrol Engine	50mm	TOY010CD/S TOY010CN/S	1 D/S	
	Raised Height Heavy Duty 6 Leaf Springs  Diesel Engine	50mm	TOY010HD/S TOY010HN/S	1 N/S	F
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU732UK	1 kit	R O N
U-BOLTS	Square Form U Bolts - With Nuts Square Forged Form U Bolts - With Nuts		UB453-2 UB678	2 (N/S) 2 (D/S)	Т
SHACKLES	Greaseable Shackles		S384K	2 ea	
PINS	Greaseable Pins		P385	2 ea	
OPTIONAL PARTS	Adjustable Torque Arm Drop Drag Link		ACCATA-TOY01 ACCDDL-TOY01	– 1 kit	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers -Piranha - Pre 1/1984		SA35636GP		
piranha 0	35mm <b>Adjustable</b> Shock Absorbers -Piranha - Pre 1/1984		SA35636GPA	– 2 ea	
	35mm Gas Bulged Shock Absorbers - Piranha - Post 1/1984		SA35650GP	_	
LEAF CODINGS	35mm <b>Adjustable</b> Shock Absorbers - Piranha - Post 1/1984		SA35650GPA		
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA up to 300kg</b>	50mm	TOY011	2.00	
0-17	Raised Height Extra Heavy Duty 6 + 1 Leaf Springs  LBA 400kg to GVM	50mm	TOY011M	– 2 ea	R
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU733UK	1 kit	E A R
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2	4 ea	
SHACKLES	Greaseable Shackles		S386K	2 ea	
PINS	Greaseable Pins		P385	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA HILU	JX - 4WD ual Cab LN107 SR5, LN108, RN106	9/1991 to	2005		
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35088GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41088FC		
STEERING DAMPER	Steering Damper Insufficient clearance for 35mm expanded body cannister on some Turbo Diesel models		SD14033G	1 only	F R O N
	Expanded Body Steering Damper		SD35033G		Т
TORSION BARS					
	Increased Rate Torsion Bars Length 1064mm		TOY026	1 pr	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35650GP SA35650GPA	— 2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA up to 200kg	50mm	TOY040	2 ea	
O-4-7	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs LBA 250kg to 400kg	50mm	TOY040M	2 <del>c</del> a	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU747UK	1 kit	R E
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2	4 ea	A R
SHACKLES	Greaseable Shackles		S386-1K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	N165/166/167, LN170 (2.4L DsI), LN172 (3.0	DL DsI), R	ZN169		
Single Cab / Dual C	Description 10/1997 to 2005	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35088GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41088FC	2 <del>c</del> a	
STEERING DAMPER	Steering Damper Insufficient clearance for 35mm expanded body cannister on some Turbo Diesel models		SD14033G	1 only	F R O N
	Expanded Body Steering Damper		SD35033G		Т
TORSION BARS	Increased Rate Torsion Bars  Length 1064mm		TOY026	1 pr	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35650GP		
o piranha o	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35650GPA	— 2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA up to 200kg	50mm	TOY040	— 2 ea	
0	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs  LBA 250kg to 400kg	50mm	TOY040M	2 00	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU747UK	1 kit	R
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2	4 ea	A R
SHACKLES					
	Greaseable Shackles		S386-1K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA 4 RU					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS			Hambon	700.0	
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35088GP	— 2 ea	
	41mm Foam Cell Shock Absorbers		SA41088FC	— 2 <del>C</del> a	
STEERING DAMPER	Steering Damper Insufficient clearance for 35mm expanded body cannister on some Turbo Diesel models		SD14033G	1 only	F R O N
	Expanded Body Steering Damper		SD35033G		Т
TORSION BARS	Increased Rate Torsion Bars Length 1064mm		TOY026	1 pr	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35650GP		
O Diranha	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35650GPA	— 2 ea	
LEAF SPRINGS	Raised Height Heavy Duty 5 + 2 Leaf Springs  LBA up to 300kg	50mm	TOY011		
0-4	Raised Height Extra Heavy Duty 6 + 2 Leaf Springs  LBA 400kg to GVM	50mm	TOY011M	— 2 ea	
SHACKLE BUSH KITS					
9996	Polyurethane Bush Kit		BU733UK	1 kit	R E
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2	4 ea	A R
SHACKLES	Greaseable Shackles		S386K	2 ea	
PINS	Greaseable Pins		P385	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
SHOCK ABSORBERS				
10	35mm Gas Bulged Shock Absorbers - Piranha		SA35088GP	— 2 ea
	41mm Foam Cell Shock Absorbers		SA41088FC	— 2 ea
TORSION BARS				
	Increased Rate Torsion Bars  Length 1064mm		TOY026	1 pr
STEERING DAMPER	o			
₫——₫	Steering Damper Insufficient clearance for 35mm expanded body cannister on some Turbo Diesel models		SD14033G	1 only
	Expanded Body Steering Damper		SD35033G	
SHOCK ABSORBERS				
0	35mm Gas Bulged Shock Absorbers		SA35637GL	— 2 ea
	41mm Foam Cell Shock Absorbers		SA41637FC	2 00
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  LBA up to 100kg	40mm	THX-201	4
	Raised Height Extra Heavy Duty Coil Springs	40mm	THX-201HD	— 1 pr

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA HILL KUN 26 4/2005 to	JX - 4WD 2015 VIGO				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS					
5	Upper Control Arms - Piranha		UCATOY01	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GP	<u> </u>	
	<b>Adjustable</b> Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GPA	2 ea	
COILS & STRUT	Coil Springs For Vehicles Without Bullbar	40mm	TPR-204		
ASSEMBLY	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR01	_	
	Coil Springs For Vehicles With Bull Bar	40mm	TPR-204H		
Continue of the second	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR11	_	F
Maga	Coil Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HD COIL-ST-TPR21	1 pr	R
White the	Tapered Coil Springs For Vehicles Without Bullbar		TPR-204T	_	0
1100	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-TPR52		N
The Control of the Co	Tapered Coil Springs For Vehicles With Bull Bar		TPR-204HT	_	T
	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-TPR51		•
TOP PLATE MOUNT	Strut / Coil Assembly Top Plate Mount		TPL1083	2 ea	
SWAY BAR RELOCATION	<u> </u>		2.000	2 04	
PLATE					
PLATE	Sway Bar Relocation Plates		ACCSWBR-TOY01	1 kit	
SHOCK ABSORBERS					
piranha 0	35mm Gas Bulged Shock Absorbers - Piranha		SA35650GP	2 00	
	35mm Adjustable Shock Absorbers - Piranha		SA35650GPA	– 2 ea	
LEAF SPRINGS	Raised Height 5 Leaf Parabolic Springs LBA 100kg to 300kg	50mm	TOY146P5		
	Raised Height Comfort 4 + 2 Leaf Springs  LBA up to 200kg	50mm	TOY146	_	
	Raised Height Heavy Duty 5 + 2 Leaf Springs <b>LBA 250kg - 400kg</b>	50mm	TOY146M	2 ea	
0	Raised Height Heavy Duty 6 + 2 Leaf Springs  LBA 400kg to 600kg	50mm	TOY146MH		
	Raised Height Extra Heavy Duty 5 + 2 Leaf Springs LBA 600kg to GVM with 10mm main & wrap leaves - constant load	50mm	TOY146GV		
SHACKLE BUSH KITS				·	R
0000	Polyurethane Bush Kit		BU766UK	1 kit	E A R
U-BOLTS	Square Form U Bolts - With Nuts		UB453-2		K
	Square Form U Bolts - With Nuts use with TOY146P5, TOY146M, TOY146MH & TOY146GV		UB437	4 ea	
SHACKLES A	10117004				
SIMONLEO	Greaseable Shackles		S387K	2 ea	
PINS					
	Greaseable Pins		P387-2	2 ea	
BRAKE BIAS ROD					
<b>○</b>	Brake Bias Rod		ACCBBR-TOY01	1 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA HIL 2015 Onwards R	UX - 4WD EVO				
Part and Location	Description	Approx	Part	Qty Per	
LIDDED CONTROL ADMC	·	Lift	Number	Vehicle	
UPPER CONTROL ARMS					
7	Upper Control Arms - Piranha		UCATOY01	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GP		•
	<b>Adjustable</b> Dampening Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GPA	2 ea	F
COILS & STRUT	Coil Springs For Vehicles Without Bullbar	40mm	TPR-204		R
ASSEMBLY	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR01	=	0
	Coil Springs For Vehicles With Bull Bar	40mm	TPR-204H		
Mindle Control	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR11	=	N
William .	Coil Springs For Vehicles With Bullbar & Winch	40mm	TPR-204HD	1 pr	Т
Marie William	Preassembled Strut/Coil With Top Plate Mount Tapered Coil Springs For Vehicles Without Bullbar		COIL-ST-TPR21 TPR-204T	=	
William Co.	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-TPR52		
The same of the sa	Tapered Coil Springs For Vehicles With Bull Bar		TPR-204HT	_	
	Preassembled Strut/Coil With Top Plate Mount	40mm	COIL-ST-TPR51		
TOP PLATE MOUNT	Strut / Coil Assembly Top Plate Mount		TPL1083	2 ea	
SHOCK ABSORBERS	<u> </u>				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35098GP		
o piranha o	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35098GPA	- 2 ea	
LEAF SPRINGS	·				
	Raised Height 4 Leaf Parabolic Springs	50mm	TOY056P4		
	LBA 100kg to 300kg	3011111	101030F4	_	
	Raised Height Comfort 3 + 2 Leaf Springs <b>LBA up to 200kg</b>	50mm	TOY056	_	
	Raised Height Heavy Duty 3 + 2 Leaf Springs LBA 200kg to 400kg	50mm	TOY056M	2 ea	
	Raised Height Heavy Duty 4 + 2 Leaf Springs LBA 400kg to 600kg	50mm	TOY056GV	-	D
	Raised Height Heavy Duty 4 + 2 Leaf Springs  LBA 600kg to GVM	50mm	TOY056GVH	_	R
SHACKLE BUSH KITS					A
0000	Polyurethane Bush Kit		BU766UK	1 kit	R
U-BOLTS					
CHAIL	Square Form U Bolts - With Nuts		UB453-2		
	Square Form U Bolts - With Nuts		110.407	4 ea	
1100	use with TOY056P4, TOY056M & TOY056GV		UB437		
SHACKLES	Greaseable Shackles		S391K	2 ea	
PINS	Greaseable Pins		P387-2	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)



## **DO YOUR CUSTOMERS CARRY HEAVY LOADS?**

At SSA we have been able to solve the heavy load requirements of Mazda BT50/Ford Ranger customers with our spring made to our unique design. This has given the over slung spring added strength in its low camber design.

NOTE: Loads are to be kept within the vehicle's legal limits. See how this was achieved in this featured video.

VISIT WEBSITE: www.ssa.com.au/solutions/improved-suspension-mazda-bt50

## **EXTRA HEAVY SPRING PACKS**

SSA has now expanded its range of heavy duty springs to other makes incorporating this same design. These include:

- Isuzu Dmax/Holden Colorado 2012 HOLDO22GV
- Mazda BT50/Ford Ranger '06-'11 MAZDA050GV
- Mazda BT50/Ford Ranger '12 on MAZDA052GV
- Mitsubishi Triton MO MITSO4GV
- Nissan Navara D23 NISSO36GV
- **CONTACT US:**

PHONE: 1800 630 411 EMAIL: info@ssa.com.au

- Nissan Navara D40 NISSO24GV
- Toyota Hilux '05-15 TOY146GV
- Toyota Hilux '15 on TOY056GV





TOYOTA LAN FJ45 / HJ47 LWB	IDCRUISER - 4WD 7/1980 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS		LIIC	Number	Vernole	
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha		SA12635GP	2 ea	
STEERING DAMPER					
<b>₽</b>	Steering Damper		SD14023G	1 only	
LEAF SPRINGS	Raised Height Heavy Duty 7 Leaf Springs  Comfort - no load	50mm	TOY004A	2 ea	
	Raised Height Heavy Duty 8 Leaf Springs LBA 50kg	50mm	TOY004		F
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU719UK	1 kit	R O N T
U-BOLTS	Round Form U Bolts - With Nuts		UB453-1	3 ea	•
1000	Square Form U Bolt - With Nuts		UB449	1 ea	
SHACKLES	Heavy Duty Greaseable Shackles Anti - Inversion Shackle L/H optional	Must fit	S353K S353KLH	2 ea - 1 L/H	
<del>(== 0</del>	Anti - Inversion Shackle R/H optional	in pairs	S353KRH	1 R/H	
PINS	Greaseable Pins		P351	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP		
LEAF SPRINGS	Raised Height Heavy Duty 7 + 3 Leaf Springs  LBA up to 300kg	50mm	TOY005	2	
04	Raised Height Heavy Duty 8 + 3 Leaf Springs <b>LBA 350kg plus - constant load</b>	50mm	TOY005M	– 2 ea	
SHACKLE BUSH KITS	Polyurethane Bush Kit		BU719UK	1 kit	R
U-BOLTS	Round Form U Bolts - With Nuts		UB416	4 ea	E A R
SHACKLES					
	Heavy Duty Greaseable Shackle		S353K	2 ea	
	Anti - Inversion Shackle L/H optional	Must fit	S353KLH	1 L/H	
DINO	Anti - Inversion Shackle R/H optional	in pairs	S353KRH	1 R/H	
PINS	Greaseable Pins		P351	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

<b>TOYOTA LAN</b>	DCRUISER - 4WD				
FJ60 / HJ60 Station	Wagon 1980 to 1990				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
o piranha	35mm Gas Bulged Shock Absorbers - Piranha		SA35637GP	2 ea	
STEERING DAMPER (right angle pin)					
å — å	Expanded Body Steering Damper - Piranha		SD35024GP	1 only	
LEAF SPRINGS					
	Raised Height Heavy Duty 7 Leaf Springs	50mm	TOY006	2 ea	
	Comfort - no load				
SHACKLE BUSH KITS					F
	Polyurethane Bush Kit		BU719UK	1 kit	R O
U-BOLTS					N
1/11/19	Causana Faura II Balta - With Nista		UD 426	4	Т
I MAN	Square Form U Bolts - With Nuts		UB436	4 ea	
SHACKLES				•	
**	Heavy Duty Greaseable Shackles  Anti - Inversion Shackle L/H optional		S353K S353KLH	2 ea 	
	Anti - Inversion Shackle R/H optional	Must fit in pairs	S353KRH	1 R/H	
PINS	, the inverse of danks (V) options.	<u> </u>			
	Greaseable Pins		P351	2 ea	
OULOOK ADOODDEDO					
SHOCK ABSORBERS	Pre 10/1985				
	35mm Gas Bulged Shock Absorbers - Piranha		SA35636GP	_	
O Diranta	Post 10/1985 35mm Gas Bulged Shock Absorbers - Piranha		SA35650GP	2 ea	
	41mm Foam Cell Shock Absorbers		SA41094FC	_	
LEAF SPRINGS					
	Paigod Haight Hoovy Duty 6 + 11 and Springs	50mm	TOY007CN/S	1 only	
0	Raised Height Heavy Duty 6 + 1 Leaf Springs	50mm	TOY007CD/S	1 only	
SHACKLE BUSH KITS					R
11.22	Polyurethane Bush Kit		BU719UK	1 kit	E
<b>3336</b>	i olyuletilalie busii Kit		B07130K	1 Kit	Α
U-BOLTS					R
	Round Form - With Nuts		UB453-3	4 ea	
OHA OKI FO					
SHACKLES	Heavy Duty Greaseable Shackles		S353K	2 ea	
1	Anti - Inversion Shackle L/H optional	Must fit	S353KLH	1 L/H	
( Tab	Anti - Inversion Shackle R/H optional	in pairs	S353KRH	1 R/H	
PINS					
	Greaseable Pins		P351	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

<b>TOYOTA L</b>	ANDCRUISER - 4WD				
FJ / HJ75 1984	4 to 1990 FZJ / HZJ75 1990 to 9/1999	Utility &	<b>Troop Carrie</b>	r	
Part and Location		Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBER	35mm Gas Bulged Shock Absorbers - Piranha		SA35637GP	2 ea	
STEERING DAMPER (right angle pin)	Expanded Body Steering Damper - Piranha		SD35024GP	1 only	
LEAF SPRINGS	Raised Height Heavy Duty 7 Leaf Springs  LBA up to 70kg	50mm	TOY008	0	
	Raised Height Extra H/D 8 Leaf Springs LBA 50kg Plus	50mm	TOY008M	— 2 ea	F
SHACKLE BUSH KIT	TS  Polyurethane Bush Kit		BU719UK	1 kit	R O N
U-BOLTS	Square Form U Bolts - With Nuts		UB436	4 ea	Т
SHACKLES	Heavy Duty Greaseable Shackles  Anti - Inversion Shackle L/H optional	Must fit	S353K S353KLH	2 ea 1 L/H	
	Anti - Inversion Shackle R/H optional	in pairs	S353KRH	1 R/H	
PINS	Greaseable Pins		P351	2 ea	
SHOCK ABSORBER	35mm Gas Bulged Shock Absorbers - Piranha		SA35099GP		
O piranha	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35099GPA	2 ea	
	41mm Foam Cell Shock Absorbers		SA41094FC	_	
LEAF SPRINGS	Raised Height Med Duty 6 + 2 Leaf Springs  LBA up to 200kg - Tray Back only	30mm	TOY009 **		
8	Raised Height H/D 7 + 2 Leaf Springs  LBA 250kg to 400kg	50mm	TOY009M		
0	Raised Height H/D 8 + 2 Leaf Springs  LBA 400kg to 600kg	50mm	ТОҮ009МН	— 2 ea	
	Raised Height EH/D 9 + 2 Leaf Springs LBA 600kg to GVM	50mm	TOY009RS		R
SHACKLE BUSH KIT	TS Polyurethane Bush Kit		BU720UK	1 kit	A R
U-BOLTS	Round Form U Bolts - With Nuts Round Form U Bolts - With Nuts Use with TOY009MH & TOY009RS		UB453-1 UB416	 4 ea	
SHACKLES					
+ale-A	Heavy Duty Greaseable Shackles	M 4 614	S353K	2 ea	
13	Anti - Inversion Shackle L/H optional Anti - Inversion Shackle R/H optional	Must fit in pairs	S353KLH S353KRH	1 L/H 1 R/H	
PINS &	7 and involvion ondotto (VII optional	pa	3000.000	1 1 (/ 1 )	
	Greaseable Pins		P354	2 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

TOYOTA LAN VDJ76 Station Wagor	DCRUISER - 4WD  2007 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
piranha	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35097GP SA35097GPA	 2 ea	
	41mm Foam Cell Shock Absorbers		SA41091FCT		
STEERING DAMPER	Expanded Body Steering Damper - Piranha 2007 Onwards		SD35047GP		
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD+	TLC-207		
	Raised Height Heavy Duty Coil Springs  No Bar / Winch	50mm	TLC-203	<u> </u>	F
mmili	Raised Extra Height Heavy Duty Coil Springs Progressive Rate - With Bar / Winch	50mm	TLC-203HT	1 pr	R O
	Raised Height Extra Heavy Duty Coil Springs  Extreme loads to GVM	50mm	TLC-203HD		N
CASTER BUSH KIT					· T
	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
ABS EXTENSION	ABS Extension - Does not suit later models with DPF		ACCABSXT- TOY01	1 kit	
SWAY BAR SPACERS	Sway Bar Spacer		ACCSWBB- TOY02	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35099GP		
o alli piranha	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35099GPA	 2 ea	
	41mm Foam Cell Shock Absorbers		SA41094FC		
LEAF SPRINGS	Raised Height Medium Duty 5 + 2 Leaf Springs  LBA up to 200kg	50mm	TOY050M		
0	Raised Height Heavy Duty 6 + 2 Leaf Springs  LBA 250kg to 400kg	50mm	TOY050MH	 2 ea	
	Raised Height Heavy Duty 6 + 2 Leaf Springs LBA 400KG to GVM	50mm	TOY050GV		
SHACKLE BUSH KITS					R
9666	Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands		BU779UK	1 kit	E A
U-BOLTS (check length re	equired)				R
	Round Form U Bolts - With Nuts		UB453-1	4.00	
CHACKIEC	Round Form U Bolts - With Nuts		UB416	— 4 ea	
SHACKLES	Greaseable Shackles		S358HDK	2 ea	
PINS	Greaseable Pins		P356HD	2 ea	
BRAKE PROPORTION SP	ACER Brake Proportioning Spacer		SP-TOY-BRK01	1 ea	
	Page 1 of the second sec			. 54	

TOYOTA LAN FZJ78 / HZJ78 / VD.	IDCRUISER - 4WD J78 Troop Carrier 9/1999 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha	LIII	SA35097GP	venicie	
o piranha	35mm Adjustable Shock Absorbers - Piranha		SA35097GPA	2 ea	
OTEEDING DAMPED	41mm Foam Cell Shock Absorbers		SA41091FCT		
STEERING DAMPER	Expanded Body Steering Damper - Piranha		00000000		
Į.	1999 -2006		SD35024GP	— 1 only	
	Expanded Body Steering Damper - Piranha 2007 Onwards		SD35047GP		
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD+	TLC-207		
	Raised Height Heavy Duty Coil Springs  No Bar / Winch	50mm	TLC-203		F
	Raised Extra Height Heavy Duty Coil Springs	50mm	TLC-203HT	1 pr	R
	Progressive Rate - With Bar / Winch Raised Height Extra Heavy Duty Coil Springs	3011111	120-203111		0
2 A 10 10 10 10 10 10 10 10 10 10 10 10 10	Extreme loads to GVM	50mm	TLC-203HD		N
CASTER BUSH KIT					• Т
	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
ABS EXTENSION	DOTT 2 TOR (2 degrees) for somminic				•
	ABS Extension - Does not suit later models with DPF		ACCABSXT-	1 kit	
6.0	ABS Extension - Does not suit later models with DFF		TOY01	I KIL	
SWAY BAR SPACERS					
	Sway Bar Spacer		ACCSWBB-	2 ea	
			TOY02		
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35099GP SA35099GPA	2 ea	
	John Aujustable Onock Absorbers - Filanna				
o piranha o	41mm Foam Cell Shock Absorbers		SA41094FC	_	
LEAF SPRINGS	41mm Foam Cell Shock Absorbers		SA41094FC		
	Raised Height Medium Duty 7 + 2 Leaf Springs	50mm			
	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg	50mm	TOY020		
	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg	50mm			
	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs		TOY020		
	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs	50mm	TOY020 TOY020M		
	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load	50mm	TOY020 TOY020M		
	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs	50mm 50mm	TOY020 TOY020M TOY020MH	  2 ea	
	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load	50mm 50mm	TOY020 TOY020M TOY020MH		R
LEAF SPRINGS	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs	50mm 50mm 50mm	TOY020M TOY020MH TOY020GV		E
	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load	50mm 50mm 50mm	TOY020M TOY020MH TOY020GV TOY020GVH	_	E
LEAF SPRINGS	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 800kg to GVM	50mm 50mm 50mm	TOY020M TOY020MH TOY020GV		E
LEAF SPRINGS	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 800kg to GVM  Polyurethane Bush Kit - Suits SSA Shackles & Pins  Shackle Widths May Vary Between Brands  equired)	50mm 50mm 50mm	TOY020M TOY020MH TOY020GV TOY020GVH BU779UK	_	E
SHACKLE BUSH KITS	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 800kg to GVM  Polyurethane Bush Kit - Suits SSA Shackles & Pins  Shackle Widths May Vary Between Brands  equired)  Round Form U Bolts - With Nuts	50mm 50mm 50mm	TOY020M TOY020MH TOY020GV TOY020GVH BU779UK UB416	_	E
SHACKLE BUSH KITS	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 800kg to GVM  Polyurethane Bush Kit - Suits SSA Shackles & Pins  Shackle Widths May Vary Between Brands  equired)	50mm 50mm 50mm	TOY020M TOY020MH TOY020GV TOY020GVH BU779UK	1 kit	E
SHACKLE BUSH KITS	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 800kg to GVM  Polyurethane Bush Kit - Suits SSA Shackles & Pins  Shackle Widths May Vary Between Brands  equired)  Round Form U Bolts - With Nuts  Round Form U Bolts - With Nuts	50mm 50mm 50mm	TOY020M TOY020MH TOY020GV TOY020GVH BU779UK UB416	1 kit	E
SHACKLE BUSH KITS U-BOLTS (check length re	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 800kg to GVM  Polyurethane Bush Kit - Suits SSA Shackles & Pins  Shackle Widths May Vary Between Brands  equired)  Round Form U Bolts - With Nuts  Round Form U Bolts - With Nuts	50mm 50mm 50mm	TOY020M TOY020MH TOY020GV TOY020GVH BU779UK UB416	1 kit	E
SHACKLE BUSH KITS U-BOLTS (check length re	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 800kg to GVM  Polyurethane Bush Kit - Suits SSA Shackles & Pins  Shackle Widths May Vary Between Brands  equired)  Round Form U Bolts - With Nuts  Round Form U Bolts - With Nuts  use with TOY020GVH	50mm 50mm 50mm	TOY020M TOY020MH TOY020GV TOY020GVH BU779UK UB416 UB418	1 kit	E
SHACKLE BUSH KITS U-BOLTS (check length research) SHACKLES	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 800kg to GVM  Polyurethane Bush Kit - Suits SSA Shackles & Pins  Shackle Widths May Vary Between Brands  equired)  Round Form U Bolts - With Nuts  Round Form U Bolts - With Nuts  use with TOY020GVH	50mm 50mm 50mm	TOY020M TOY020MH TOY020GV TOY020GVH BU779UK UB416 UB418	1 kit	E A
SHACKLE BUSH KITS  U-BOLTS (check length research)  SHACKLES  PINS	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 800kg to GVM  Polyurethane Bush Kit - Suits SSA Shackles & Pins  Shackle Widths May Vary Between Brands  equired)  Round Form U Bolts - With Nuts  Round Form U Bolts - With Nuts  Greaseable Shackles  Greaseable Pins	50mm 50mm 50mm	TOY020M TOY020MH TOY020GV TOY020GVH  BU779UK UB416 UB418 S358HDK	1 kit 4 ea 2 ea	E A
SHACKLE BUSH KITS U-BOLTS (check length research) SHACKLES	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg  Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg  Raised Height Extra Heavy Duty 8 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 600kg to 800kg  Raised Height Extra Heavy Duty 9 + 2 Leaf Springs  with 10mm main & wrap leaves - constant load  LBA 800kg to GVM  Polyurethane Bush Kit - Suits SSA Shackles & Pins  Shackle Widths May Vary Between Brands  equired)  Round Form U Bolts - With Nuts  Round Form U Bolts - With Nuts  Greaseable Shackles  Greaseable Pins	50mm 50mm 50mm	TOY020M TOY020MH TOY020GV TOY020GVH  BU779UK UB416 UB418 S358HDK	1 kit 4 ea 2 ea	E A

Part and Location	Description	Approx	Part	Qty Per
		Lift	Number	Vehicle
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35097GP	_ 2 ea
O piranha O	35mm <b>Adjustable</b> Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers		SA35097GPA SA41091FCT	2 <del>U</del> a 
STEERING DAMPER	4 IIIIII FOAIII CEII SHOCK Absorbers		3A41091FC1	
I I	Expanded Body Steering Damper - Piranha 1999 -2006		SD35024GP	
4	Expanded Body Steering Damper - Piranha 2007 Onwards		SD35047GP	— 1 only
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD+	TLC-207	
COCCONAL LO	Raised Height Heavy Duty Coil Springs No Bar / Winch	50mm	TLC-203	_
MANAMA	Raised Extra Height Heavy Duty Coil Springs  Progressive Rate - With Bar / Winch	50mm	TLC-203HT	1 pr
900001100/	Raised Height Extra Heavy Duty Coil Springs  Extreme loads to GVM	50mm	TLC-203HD	_
CASTER BUSH KIT				
	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit
ABS EXTENSION	, ,			
COS	ABS Extension - Does not suit later models with DPF		ACCABSXT- TOY01	1 kit
SWAY BAR SPACERS				
	Sway Bar Spacer		ACCSWBB- TOY02	2 ea
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35099GP	
	35mm Adjustable Shock Absorbers - Piranha		SA35099GPA	 2 ea
o piranha o	41mm Foam Cell Shock Absorbers		SA41094FC	2 6a
LEAF SPRINGS	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg	50mm	TOY020	
	Raised Height Heavy Duty 8 + 2 Leaf Springs  LBA 250kg to 400kg	50mm	TOY020M	_
	Raised Height Heavy Duty 9 + 2 Leaf Springs <b>LBA 400kg to 600kg</b>	50mm	TOY020MH	
0-1	Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load	50mm	TOY020GV	— 2 ea
	LBA 600kg to 800kg Raised Height Extra Heavy Duty 9 + 2 Leaf Springs with 10mm main & wrap leaves - constant load	50mm	TOY020GVH	
	LBA 800kg to GVM	3011111	101020011	
SHACKLE BUSH KITS				
	Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands		BU779UK	1 kit
U-BOLTS (check length r				
C DODING (OHOOK TONIGHT)	Round Form U Bolts - With Nuts		UB416	
	Round Form U Bolts - With Nuts		UB418	4 ea
	use with TOY020GVH		05410	
SHACKLES	Greaseable Shackles		S358HDK	2 ea
PINS &				
	Crassalla Bira		P356HD	2 ea
	Greaseable Pins		F330HD	Z Ca
BRAKE PROPORTION SI			F330HD	Z Ca

TOYOTA LAN 70 Series Dual Cab	DCRUISER - 4WD 7/2012 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha 35mm <b>Adjustable</b> Shock Absorbers - Piranha 41mm Foam Cell Shock Absorbers		SA35097GP SA35097GPA SA41091FCT	2 ea	
STEERING DAMPER	Expanded Body Steering Damper - Piranha 1999 -2006		SD35024GP	— 1 only	•
9	Expanded Body Steering Damper - Piranha 2007 Onwards		SD35047GP		
COIL SPRINGS	Standard Height Heavy Duty Coil Springs	STD+	TLC-207		
<b>COCOMMUS</b>	Raised Height Heavy Duty Coil Springs No Bar / Winch	50mm	TLC-203		F
ammin	Raised Extra Height Heavy Duty Coil Springs  Progressive Rate - With Bar / Winch	50mm	TLC-203HT	1 pr 	R O
	Raised Height Extra Heavy Duty Coil Springs  Extreme loads to GVM	50mm	TLC-203HD		N T
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
ABS EXTENSION	ABS Extension - Does not suit later models with DPF		ACCABSXT- TOY01	1 kit	
SWAY BAR SPACERS	Sway Bar Spacer		ACCSWBB- TOY02	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35099GP		
O piranha O	35mm <b>Adjustable</b> Shock Absorbers - Piranha		SA35099GPA	_ 2 ea	
	41mm Foam Cell Shock Absorbers		SA41094FC		
LEAF SPRINGS	Raised Height Medium Duty 7 + 2 Leaf Springs  LBA up to 200kg  Raised Height Heavy Duty 8 + 2 Leaf Springs	50mm	TOY020		
	LBA 250kg to 400kg	50mm	TOY020M	<u> </u>	
0	Raised Height Heavy Duty 9 + 2 Leaf Springs  LBA 400kg to 600kg	50mm	TOY020MH	— 2 ea	
	Raised Height Extra Heavy Duty 8 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 600kg to 800kg	50mm	TOY020GV		
	Raised Height Extra Heavy Duty 9 + 2 Leaf Springs with 10mm main & wrap leaves - constant load LBA 800kg to GVM	50mm	TOY020GVH		R
SHACKLE BUSH KITS					E
	Polyurethane Bush Kit - Suits SSA Shackles & Pins Shackle Widths May Vary Between Brands		BU779UK	1 kit	A R
U-BOLTS (check length re	equired) Round Form U Bolts - With Nuts		UB416		
	Round Form U Bolts - With Nuts use with TOY020GVH		UB418	4 ea	
SHACKLES	Greaseable Shackles		S358HDK	2 ea	
PINS	Greaseable Pins		P356HD	2 ea	
BRAKE PROPORTION SP.	ACER Brake Proportioning Spacer		SP-TOY-BRK01	1 ea	

TOYOTA LAN FJ80, HDJ80, HZJ8	IDCRUISER - 4WD 0 Station Wagon 8/1991 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS					
O piranha O	35mm Gas Bulged Shock Absorbers - Piranha		SA35105GP	2 ea	
STEERING DAMPER					
	Expanded Body Steering Damper - Piranha		SD35024GP	1 only	F
COIL SPRINGS					R
ALLAAAAAA	Standard Height Heavy Duty Coil Springs	STD	TLC-208	<u> </u>	0
	Raised Height Heavy Duty Coil Springs  LBA up to 50kg	50mm	TLC-202	1 pr	N T
	Raised Height Extra Heavy Duty Coil Springs LBA 50kg to 80kg	50mm	TLC-202HD		
CASTER BUSH KIT					
35	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS					
o piranha o	35mm Gas Bulged Shock Absorbers - Piranha		SA35106GP	2 ea	
COIL SPRINGS					R
	Standard Height Heavy Duty Coil Springs	STD	TLC-217	_	E
<b>CLIVIVY NO</b>	Raised Height Heavy Duty Coil Springs Up to 150kg	50mm	TLC-213	_ ,	Α
ammo	Raised Height Extra Heavy Duty Coil Springs  LBA 200kg to 300kg - constant load	50mm	TLC-213HD	1 pr	R
	Raised Height Ultra Heavy Duty Coil Springs  LBA 360kg to GVM - constant Load	50mm	TLC-213HHD		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

\* Early model 80 series 5/1990 - 8/1991 require different coils. Contact for more info.

	NDCRUISER - 4WD IZJ100 I.F.S. Station Wagon 4/	1998 t	o 11/2007			
Part and Location	Description		Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS						
O piranha	35mm Gas Bulged Shock Absorbers - Piranha	I		SA35103GP	2 ea	
TORSION BARS	Increased Rate Torsion Bars  Length 1160mm  Petrol			TOY041	1 pr	F R O
	Increased Rate Torsion Bars  Length 1210mm  Diesel / Turbo Diesel / 6 Cylinder Petrol Eng	jine		TOY041D	1 pr	N T
TORSION BAR SUPPORT	BRACKET					
8 &	Torsion Bar Support Bracket			TOY041SUPPBKT	1 kit	
SHOCK ABSORBERS						
O piranha	35mm Gas Bulged Shock Absorbers - Piranha	I		SA35104GP	2 ea	
COIL SPRINGS						
	Raised Height Heavy Duty Coil Springs  Progressive Rate - LBA 50kg to GVM		STD	TLC-210		R E
<b>GYVVY</b> X	Raised Height Heavy Duty Coil Springs Progressive Rate - LBA up to 150kg		20mm	TLC-209	- 1 pr	A R
WW 10	Raised Height Heavy Duty Coil Springs LBA up to 200kg		25mm	TLC-217	- i þi	
	Raised Height Extra Heavy Duty Coil Springs LBA 250kg Plus - constant load		25mm	TLC-216HD	-	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)


TOYOTA LAN	NDCRUISER - 4WD R Station Wagon 4/1998 to 11/2007				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35105GP	2 ea	
STEERING DAMPER	Expanded Body Steering Damper - Piranha		SD35024GP	1 only	F
COIL SPRINGS	Standard Height Heavy Duty Coil Springs Raised Height Heavy Duty Coil Springs	STD 50mm	TLC-208		R O N
	LBA up to 50kg Raised Height Extra Heavy Duty Coil Springs LBA 50kg to 80kg	50mm	TLC-202HD	1 pr 	Т
CASTER BUSH KIT	Correct castor angles by using Castor Bush Kit BU1721UK (2 degrees) for 50mm lift		BU1721UK	1 kit	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35106GP	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  Progressive Rate	20mm	TLC-210		R E
QLVVY IQ	Raised Height Heavy Duty Coil Springs  Progressive Rate	40mm	TLC-209	4	A R
OIYVID	Raised Height Heavy Duty Coil Springs  LBA Up to 150kg	50mm	TLC-213	— 1 pr	ı
	Raised Height Extra Heavy Duty Coil Springs  LBA 250kg to 400kg - constant load	50mm	TLC-213HD		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	DCRUISER - 4WD Vagon UZJ, URJ, GRJ, VDJ 11/2007 Onwa	rds * exc	luding air susper	nsion mod	dels
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	Upper Control Arms - Piranha		UCATOY02	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha  Must use BlueMax Top Plate Mount when using  BlueMax strut/shock absorbers		SA67200GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles With LBA up to 50kg Preassembled Strut/Coil With Top Plate Mount	40mm	TLC-218 COIL-ST-TLC01		F R
ASSEMBLY	Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount	40mm	KTFR-130H COIL-ST-TLC11	-	O N
Thin Vic	Coil Springs For Vehicles With LBA 100kg to 130kg Preassembled Strut/Coil With Top Plate Mount	40mm	TLC-218HD COIL-ST-TLC21	1 pr	T
ASSEMBLY	Coil Springs For Vehicles With LBA 130kg plus Preassembled Strut/Coil With Top Plate Mount	40mm	TLC-218HHD COIL-ST-TLC22	-	
	Note: Special Order Coils are available for vehicles with KDSS. With a 10mm Taller Coil on D/S			-	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1107	2 ea	_
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35681GP	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs LBA Up to 150kg	25mm	TLC-219		R E
	Raised Height Heavy Duty Coil Springs LBA 100kg to 250kg - constant load	45mm	KTRR-131H	- 1 nr	A R
	Raised Height Heavy Duty Coil Springs LBA 300kg to 500kg - constant load	45mm	TLC-219HD	- 1 pr	
	Raised Height Extra Heavy Duty Coil Springs  LBA 500kg plus - constant Load	45mm	TLC-219HHD		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

<sup>\*</sup> Check vehicle KDSS suspension system. If fitted follow recommended fitment procedure outlined opposite.



THE VEHICLE MUST NOT BE DRIVEN WITH THESE VALVES OPEN AS THIS WILL COMPRIMISE THE SYSTEM AND RENDER THE VEHICLE UNSAFE TO DRIVE.

4. With the vehicle sitting on level ground, close both KDSS levelling valves by turning them in a clockwise direction and then tightening.

Ph 1800 630 411







www.ssa.com.au

# **BLUEMAX - Distributing Australia Wide**

SSA | BRISBANE

219 Toombul Road Northgate Queensland 4013 1: 07 3370 3200 :: info@ssa.com.au MCNAUGHTAN'S | MELBOURNE

321 Greens Rd Keysborough, VIC, 3173 3: 03 8768 6666 ⊠: vicsales@mcnaughtans.com.au MCNAUGHTAN'S | PERTH

3 Kalli Street, Malaga Western Australia, 6090 ): 08 92481833 ⊠: wainfo@mcnaughtans.com.au

	DCRUISER - 4WD Vagon GRJ FJA VJA 7/2021 Onwards				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
UPPER CONTROL ARMS	Upper Control Arms - Piranha		UCATOY03	1 pr	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67300GP	2 ea	
COILS & STRUT	Coil Springs For Vehicles With LBA up to 50kg Preassembled Strut/Coil With Top Plate Mount	40mm	KTFR-140 COIL-ST-TLC03		F R
ASSEMBLY	Coil Springs For Vehicles With LBA 50kg to 70kg Preassembled Strut/Coil With Top Plate Mount	40mm	KTFR-140H COIL-ST-TLC13		0 N
Min Wie	Coil Springs For Vehicles With LBA 50kg to 100kg Preassembled Strut/Coil With Top Plate Mount	40mm	KTFR-140HD COIL-ST-TLC23	1 pr	T
ASSEMBLY CONTRACTOR OF THE PARTY OF THE PART	Coil Springs For Vehicles With LBA 100kg plus	40mm	KTFR-140HHD COIL-ST-TLC33	-	
TOP PLATE MOUNT	Preassembled Strut/Coil With Top Plate Mount Strut Top Plate Mount		TPL1108	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35108GP	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  LBA Up to 150kg	45mm	KTRR-141		R E
	Raised Height Comfort Coil Springs  LBA 100kg to 250kg - constant load	45mm	KTRR-141H	- 1 nr	A R
	Raised Height Heavy Duty Coil Springs  LBA 100kg to 300kg - constant load	45mm	KTRR-141HD	- 1 pr	IX
	Raised Height Extra Heavy Duty Coil Springs LBA 300kg to 500kg - constant load	45mm	KTRR-141HHD	-	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GP	2 ea
COILS & STRUT ASSEMBLY	Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR01	_
ASSEMBLY COMMUNICATION OF THE PROPERTY OF THE	Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR11	- 1 pr
	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR52	
	Tapered Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HT COIL-ST-TPR51	_
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35682GP	2 ea
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	50mm	TPR-205	1 pr

GUN156R 8/2015 C	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67087GP	2 ea	
COILS & STRUT	Tapered Coil Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	HOL-210HT COIL-ST-HOL54		F
ASSEMBLY	Coil Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR11	-	R
Con Vice	Coils Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR	1 pr	O N
Nie o	Tapered Coils Springs For Vehicles With Bullbar & Winch	40mm	TPR-204HT	-	Т
•	Preassembled Strut/Coil With Top Plate Mount		COIL-ST-TPR51		
TOP PLATE MOUNT	Strut / Coil Assembly Top Plate Mount		TPL1083	2 ea	ı
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35686GP	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs	40mm	KTRR-215		RE
	Raised Height Heavy Duty Coil Springs  LBA 100kg to 300kg - constant load	40mm	KTRR-215HD	1 pr	A R
	Raised Height Heavy Duty Coil Springs  LBA 300kg to 500kg - constant load	40mm	KTRR-215EHD	-	

TOYOTA PRAI VZJ, KZJ, RZJ, KDJ	DO 95 SERIES - 4WD 95 Station Wagon 1996 to 2003				
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers		SA67222G	2 ea	
COILS & STRUT ASSEMBLY	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	30mm	TPR-201 COIL-ST-TPR06	-	F R
Cindia.	Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-201HD COIL-ST-TPR26	1 pr	O N T
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1081	2 ea	•
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers		SA35661G	2 ea	R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs  LBA Up to 150kg	30mm	TPR-203	- 1 pr	E A R
ewmo	Raised Height Heavy Duty Coil Springs LBA 200kg plus - constant load	40mm	TPR-203HD	iβi	


<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	DO 120 SERIES - 4WD 120 SWB & LWB Station Wagon 2003 to 1	1/2009 *	Excludes Air Susp	ension Mo	dels
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67088GP	2 ea	
COILS & STRUT ASSEMBLY	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR04		
<b>₩</b>	Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR14	_	F R
Cindle .	Coils Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HD COIL-ST-TPR22	1 pr	0
William .	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR54	_	N T
	Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HT COIL-ST-TPR55		
TOP PLATE MOUNT	Strut Top Plate Mount		TPL-1083	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35682GP	2 ea	
COIL SPRINGS	Raised Height Heavy Duty Coil Springs LBA Up to 150kg	40mm	TPR-205		R E A
	Raised Height Heavy Duty Progressive Rate Coils	40mm	TPR-206	1 pr	R
	Raised Height Extra Heavy Duty Coil Springs  LBA 200kg plus - constant load	40mm	TPR-205HD		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

	DO 150 SERIES - 4WD	Owwerde w			
Part and Location	DJ155, GX & GXL Station Wagon 2010  Description	Approx Lift	Excludes Air Suspe Part Number	Qty Per Vehicle	aeis
STRUT	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67095GP	2 ea	
COILS & STRUT	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204 COIL-ST-TPR05		
ASSEMBLY	Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204H COIL-ST-TPR15	-	
Chine.	Coils Springs For Vehicles With Bullbar & Winch Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HD COIL-ST-TPR23	-	F R
Chin lie	Coils Springs For Vehicles Without Bullbar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204T COIL-ST-TPR57	1 pr	O N
Cindle Control	Coils Springs For Vehicles With Bull Bar Preassembled Strut/Coil With Top Plate Mount	40mm	TPR-204HT COIL-ST-TPR58	-	T
	SWB Models Coils Springs For Vehicles With No Bar / Winch Raised Height Heavy Duty Coil Springs	40mm	KTFS-101	-	
TOP PLATE MOUNT	Strut Top Plate Mount		TPL1083	2 ea	
SHOCK ABSORBERS	35mm Gas Bulged Shock Absorbers - Piranha		SA35686GP	2 ea	
COIL SPRINGS	Commit Gae Baigea Check / Isocratic Triainia			2 04	-
OOIL OF KINOO	LWB Models				R
CO 1 AMA	Raised Height Heavy Duty Coil Springs <b>LBA up to 150kg</b>	40mm	TPR-205	_	E
	Raised Height Heavy Duty Progressive Rate Coils	40mm	TPR-206	- 1 nr	R
<b>QIVVID</b>	Raised Height Extra Heavy Duty Coil Springs  LBA 200kg to 350kg	40mm	TPR-205HD	1 pr	
	SWB Models				
	Raised Height Heavy Duty Coil Springs	40mm	KTRS-102		

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)



THE VEHICLE MUST NOT BE DRIVEN WITH THESE VALVES OPEN AS THIS WILL COMPRIMISE THE SYSTEM AND RENDER THE VEHICLE UNSAFE TO DRIVE.

4. With the vehicle sitting on level ground, close both KDSS levelling valves by turning them in a clockwise direction and then tightening.

Ph 1800 630 411







www.ssa.com.au

# **BLUEMAX - Distributing Australia Wide**

SSA | BRISBANE

219 Toombul Road Northgate Queensland 4013 1: 07 3370 3200 :: info@ssa.com.au MCNAUGHTAN'S | MELBOURNE

321 Greens Rd Keysborough, VIC, 3173 3: 03 8768 6666 ⊠: vicsales@mcnaughtans.com.au MCNAUGHTAN'S | PERTH

3 Kalli Street, Malaga Western Australia, 6090 ): 08 92481833 ⊠: wainfo@mcnaughtans.com.au

VW AMAROK 2010 Onwards *Ex					
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67090GP	2 ea	F R
COIL SPRINGS	Raised Height Heavy Duty Coil Springs No bar / Winch	20mm	VW-201	1 pr	O N T
<b>community</b>	Raised Extra Height Heavy Duty Coil Springs With bar / Winch	20mm	VW-201H	— 1 pr	
SHOCK ABSORBERS					
o pirantis	35mm Gas Bulged Shock Absorbers - Piranha		SA35085GP	2 ea	
LEAF SPRINGS	Raised Height Heavy Duty Leaf Springs 3 + 3 LBA 200 kg to 400kg	20mm	VW001M	2	R
0	Raised Height Extra Heavy Duty Leaf Springs 3 + 3  LBA 500kg to GVM - Additional camber	20mm	VW001MH	— 2 ea	E
SHACKLE BUSH KITS					R
9000	Polyurethane Bush Kit * does not include chassis bushes		BU780UK	1 kit	
U-BOLTS	Round Form U Bolts - With Nuts		UB453-3	4 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)

VW AMAROK 2016 Onwards V6 N			_		
Part and Location	Description	Approx Lift	Part Number	Qty Per Vehicle	
STRUT					
	Strut/Gas Spring Seat Shock Absorbers - Piranha		SA67090GP	2 ea	F R
COIL SPRINGS	Daised Unimbally and Date Oath Opping				0
WWW Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	Raised Height Heavy Duty Coil Springs  No bar / Winch	20mm	VW-201H	1 nr	N T
ommus .	Raised Extra Height Heavy Duty Coil Springs With bar / Winch	20mm	VW-201HH	— 1 pr	
SHOCK ABSORBERS					
O prante O	35mm Gas Bulged Shock Absorbers - Piranha		SA35085GP	2 ea	
LEAF SPRINGS					
0	Raised Height Heavy Duty Leaf Springs 3 + 3 <b>LBA 200 kg to 400kg</b>	20mm	VW001M	2.00	R
2	Raised Height Extra Heavy Duty Leaf Springs 3 + 3 LBA 500kg to GVM - Additional camber	20mm	VW001MH	— 2 ea	E
SHACKLE BUSH KITS					R
9000	Polyurethane Bush Kit * does not include chassis bushes		BU780UK	1 kit	
U-BOLTS					
	Round Form U Bolts - With Nuts		UB453-3	4 ea	

<sup>\*</sup> LBA = Load Bearing Accessories (Bull Bar, Winch, Tyre Carrier, Extra Fuel Tanks etc)



PH: 1800 630 411







## **BRISBANE** · **MELBOURNE** · **PERTH**

SSA | BRISBANE

4/919-925 Nudgee Road, Banyo Queensland 4014 : 07 3370 3200 ● 憑: 07 3370 3201 : info@ssa.com.au

### MCNAUGHTAN'S | MELBOURNE

321 Greens Road, Keysborough, VIC, 3173 3: 03 8768 6666 ⊠: vicsales@mcnaughtans.com.au

#### MCNAUGHTAN'S | PERTH

3 Kalli Street, Malaga Western Australia, 6090 3: 08 92481833 • ₤: 08 92481899 ⊠: michael@mcnaughtans.com.au